



Spotlight for low-voltage bulbs MR16




Page 224

Spotlight for low-voltage bulbs QRB111



Page 220

Spotlights for high-voltage bulbs GU10



Page 221



Page 222



Page 223



Page 223



Page 223



Page 223



Page 223



Page 225

Spotlights for high-voltage bulbs ES111



Page 219



Page 226



Page 226

Spotlight for high-voltage bulbs R7s




Page 219

Spotlights for high-voltage bulbs PAR



Page 219



Page 221

EnergySaver



Page 227



Page 227



Page 227



Page 227

Profile luminaires for commercial use



Page 219

PROFILIGHT EFFICIENT



## EURO SPOT ES111

230-



**Socket/Bulb:**  
GU10/ES111 (excl.)  
75W max.

**Material:**  
Aluminium


**Dimensions:**  
H/L: 20/14,5 cm  
Head-Ø/L: 12,5/14,5 cm

**Accessory/Included parts:**  
1 Cir adapter (incl.)

**Versions:**  
white  
silver grey

**Art. No.:**  
143801  
143804

£59.50



**Recommended bulb:**  
75W white  
575671  
£14.80



## SKELETO

230-



**Socket/Bulb:**  
R7s/R7s, 78 mm (excl.)  
150W max.

**Material:**  
Steel

**Dimensions:**  
L/W/H: 17/15,5/5 cm

**Accessory/Included parts:**  
1 Cir adapter (incl.)

**Versions:**  
white  
silver grey

**Art. No.:**  
143321  
143327

£59.50

**Complementary products:**  
Page 287



**Recommended bulb:**  
100W EnergySaver  
519215  
£2.98



## AERO PAR30 Design by CDC

230-



**Socket/Bulb:**  
E27/PAR30 (excl.)  
75W max.

**Material:**  
Aluminium

**Dimensions:**  
L/W/H: 12/12/15 cm

**Accessory/Included parts:**  
1 Cir adapter (incl.)

**Versions:**  
silver grey

**Art. No.:**  
143317

£69.50

**Recommended bulb:**  
75W, 24°  
519737  
£9.90



## Q-TECH® SPOT G12 HOR

230-



**HiEFFICIENT**  
**PROFIlight.**

**Socket/Bulb:**  
G12/HQI-T; CDM-T (excl.)  
70W

**Material:**  
Aluminium

**Dimensions:**  
Head-Ø: 12 cm  
W/H: 30,5/16 cm

**Accessory/Included parts:**  
1 Cir adapter (incl.)  
Electronic ballast (incl.)  
Reflector (excl.)

**Versions:**  
white  
silver grey

**Art. No.:**  
143671  
143674

£199.00

**Note:**  
Suitable reflector see below.

**Recommended bulb:**  
70W white  
507131  
£49.90



## ACCESSORY for Q-Tech® G12



**Reflector**  
Aluminium  
Product-Ø: 10,5 cm

**Art. No.:**  
24° 153241  
44° 153244  
60° 153246

£9.90



## TEC I QRB

230V  
12~

**Socket/Bulb:**  
G53/QRB111 (excl.)  
50W max.

**Material:**  
Aluminium

**Dimensions:**  
L/W/H: 14/18/16 cm

**Accessory/Included parts:**  
1 Cir adapter (incl.)  
Electronic transformer (incl.)

**Versions:**  
silver grey

**Art. No.:**  
143512

£59.50

**Recommended bulb:**  
50W, 45°  
543545  
£7.90



## TEC II QRB

230V  
12~

**Socket/Bulb:**  
G53/QRB111 (excl.)  
2x 50W max.

**Material:**  
Aluminium

**Dimensions:**  
L/W/H: 14/31,5/16 cm

**Accessory/Included parts:**  
1 Cir adapter (incl.)  
Electronic transformer (incl.)

**Versions:**  
silver grey

**Art. No.:**  
143522

£99.00

**Recommended bulb:**  
50W, 45°  
543545  
£7.90



## TEC IV QRB

230V  
12~

**Socket/Bulb:**  
G53/QRB111 (excl.)  
4x 50W max.

**Material:**  
Aluminium

**Dimensions:**  
L/W/H: 30,5/31,5/16 cm

**Accessory/Included parts:**  
1 Cir adapter (incl.)  
Electronic transformer (incl.)

**Versions:**  
silver grey

**Art. No.:**  
143532

£179.00

**Recommended bulb:**  
50W, 45°  
543545  
£7.90





## PAR MESH 16

230~



**Socket/Bulb:**  
GU10/GU10 (excl.)  
50W max.

**Material:**  
Aluminium

**Dimensions:**  
Ø/L: 9/24 cm

**Accessory/Included parts:**  
1 Cir adapter (incl.)

**Versions:**  
alu natural

**Art. No.:**  
143704

£49.90

**Recommended bulb:**  
50W warm white  
575510  
£4.80



## PAR MESH 20

230~



**Socket/Bulb:**  
E27/PAR20 (excl.)  
75W max.

**Material:**  
Aluminium

**Dimensions:**  
Ø/L: 16/27 cm

**Accessory/Included parts:**  
1 Cir adapter (incl.)

**Versions:**  
alu natural

**Art. No.:**  
143714

£59.50

**Recommended bulb:**  
75W, 24°  
519727  
£7.90



## PAR MESH 30

230~



**Socket/Bulb:**  
E27/PAR30 (excl.)  
150W max.

**Material:**  
Aluminium

**Dimensions:**  
Ø/L: 18/39 cm

**Accessory/Included parts:**  
1 Cir adapter (incl.)

**Versions:**  
alu natural

**Art. No.:**  
143724

£69.50

**Recommended bulb:**  
150W, 24°  
519739  
£9.90





## BIMA I

230~



350°



200°



0,2



**Socket/Bulb:**  
GU10/GU10 (excl.)  
50W max.

**Material:**  
Aluminium

**Dimensions:**  
W/H: 7/22 cm  
Head-Ø/H: 6/8 cm

**Accessory/Included parts:**  
1 Cir adapter (incl.)

**Versions:**  
silver grey

**Art. No.:**  
143442

£49.90

**Recommended bulb:**  
50W warm white  
575510  
£4.80



## BIMA II

230~



350°



200°



0,5



**Socket/Bulb:**  
GU10/GU10 (excl.)  
2x 50W max.

**Material:**  
Aluminium

**Dimensions:**  
W/H: 7/22 cm  
Head-Ø/H: 6/8 cm

**Accessory/Included parts:**  
1 Cir adapter (incl.)

**Versions:**  
silver grey

**Art. No.:**  
143432

£59.50

**Recommended bulb:**  
50W warm white  
575510  
£4.80





## KASPO

230~



350°



180°



0,15



**Socket/Bulb:**  
GU10/GU10 (excl.)  
50W max.

**Material:**  
Aluminium

**Dimensions:**  
W/H/D: 7/31,5/8,5 cm  
Head-Ø: 5,5 cm

**Accessory/Included parts:**  
1 Cir adapter (incl.)

**Versions:**  
silver grey

**Art. No.:**  
143422

£34.90

**Recommended bulb:**  
50W warm white  
575510  
£4.80



## Q-TECH® SPOT GU10

230~



350°



90°



0,27



**Socket/Bulb:**  
GU10/GU10 (excl.)  
50W max.

**Material:**  
Aluminium

**Dimensions:**  
Head-Ø: 6 cm  
Total-L: 21,5 cm

**Accessory/Included parts:**  
1 Cir adapter (incl.)

**Versions:**  
white  
silver grey

**Art. No.:**  
143631  
143634

£59.50

**Recommended bulb:**  
50W warm white  
575510  
£4.80



## BLOX

230~



350°



90°



0,5



**Socket/Bulb:**  
GU10/GU10 (excl.)  
50W max.

**Material:**  
Aluminium/glass

**Dimensions:**  
L/W: 10,5/15,5 cm

**Accessory/Included parts:**  
1 Cir adapter (incl.)

**Versions:**  
silver grey

**Art. No.:**  
143502

£49.90

**Recommended bulb:**  
50W warm white  
575510  
£4.80



## TOBU

230~



350°



180°



0,2



**Socket/Bulb:**  
GU10/GU10 (excl.)  
50W max.

**Material:**  
Glass

**Dimensions:**  
L/W/H: 16,5/8/6 cm

**Accessory/Included parts:**  
1 Cir adapter (incl.)

**Versions:**  
silver grey  
Glass partial satin finish

**Art. No.:**  
143372

£29.90

**Recommended bulb:**  
50W warm white  
575510  
£4.80



## AERO GU10 Design by CDC

230~



350°



90°



0,13



**Socket/Bulb:**  
GU10/GU10 (excl.)  
50W max.

**Material:**  
Aluminium/Plastic

**Dimensions:**  
L/W/H: 7/7/11 cm

**Accessory/Included parts:**  
1 Cir adapter (incl.)

**Versions:**  
white  
silver grey

**Art. No.:**  
143301  
143307


£39.90

**Recommended bulb:**  
50W warm white  
575510  
£4.80





## SLEEK SPOT MR16



**Socket/Bulb:**  
GU5,3/MR16 (excl.)  
50W max.

**Material:**  
Aluminium

**Dimensions:**  
L/W/H: 11/12,5/8,5 cm

**Accessory/Included parts:**  
1 Cir adapter (incl.)  
Electronic transformer (incl.)  
Deco ring (incl.)

**Versions:**  
white  
silver grey

**Art. No.:**  
143791  
143794

£79.90

**Recommended bulb:**  
50W, 40°  
535540  
£1.90





PURI

230-



270°



90°



0,16



**Socket/Bulb:**  
GU10/GU10; ES111 (excl.)  
50W max.

**Material:**  
Aluminium

**Dimensions:**  
Ø/H: 5,4/14,5 cm

**Accessory/Included parts:**  
1 Cir adapter (incl.)

**Note:**  
Deco ring for the GU10 bulb is included.  
The Puri spotlight can be equipped with GU10 or ES111 bulbs.

**Versions:**  
silver grey

**Recommended bulb:**  
50W warm white  
575510  
£4.80

**Art. No.:**  
143392

£19.90







Luna I with ES111 LED bulb see page 607.

## LUNA I

230~



**Socket/Bulb:**  
GU10/ES111 (excl.)  
75W max.  
or  
DomeLED ES111 (excl.)  
9W

**Material:**  
Aluminium

**Dimensions:**  
W/H/D: 7,5/21/4 cm

**Accessory/Included parts:**  
1 Cir adapter (incl.)  
Deco ring (excl.)

**Versions:**  
silver grey

**Art. No.:**  
143482

£49.90

**Recommended bulb:**  
DomeLED 9W, 60°  
550392 warm white  
£119.00



**Recommended bulb:**  
75W warm white  
575672  
£12.90



## ACCESSORY for Luna I



**Deco ring 111 for ES111**  
silver grey, grooved

**Art. No.:**  
151051  
£6.90

silver grey, smooth ▼

111574  
£9.90



## KASPO ES111

230~



**Socket/Bulb:**  
GU10/ES111 (excl.)  
75W max.

**Material:**  
Aluminium

**Dimensions:**  
Head-Ø/H: 12,7/18 cm

**Accessory/Included parts:**  
1 Cir adapter (incl.)

**Versions:**  
silver grey

**Art. No.:**  
143754

£34.90

**Recommended bulb:**  
75W warm white  
575672  
£12.90





## GX53-ADAPTER

230~



**Socket/Bulb:**  
GX53/GX53 EnergySaver (excl.)  
9W max.  
or LED GX53, 1,2W (excl.)  
or PowerLED GX53  
3x 1W (excl.)  
or Shoplight GX53 11W (excl.)

**Material:**  
Plastic

**Dimensions:**  
L/W/H: 8/3,5/4 cm

**Note:**  
Compact completion for a  
variety of application possibilities.

**Versions:**  
silver grey ▼

**Art. No.:**  
143694

£9.90

**Recommended bulb:**  
11W warm white  
508550  
£39.90



**Recommended bulb:**  
9W warm white  
508860  
£14.80



## TONGA IV

230~



**Socket/Bulb:**  
E14/AGL (excl.)  
60W max.  
or  
E14/EnergySaver (excl.)  
till max. Ø/L: 5/13 cm

**Material:**  
Ceramic

**Dimensions:**  
Ø/H: 15/22 cm

**Accessory/Included parts:**  
1 Cir adapter (incl.)

**Versions:**  
Shade white

**Art. No.:**  
143594


£79.90

**Recommended bulb:**  
11W warm white  
508810  
£7.90



## TWIN TUBE

230~



**Socket/Bulb:**  
G5/T5 EnergySaver (excl.)  
2x 39W

**Material:**  
Housing plastic  
Tube acrylic

**Dimensions:**  
L/W/H: 91/19,5/10 cm  
Tube-Ø: 4,3 cm

**Accessory/Included parts:**  
1 Cir adapter (incl.)  
Electronic ballast (incl.)

**Versions:**  
silver grey

**Art. No.:**  
143402

£199.00

**Recommended bulb:**  
39W warm white  
548039  
£9.90 /pce.  
(see page 616)



## TEC TC-DE

230~



**Socket/Bulb:**  
G24q-3/TC-DE (excl.)  
26W

**Material:**  
Aluminium/glass

**Dimensions:**  
L/W/H: 35/14,5/22 cm

**Accessory/Included parts:**  
1 Cir adapter (incl.)  
Electronic ballast (incl.)

**Versions:**  
silver grey

**Art. No.:**  
143582

£119.00


**Recommended bulb:**  
26W white  
508322  
£6.90





## 1 CIRCUIT TRACK, 2 m

230~

10A  
max.

**Material:**  
Aluminium

**Versions:**  
white  
silver grey

**Art. No.:**  
143021  
143022

**Dimensions:**  
L/W/H: 200/3,4/1,8 cm  
Cross section: 4 mm<sup>2</sup>

£39.90

## END CAP for 1Circuit high-voltage track



**Dimensions:**  
L/W/H: 0,4/3,4/1,8 cm

**Versions:**  
white/2 pce.  
silver grey/2 pce.

**Art. No.:**  
143131  
143132

£1.48

## CANOPY for lamps with 1Circuit adapter

230~



**Dimensions:**  
H/Ø: 2,5/12 cm

**Note:**  
For the direct ceiling mounting of  
lamps with 1Cir adapter.

**Versions:**  
white  
silver grey

**Art. No.:**  
143381  
143382

£12.90

## CEILING SUSPENSION for 1Circuit high-voltage track



**Dimensions:**  
Base-Ø/H: 1,4/2 cm

**Versions:**  
white  
silver grey

**Art. No.:**  
143141  
143142

£9.90

## FLOOR BASE for lamps with 1Circuit adapter

230~



**Material:**  
Plastic/steel

**Dimensions:**  
Ø/H: 20/4,5 cm  
Mains cable-L: 1,5 m

**Accessory/Included parts:**

Foot switch(incl.)  
Mains plug (incl.)  
Lamp (excl.)

**Note:**  
May only be used on the power  
supply system with mounted lamp.

**Versions:**  
silver grey ▼

**Art. No.:**  
143014

£34.90






## FEED-IN for 1Circuit high-voltage track


230~

10A  
max.

1



2



**Dimensions:**  
visible L/W/H: 6,5/3,4/1,8 cm  
total L: 10,5 cm

**Versions:**  
Feed-in 1, earth left  
white  
silver grey

**Art. No.:**  
143031  
143032

£5.95

**Versions:**  
Feed-in 2, earth right  
white  
silver grey

**Art. No.:**  
143041  
143042

£5.95

## STRAIGHT COUPLER WITH FEED-IN POSSIBILITY for 1Circuit high-voltage track

230~

10A  
max.

**Dimensions:**  
visible L/W/H: 9,5/3,4/1,8 cm  
total L: 17,5 cm

**Note:**  
With feed-in possibility


**Versions:**  
white  
silver grey

**Art. No.:**  
143101  
143102

£9.90

## STRAIGHT COUPLER for 1Circuit high-voltage track

230~

10A  
max.

**Dimensions:**  
visible L/W/H: 0,4/3,4/1,8 cm  
total L: 6,4 cm


**Versions:**  
electrical  
white  
silver grey

**Art. No.:**  
143091  
143092

£3.95

## FLEX COUPLER for 1Circuit high-voltage track

230~

10A  
max.

**Dimensions:**  
visible L/W/H: 16,1/3,4/1,8 cm  
total L: 23,7 cm

**Note:**  
Bending radius of 70°-180°.

**Versions:**  
white  
silver grey

**Art. No.:**  
143111  
143112


£12.90

## L-COUPLER for 1Circuit high-voltage track


230~

10A  
max.

1



2



**Dimensions:**  
visible L/W/H: 6,5/6,5/1,8 cm  
total L: 10,5 cm

**Note:**  
With feed-in possibility

**Versions:**  
L-coupler 1, earth outside  
white  
silver grey

**Art. No.:**  
143051  
143052

£9.90

**Versions:**  
L-coupler 2, earth inside  
white  
silver grey

**Art. No.:**  
143061  
143062


£9.90

## T-COUPLER for 1Circuit high-voltage track



230~

10A  
max.

1



2



**Dimensions:**  
visible L/W/H: 9,5/6,5/1,8 cm  
total L: 17 cm

**Note:**  
With feed-in possibility

**Versions:**  
T-Coupler 1, earth left  
white  
silver grey

**Art. No.:**  
143071  
143072

£12.90

**Versions:**  
T-Coupler 2, earth right  
white  
silver grey

**Art. No.:**  
143081  
143082

£12.90





## LIGHT EYE PENDULUM, CHROME/BLACK

230~



**Socket/Bulb:**  
GU10/ES111 (excl.)  
75W max.

**Material:**  
Steel

**Dimensions:**  
Head-Ø/H: 14,5/14,5 cm

**Accessory/Included parts:**  
Easytec® II-pendulum fitting  
adapter (incl.)

**Note:**  
Textile black cable

**Versions:**  
chrome/black

**Art. No.:**  
185590

£79.90

**Recommended bulb:**  
75W warm white  
575672  
£12.90



## LIGHT EYE ES111 SPOT, CHROME/BLACK

230~



**Socket/Bulb:**  
GU10/ES111 (excl.)  
75W max.

**Material:**  
Steel

**Dimensions:**  
Head-Ø/H: 14,5/26 cm

**Accessory/Included parts:**  
Easytec® II-adapter (incl.)

**Versions:**  
chrome/black

**Art. No.:**  
185580

£79.90

**Recommended bulb:**  
75W warm white  
575672  
£12.90



## LIGHT EYE PENDULUM, CHROME

230~



**Socket/Bulb:**  
GU10/ES111 (excl.)  
75W max.

**Material:**  
Steel

**Dimensions:**  
Head-Ø/H: 14,5/14,5 cm

**Accessory/Included parts:**  
Easytec® II-pendulum fitting  
adapter (incl.)


**Note:**  
Textile black cable

**Versions:**  
chrome

**Art. No.:**  
185592

£79.90

**Complementary products:**  
Page 042, 145



**Recommended bulb:**  
75W warm white  
575672  
£12.90



## LIGHT EYE ES111 SPOT, CHROME

230~




**Socket/Bulb:**  
GU10/ES111 (excl.)  
75W max.

**Material:**  
Steel

**Dimensions:**  
Head-Ø/H: 14,5/26 cm

**Accessory/Included parts:**  
Easytec® II-adapter (incl.)

**Complementary products:**  
Page 042, 145



**Versions:**  
chrome

**Art. No.:**  
185582

£79.90

**Recommended bulb:**  
75W warm white  
575672  
£12.90



## LIGHT EYE GU10 SPOT, CHROME

230~



**Socket/Bulb:**  
GU10/GU10 (excl.)  
50W max.

**Material:**  
Steel

**Dimensions:**  
W/H: 10/20 cm  
Head-Ø: 9 cm

**Accessory/Included parts:**  
Easytec® II-adapter (incl.)

**Versions:**  
chrome

**Art. No.:**  
185692

£49.90

**Recommended bulb:**  
50W warm white  
575510  
£4.80




**YOKI ES111, CHROME** Design by CDC/FGL

230-



350°



90°



0,45



**Socket/Bulb:**  
GU10/ES111 (excl.)  
75W max.

**Material:**  
Aluminium

**Dimensions:**  
L/W/H: 8,5/5/25,5 cm

**Accessory/Included parts:**  
Easytec® II-adaptor (incl.)  
Deco ring (incl.)

**Note:**  
Without deco ring suitable for  
DomeLED ES111 bulbs.

**Versions:**  
chrome

**Recommended bulb:**  
75W warm white  
575672  
£12.90

**Art. No.:**  
185622

£59.50





## ANABA

230~



**Socket/Bulb:**  
GU10/GU10 (excl.)  
50W max.

**Material:**  
Ceramic

**Dimensions:**  
Ø/L: 6,3/24 cm

**Accessory/Included parts:**  
Easytec® II-adaptor (incl.)

**Versions:**  
chrome/black

**Art. No.:**  
185650

£49.90

**Recommended bulb:**  
50W warm white  
575510  
£4.80



## BIMA I

230~



**Socket/Bulb:**  
GU10/GU10 (excl.)  
50W max.

**Material:**  
Aluminium

**Dimensions:**  
W/H: 7,5/23 cm  
Head-Ø/H: 6/8 cm

**Accessory/Included parts:**  
Easytec® II-adaptor (incl.)

**Versions:**  
chrome/black

**Art. No.:**  
185450

£49.90

**Recommended bulb:**  
50W warm white  
575510  
£4.80

RAKA SPOT, CHROME Design by CDC

230~



**Socket/Bulb:**  
GU10/GU10 (excl.)  
50W max.

**Material:**  
Aluminium/steel

**Dimensions:**  
L/W/H: 9/6/24 cm

**Accessory/Included parts:**  
Easytec® II-adaptor (incl.)

**Versions:**  
chrome/black

**Art. No.:**  
185712

£59.50

**Recommended bulb:**  
50W warm white  
575510  
£4.80



## SIENA, CHROME

230~



**Socket/Bulb:**  
GU10/GU10; ES111 (excl.)  
75W max.

**Material:**  
Aluminium

**Dimensions:**  
Ø/L: 4,4/15,5 cm

**Accessory/Included parts:**  
Easytec® II-adaptor (incl.)  
Deco ring for GU10 (incl.)

**Versions:**  
chrome

**Art. No.:**  
185092

£39.90

**Note:**  
Deco ring for ES111 see below

**Recommended bulb:**  
50W warm white  
575510  
£4.80



**Recommended bulb:**  
75W warm white  
575672  
£12.90



## ACCESSORY for Siena



**Deco ring 111 for ES111**  
chrome

**Art. No.:**  
111572

£9.90







### GX53 SPOT, CHROME

230-



**Socket/Bulb:**  
GX53/GX53 EnergySaver (excl.)  
13W max.  
or LED GX53, 1,2W (excl.)  
or PowerLED GX53  
3x 1W (excl.)  
or Shoplight GX53 11W (excl.)

**Material:**  
Steel

**Dimensions:**  
L/W/Ø: 21/10,5/9 cm

**Accessory/Included parts:**  
Easytec® II-adaptor (incl.)

**Versions:**  
chrome

**Art. No.:**  
185742

£49.90

**Recommended bulb:**  
9W warm white  
508860  
£14.80



11W warm white  
508550  
£39.90



### BIBA III, CHROME

230-



**Socket/Bulb:**  
E14/AGL (excl.)  
60W max.  
or  
E14/EnergySaver (excl.)  
till max. Ø/H: 5/13 cm

**Material:**  
Glass

**Dimensions:**  
Glass-Ø/H: 13/26 cm

**Accessory/Included parts:**  
Easytec® II-pendulum fitting  
adaptor (incl.)

**Versions:**  
chrome  
Glass satin finish

**Art. No.:**  
185521

£99.00

**Recommended bulb:**  
11W warm white  
508810  
£7.90



### NEPRO R7s, CHROME Design by CDC/FGL

230-



**Socket/Bulb:**  
R7s/R7s, 118 mm (excl.)  
300W max.

**Material:**  
Aluminium

**Dimensions:**  
L/W/H: 17,5/11/19,5 cm

**Accessory/Included parts:**  
Easytec® II-adaptor (incl.)

**Complementary products:**  
Page 285



**Versions:**  
chrome

**Art. No.:**  
185552

£79.90

**Recommended bulb:**  
200W EnergySaver  
519223  
£2.98





**ACCESSORY for Easytec® II, chrome/black**

<p>230~ 10A max.</p>	<p><b>Track</b> Aluminium, black, 1 pce. 2 end caps chrome (incl.) L/W/H: 200/1/3 cm</p>	<p>Art. No.: 185020</p> <p>£59.50</p>		<p><b>End caps</b> chrome, 2 pce.</p>	<p>Art. No.: 185142</p> <p>£3.95</p>
	<p><b>Flex coupler</b> chrome, 1 pce. L/W/H: 21,5/3/4 cm</p>	<p>Art. No.: 185302</p> <p>£49.90</p>		<p><b>Insulating coupler</b> chrome, 1 pce. Applied by 2 sep. circuits</p>	<p>Art. No.: 185172</p> <p>£24.90</p>
	<p><b>Straight coupler</b> chrome, 1 pce.</p>	<p>Art. No.: 185032</p> <p>£24.90</p>		<p><b>Feed-in</b> Aluminium/glass chrome, 1 pce. L/W/H: 7,5/7,5/6 cm Cable-L: 40 cm</p>	<p>Art. No.: 185002</p> <p>£49.90</p>
	<p><b>Pendulum adapter</b> chrome, 1 pce. Load 0,7 kg max. L: 13 cm</p> <p>Only for lamps with safety class II.</p>	<p>Art. No.: 185294</p> <p>£29.90</p>		<p><b>Ceiling suspension 10 cm</b> chrome, 1 pce. L: 10 cm</p>	<p>Art. No.: 185042</p> <p>£14.80</p>
	<p><b>Bending machine</b> for radius-Ø: &gt; 50 cm</p>	<p>Art. No.: 184000</p> <p>£199.00</p>		<p><b>Ceiling suspension flexible</b> chrome, 1 pce. L: adjustable 18-26 cm</p>	<p>Art. No.: 185062</p> <p>£19.90</p>


**YOKI ES111** Design by CDC/FGL

230-



90°



**Socket/Bulb:**  
GU10/ES111 (excl.)  
75W max.

**Material:**  
Aluminium

**Dimensions:**  
L/W/H: 8,5/5/25,5 cm

**Accessory/Included parts:**  
Easytec® II-adaptor (incl.)  
Deco ring (incl.)

**Note:**  
Without deco ring suitable for  
DomeLED ES111 bulbs.

**Versions:**  
silver grey

**Recommended bulb:**  
75W warm white  
575672  
£12.90

**Art. No.:**  
184624

£59.50





## BLOX

230~



350°



90°



0,5



**Socket/Bulb:**  
GU10/GU10 (excl.)  
50W max.

**Material:**  
Aluminium/glass

**Dimensions:**  
L/W/H: 19,5/5,5/11 cm

**Accessory/Included parts:**  
Easytec® II-adapter (incl.)

**Versions:**  
silver grey

**Art. No.:**  
184542

£49.90

**Recommended bulb:**  
50W warm white  
575510  
£4.80



## ANILA

230~



350°



180°



0,26



**Socket/Bulb:**  
GU10/GU10 (excl.)  
50W max.

**Material:**  
Aluminium/glass

**Dimensions:**  
Ø/L: 7/23,5 cm

**Accessory/Included parts:**  
Easytec® II-adapter (incl.)

**Versions:**  
silver grey

**Art. No.:**  
184634

£49.90

**Recommended bulb:**  
50W warm white  
575510  
£4.80



## LIMA

230~



350°



170°



0,3



**Socket/Bulb:**  
GU10/GU10 (excl.)  
50W max.

**Material:**  
Aluminium

**Dimensions:**  
L/W/D: 22/10/12 cm  
Glass-Ø: 6 cm

**Accessory/Included parts:**  
Easytec® II-adapter (incl.)

**Note:**  
Grid insert removable.

**Complementary products:**

Page 111



**Versions:**  
silver grey

**Art. No.:**  
184492

£59.50

**Recommended bulb:**  
50W warm white  
575510  
£4.80





## SIENA

230~



**Socket/Bulb:**  
GU10/GU10; ES111 (excl.)  
75W max.

**Material:**  
Aluminium

**Dimensions:**  
Ø/L: 4,4/15,5 cm

**Accessory/Included parts:**  
Easytec® II-adapter (incl.)  
Deco ring for GU10 (incl.)

**Note:**  
Deco ring for ES111 see page  
226.

**Versions:**  
silver grey

**Recommended bulb:**  
50W warm white  
575510  
£4.80



**Art. No.:**  
184092

£34.90

## BIMA I

230~



**Socket/Bulb:**  
GU10/GU10 (excl.)  
50W max.

**Material:**  
Aluminium

**Dimensions:**  
W/H: 7,5/23 cm  
Head-Ø/H: 6/8 cm

**Accessory/Included parts:**  
Easytec® II-adapter (incl.)

**Versions:**  
silver grey

**Recommended bulb:**  
50W warm white  
575510  
£4.80



**Art. No.:**  
184452

£49.90

## BIMA II

230~



**Socket/Bulb:**  
GU10/GU10 (excl.)  
2x 50W max.

**Material:**  
Aluminium

**Dimensions:**  
W/H: 13/23 cm  
Head-Ø/H: 6/8 cm

**Accessory/Included parts:**  
Easytec® II-adapter (incl.)

**Versions:**  
silver grey

**Recommended bulb:**  
50W warm white  
575510  
£4.80



**Art. No.:**  
184442

£69.50

## RAKA SPOT Design by CDC

230~



**Socket/Bulb:**  
GU10/GU10 (excl.)  
50W max.

**Material:**  
Aluminium/steel

**Dimensions:**  
L/W/H: 9/6/24 cm

**Accessory/Included parts:**  
Easytec® II-adapter (incl.)

**Versions:**  
silver grey ▼

**Recommended bulb:**  
50W warm white  
575510  
£4.80



**Art. No.:**  
184714

£49.90



## ANABA

230~



**Socket/Bulb:**  
GU10/GU10 (excl.)  
50W max.

**Material:**  
Aluminium/ceramic

**Dimensions:**  
Ø/L: 6,3/24 cm

**Accessory/Included parts:**  
Easytec® II-adapter (incl.)

**Versions:**  
silver grey/white

**Art. No.:**  
184651

£49.90

**Recommended bulb:**  
50W warm white  
575510  
£4.80



## KANO

230~



**Socket/Bulb:**  
GU10/GU10 (excl.)  
50W max.

**Material:**  
Aluminium/glass

**Dimensions:**  
Ø/L: 6,5/18 cm

**Accessory/Included parts:**  
Easytec® II-adapter (incl.)

**Versions:**  
silver grey

**Art. No.:**  
184071


£39.90

**Recommended bulb:**  
50W warm white  
575510  
£4.80



## YANTI

230~



**Socket/Bulb:**  
G9/G9 (excl.)  
40W max.

**Material:**  
Aluminium/ceramic

**Dimensions:**  
Ø/L: 7/20 cm

**Accessory/Included parts:**  
Easytec® II-adapter (incl.)

**Versions:**  
silver grey/white

**Art. No.:**  
184152

£34.90

**Recommended bulb:**  
40W  
519340  
£3.45

SWIFTEC Design by CDC/FGL

230~



**Socket/Bulb:**  
G9/G9 (excl.)  
40W max.

**Material:**  
Aluminium/glass

**Dimensions:**  
Ø/L: 6/21 cm

**Accessory/Included parts:**  
Easytec® II-adapter (incl.)

**Versions:**  
silver grey  
Glass satin finish

**Art. No.:**  
184282

£49.90

**Recommended bulb:**  
40W  
519340  
£3.45



## SWIFTEC PENDULUM

230~



**Socket/Bulb:**  
G9/G9 (excl.)  
40W max.

**Material:**  
Glass

**Dimensions:**  
Glass-Ø/H: 6/10 cm

**Accessory/Included parts:**  
Easytec® II-pendulum fitting  
adapter (incl.)

**Versions:**  
Glass satin finish

**Art. No.:**  
184372

£59.50

**Recommended bulb:**  
40W  
519340  
£3.45





## BIBA III

230~



**Socket/Bulb:**  
E14/AGL (excl.)  
60W max.  
or  
E14/EnergySaver (excl.)  
till max. Ø/H: 5/13 cm

**Material:**  
Glass

**Dimensions:**  
Glass-Ø/H: 13/26 cm

**Accessory/Included parts:**  
Easytec® II-pendulum fitting  
adapter (incl.)

**Versions:** silver grey/glass satin finish  
**Art. No.:** 184521

£79.90

**Recommended bulb:**  
11W warm white  
508810  
£7.90



## TONGA I+IV

230~



**Socket/Bulb:**  
E14/AGL (excl.)  
60W max.  
or  
E14/EnergySaver (excl.)  
till max. Ø/H: 5/13 cm

**Material:**  
Tonga I glass  
Tonga IV ceramic

**Dimensions:**  
Glass-Ø/H: 15/22 cm

**Accessory/Included parts:**  
Easytec® II-pendulum fitting  
adapter (incl.)

**Note:**  
The illustrated lamp shade from  
the lamp Tonga I is produced  
from a coloured mouth blown  
glass. Every lamp is unique  
whereby the veining can vary on  
each fixture.

**Versions:**  
**Tonga I**  
Glass red/orange  
**Art. No.:** 184531

£79.90

**Tonga IV**  
Ceramic white  
**Art. No.:** 184534

£79.90

**Recommended bulb:**  
11W warm white  
508810  
£7.90





## ORION

230~



**Socket/Bulb:**  
G9/G9 (excl.)  
40W max.  
or  
G9/EnergySaver (excl.)  
till max. Ø/H: 3,5/9 cm

**Material:**  
Glass

**Dimensions:**  
Ø/H: 12,5/9 cm

**Accessory/Included parts:**  
Easytec® II-pendulum fitting  
adapter (incl.)

**Versions:**  
Glass white satin finish

**Art. No.:**  
184211

£79.90

**Recommended bulb:**  
9W warm white  
508940  
£5.95







## GX53 SPOT

230~



**Socket/Bulb:**  
GX53/GX53 EnergySaver (excl.)  
13W max.  
or LED GX53, 1,2W (excl.)  
or PowerLED GX53  
3x 1W (excl.)  
or Shoplight GX53 11W (excl.)

**Material:**  
Steel

**Dimensions:**  
L/W/Ø: 21/10,5/9 cm

**Accessory/Included parts:**  
Easytec® II-adapter (incl.)

**Versions:**  
silver grey

**Art. No.:**  
184744

£39.90

**Recommended bulb:**  
11W warm white  
508550  
£39.90



**Recommended bulb:**  
9W warm white  
508860  
£14.80





## NEPRO R7s

230~



350°



180°



**Socket/Bulb:**  
R7s/R7s, 118 mm (excl.)  
300W max.

**Material:**  
Aluminium

**Dimensions:**  
L/W/H: 17,5/11/19,5 cm

**Accessory/Included parts:**  
Easytec® II-adapter (incl.)

**Complementary products:**  
Page 066, 156, 163, 202, 285



**Versions:**  
silver grey

**Art. No.:**  
184552

£69.50

**Recommended bulb:**  
200W EnergySaver  
519223  
£2.98



## SAIL R7s Design by CDC/FGL

230~



350°



**Socket/Bulb:**  
R7s/R7s, 78 mm (excl.)  
100W max.

**Material:**  
Steel/glass satin finish

**Dimensions:**  
L/W/H: 20/15/16,5 cm

**Accessory/Included parts:**  
Easytec® II-adapter (incl.)

**Versions:**  
silver grey

**Art. No.:**  
184572

£69.50

**Recommended bulb:**  
100W EnergySaver  
519215  
£2.98



## ACCESSORY for Easytec® II, silver grey

230~

10A  
max.

**Track**  
silver grey/1 pce.  
Aluminium  
L/W/H: 200/1/3 cm  
2 end caps silver grey (incl.)

**Art. No.:**  
184022  
£49.90



**End caps**  
silver grey/2 pce.

**Art. No.:**  
184142  
£3.95



**Flex coupler**  
silver grey/1 pce.  
L/W/H: 21,5/3/4 cm

**Art. No.:**  
184302  
£49.90



**Isolating coupler**  
silver grey/1 pce.  
Applied by 2 sep. circuits

**Art. No.:**  
184172  
£19.90



**Straight coupler**  
silver grey/1 pce.

**Art. No.:**  
184032  
£19.90



**Feed-in**  
Aluminium/glass  
silver grey/1 pce.  
L/W/H: 7,5/7,5/6 cm  
Cable-L: 40 cm

**Art. No.:**  
184002  
£39.90




**Pendulum adapter**  
silver grey/1 pce.  
Simple shortening of the pendulum  
length. Only suitable for luminaires of  
the safety class II.  
Load: 0,7 kg max.  
Product-L: 13 cm

**Art. No.:**  
184292  
£24.90



**Flexible wall holder with  
anchor cable**  
silver grey/1 pce.  
L/W/H: 27/2,5/7 cm  
Adjustable from 15,5-24 cm  
Cable length: 40 cm

**Art. No.:**  
184312  
£29.90



**Flexible ceiling holder**  
silver grey/1 pce.  
For slanted ceilings.  
Joint: 180°  
Total-L: 23-31 cm

**Art. No.:**  
184332  
£24.90



**Ceiling suspension 10 cm**  
silver grey/1 pce.  
L: 10 cm

**Art. No.:**  
184042  
£14.80



**Bending machine**  
for radius-Ø: > 50 cm

**Art. No.:**  
184000  
£199.00




**Ceiling suspension flexible**  
silver grey/1 pce.  
L: adjustable 18-26 cm

**Art. No.:**  
184062  
£19.90



## LIGHT EYE SPOT MR16, CHROME

12~



90°



**Socket/Bulb:**  
GU5,3/MR16 (excl.)  
50W max.

**Material:**  
Steel

**Dimensions:**  
W/H: 10/18,5 cm  
Head-Ø: 9 cm

**Accessory/Included parts:**  
Linux Light®-adapter (incl.)

**Versions:**  
chrome

**Art. No.:**  
136184

£49.90

**Recommended bulb:**  
50W, 40°  
535540  
£1.90


 LIKA, CHROME Design by CDC

12~



90°



**Socket/Bulb:**  
GX5,3/MR16 (excl.)  
50W max.

**Material:**  
Aluminium

**Dimensions:**  
Ø/L: 8/15 cm

**Accessory/Included parts:**  
Linux Light®-adapter (incl.)

**Versions:**  
chrome

**Art. No.:**  
136372

£59.50

**Recommended bulb:**  
50W, 40°  
535540  
£1.90



## ANILA, CHROME

12~



90°



**Socket/Bulb:**  
GU5,3/MR16 (excl.)  
50W max.

**Material:**  
Aluminium/glass

**Dimensions:**  
Ø/L: 7/21 cm

**Accessory/Included parts:**  
Linux Light®-adapter (incl.)

**Versions:**  
chrome

**Art. No.:**  
136174


£49.90

**Recommended bulb:**  
50W, 40°  
535540  
£1.90



## SYROS, CHROME

12~



90°



**Socket/Bulb:**  
GU5,3/MR16 (excl.)  
50W max.

**Material:**  
Aluminium

**Dimensions:**  
Ø/L: 5,5/15 cm

**Accessory/Included parts:**  
Linux Light®-adapter (incl.)

**Versions:**  
chrome

**Art. No.:**  
136212

£29.90

**Recommended bulb:**  
50W, 40°  
535540  
£1.90



## QRB SPOT

12~



90°



**Socket/Bulb:**  
G53/QRB111 (excl.)  
50W max.

**Material:**  
Aluminium

**Dimensions:**  
Ø/L: 6/16,5 cm

**Accessory/Included parts:**  
Linux Light®-adapter (incl.)

**Versions:**  
chrome

**Art. No.:**  
136342

£34.90

**Recommended bulb:**  
50W, 45°  
543545  
£7.90







### NONDRI, CHROME

12~



**Socket/Bulb:**  
G6,35/pin socket (excl.)  
50W max.

**Accessory/Included parts:**  
Linux Light<sup>®</sup>-adapter (incl.)

**Versions:**  
chrome/white

**Art. No.:**  
136072

£49.90

**Material:**  
Aluminium/ceramic

**Recommended bulb:**  
50W  
512250  
£0.90



**Dimensions:**  
Ø/L: 7,5/22 cm

### ORION PENDULUM

12~



**Socket/Bulb:**  
GY6,35/pin socket (excl.)  
50W max.

**Accessory/Included parts:**  
Linux Light<sup>®</sup>-pendulum fitting  
adapter (incl.)

**Versions:**  
white satin finish

**Art. No.:**  
136201

£69.50

**Material:**  
Glass


**Recommended bulb:**  
50W  
512250  
£0.90



**Dimensions:**  
Shade-Ø/H: 12,5/9 cm

### DEWI

12~



**Socket/Bulb:**  
GY6,35/pin socket (excl.)  
50W max.

**Accessory/Included parts:**  
Linux Light<sup>®</sup>-pendulum fitting  
adapter (incl.)

**Versions:**  
white

**Art. No.:**  
136375

£69.50

**Material:**  
Ceramic

**Recommended bulb:**  
50W  
512250  
£0.90



**Dimensions:**  
Shade-Ø/H: 9/10,5 cm


**ACCESSORY for Linux Light® chrome**

	<p>12- 25A max.    </p> <p><b>Track</b> Aluminium chrome/1 pce. 2 end caps clear (incl.) L/W/H: 200/2,3/0,5 cm Bending machine (138200) see page 253</p> <p>Art. No.: 136222 £49.90</p>		<p><b>End caps</b> Plastic clear/2 pce.</p> <p>Art. No.: 138380 £3.95</p>
<p>230~ 20-105 VA  </p> 	<p><b>Shortbox Transformer, 20-105VA</b></p> <p>Plastic chrome/1 pce. L/W/H: 18/5/10 cm Max. track length: 2 m Open-circuit voltage: 11,5V ta: 50°C, tc: 70°C Electronic transformer (incl.)</p> <p>Art. No.: 136192 £89.50</p> <p>By a sideward protruding of &lt;75 cm the ceiling suspension 10 cm (136246) is needed. Further transformers see page 585.</p>		<p><b>Feed-in, 25A max.</b> chrome/1 pce. Ø/H: 3,7/2,9 cm Cable-L: 60 cm</p> <p>Art. No.: 136252 £49.90</p>
	<p><b>Flex coupler X, 25A max.</b> chrome/1 pce. Swivel range: &lt;60° Weight: 0,21 kg</p> <p>Art. No.: 136422 £79.90</p>		<p><b>Straight coupler, 25A max.</b> chrome/1 pce.</p> <p>Art. No.: 136202 £14.80</p>
	<p><b>Flex coupler Y, 25A max.</b> chrome/1 pce. Swivel range: &lt;45° Weight: 0,17 kg</p> <p>Art. No.: 136412 £69.50</p>		<p><b>Insulating coupler</b> chrome/1 pce.</p> <p>Applied by 2 sep. circuits</p> <p>Art. No.: 136232 £15.95</p>
	<p><b>Flex coupler L, 25A max.</b> chrome/1 pce. Swivel range: 240° Weight: 0,06 kg</p> <p>Art. No.: 136402 £29.90</p>		<p><b>Ceiling suspension, 6,5 cm</b> Aluminium chrome/1 pce.</p> <p>Art. No.: 136240 £19.90</p>
	<p><b>Wire suspension</b> chrome/1 pce. Pendulum-L: 2,5 m</p> <p>Art. No.: 136250 £24.90</p>		<p><b>Ceiling suspension, 10 cm</b> Aluminium chrome/1 pce.</p> <p>Is suitable for Linux® Light Shortbox transformer (136192).</p> <p>Art. No.: 136246 £24.90</p>
	<p><b>Wire suspension</b> chrome/1 pce. Pendulum-L: 2,5 m</p> <p>Art. No.: 136250 £24.90</p>		<p><b>Ceiling suspension flexible</b> Aluminium chrome/1 pce. Product-L: 17,5-26 cm</p> <p>Art. No.: 136260 £24.90</p>



LIGHT EYE SPOT MR16

12-  350°  90°  0,26  



**Socket/Bulb:**  
GU5,3/MR16 (excl.)  
50W max.

**Material:**  
Steel

**Dimensions:**  
W/H: 10/18,5 cm  
Head-Ø: 9 cm

**Accessory/Included parts:**  
Linux Light®-adapter (incl.)

**Versions:**  
silver grey

**Art. No.:**  
138184

£39.90

**Recommended bulb:**  
50W, 40°  
535540  
£1.90





## Q-TECH® SPOT MR16

12~



**Socket/Bulb:**  
G5,3/MR16 (excl.)  
50W max.

**Material:**  
Aluminium

**Dimensions:**  
L/W/Ø: 22,5/8/6 cm

**Accessory/Included parts:**  
Linux Light®-adapter (incl.)

**Versions:**  
silver grey

**Art. No.:**  
138544

£49.90

**Recommended bulb:**  
50W, 40°  
536540  
£1.90



## LIKA Design by CDC

12~



**Socket/Bulb:**  
GX5,3/MR16 (excl.)  
50W max.

**Material:**  
Aluminium

**Dimensions:**  
Ø/L: 8/15 cm

**Accessory/Included parts:**  
Linux Light®-adapter (incl.)

**Versions:**  
silver grey

**Art. No.:**  
138372

£49.90

**Recommended bulb:**  
50W, 40°  
535540  
£1.90



## SPACE

12~



**Socket/Bulb:**  
G5,3/MR16 (excl.)  
50W max.

**Material:**  
Aluminium

**Dimensions:**  
L/W/H: 7,3/5/16,5 cm

**Accessory/Included parts:**  
Linux Light®-adapter (incl.)

**Versions:**  
silver grey

**Art. No.:**  
138322

£29.90

**Recommended bulb:**  
50W, 40°  
535540  
£1.90



## ANILA

12~



**Socket/Bulb:**  
GU5,3/MR16 (excl.)  
50W max.

**Material:**  
Aluminium/glass

**Dimensions:**  
Ø/L: 7/21 cm

**Accessory/Included parts:**  
Linux Light®-adapter (incl.)

**Versions:**  
silver grey  
Glass clear

**Art. No.:**  
138174

£39.90

**Recommended bulb:**  
50W, 40°  
535540  
£1.90



## QRB SPOT

12~



**Socket/Bulb:**  
G53/QRB111 (excl.)  
50W max.

**Material:**  
Aluminium

**Dimensions:**  
Ø/L: 6/16,5 cm

**Accessory/Included parts:**  
Linux Light®-adapter (incl.)

**Versions:**  
silver grey

**Art. No.:**  
138342

£29.90

**Recommended bulb:**  
50W, 45°  
543545  
£7.90







## SYROS

12-



**Socket/Bulb:**  
GX5,3/MR16 (excl.)  
50W max.

**Material:**  
Aluminium

**Dimensions:**  
Ø/L: 5,5/15 cm

**Accessory/Included parts:**  
Linux Light®-adapter (incl.)

**Versions:**  
silver grey

**Art. No.:**  
138212

£29.90

**Recommended bulb:**  
50W, 40°  
535540  
£1.90



## STRATOS

12-



**Socket/Bulb:**  
GU5,3/MR16 (excl.)  
50W max.

**Material:**  
Aluminium/glass

**Dimensions:**  
Ø/H: 6/15 cm

**Accessory/Included parts:**  
Linux Light®-adapter (incl.)

**Versions:**  
silver grey  
Glass satin finish

**Art. No.:**  
138291

£29.90

**Recommended bulb:**  
50W, 40°  
535540  
£1.90



## YANTI

12-



**Socket/Bulb:**  
GY6,35/pin socket (excl.)  
50W max.

**Material:**  
Ceramic

**Dimensions:**  
Ø/L: 7/17,5 cm

**Accessory/Included parts:**  
Linux Light®-adapter (incl.)

**Versions:**  
silver grey  
white

**Art. No.:**  
138362

£34.90

**Recommended bulb:**  
50W  
512250  
£0.90



## NONDRI

12-



**Socket/Bulb:**  
GY6,35/pin socket (excl.)  
50W max.

**Material:**  
Aluminium/ceramic

**Dimensions:**  
Ø/L: 7,5/22 cm

**Accessory/Included parts:**  
Linux Light®-adapter (incl.)

**Complementary products:**  
See page 037, 115



**Versions:**  
silver grey  
white

**Art. No.:**  
138072

£39.90

**Recommended bulb:**  
50W  
512250  
£0.90



## LIGHT TUBE Design by CDC

12-



**Socket/Bulb:**  
G4/pin socket (excl.)  
2x 20W max.

**Material:**  
Aluminium/glass

**Dimensions:**  
Ø/W/H: 4,3/20/13 cm

**Accessory/Included parts:**  
Linux Light®-adapter (incl.)

**Versions:**  
silver grey  
Glass satin finish

**Art. No.:**  
138041

£49.90

**Recommended bulb:**  
20W  
512220  
£0.90





## SAIL

12-

350°

0,17



**Socket/Bulb:**  
GY6,35/pin socket (excl.)  
35W max.

**Material:**  
Glass

**Dimensions:**  
L/W/H: 12/8/6,5 cm

**Accessory/Included parts:**  
Linux Light®-adapter (incl.)

**Versions:**  
silver grey  
Glass satin finish

**Art. No.:**  
138211

£39.90

**Recommended bulb:**  
35W  
512250  
£0.90





## DEWI

12~ 1,5m 0,4 III



**Socket/Bulb:**  
GY6,35/pin socket (excl.)  
50W max.

**Material:**  
Ceramic

**Dimensions:**  
Shade-Ø/H: 9/10,5 cm

**Accessory/Included parts:**  
Linux Light®-pendulum lamp  
adapter (incl.)

**Complementary products:**  
See page 037, 115



**Versions:**  
white

**Art. No.:**  
138375

£59.50

**Recommended bulb:**  
50W  
512250  
£0.90



## ORION PENDULUM

12~ 1,5m 0,45 III



**Socket/Bulb:**  
GY6,35/pin socket (excl.)  
50W max.

**Material:**  
Glass

**Dimensions:**  
Shade-Ø/H: 12,5/9 cm

**Accessory/Included parts:**  
Linux Light®-pendulum lamp  
adapter (incl.)

**Versions:**  
white satin finish

**Art. No.:**  
138201

£49.90

**Recommended bulb:**  
50W  
512250  
£0.90



## ORION JOJO

12~ 3m 1 III



**Socket/Bulb:**  
GY6,35/pin socket (excl.)  
50W max.

**Material:**  
Glass

**Dimensions:**  
Shade-Ø/H: 12,5/9 cm

**Accessory/Included parts:**  
Linux Light®-pendulum lamp  
adapter (incl.)

**Versions:**  
white satin finish

**Art. No.:**  
138231

£99.00

**Recommended bulb:**  
50W  
512250  
£0.90



## TONGA IV

12~ 1,5m 1,07 III



**Socket/Bulb:**  
GY6,35/pin socket (excl.)  
50W max.

**Material:**  
Ceramic

**Dimensions:**  
Shade-Ø/H: 15/22 cm

**Accessory/Included parts:**  
Linux Light®-pendulum lamp  
adapter (incl.)

**Versions:**  
Tonga IV, white

**Art. No.:**  
138144

£79.90

**Recommended bulb:**  
50W  
512250  
£0.90



## BIGLA, CLEAR

12~ 1,5m 0,45 III



**Socket/Bulb:**  
GY6,35/pin socket (excl.)  
35W max.

**Material:**  
Glass

**Dimensions:**  
Shade clear Ø/H: 13/10 cm  
Shade white Ø/H: 9/6,5 cm

**Accessory/Included parts:**  
Linux Light®-pendulum lamp  
adapter (incl.)

**Versions:**  
Glass clear/white

**Art. No.:**  
138210


£79.90

**Recommended bulb:**  
35W  
512235  
£0.90



## ACCESSORY for Linux Light® silver grey

	<p>12- 25A max. </p> <p><b>Track</b> Aluminium silver grey/1 pce. 1 m Art. No.: 138221 2 end caps silver grey (incl.) £24.90 L/W/H: 100/2,3/0,5 cm L/W/H: 200/2,3/0,5 cm 2 m 138222 £34.90</p>		<p><b>End caps</b> Plastic silver grey/2 pce. Art. No.: 138280 £3.95</p>
	<p>230-12- 20-105 VA </p> <p><b>Shortbox Transformer, 20-105VA</b> Art. No.: 138192 Plastic silver grey/1 pce. £79.90 L/W/H: 18/5/10 cm Max. track length: 2 m Open-circuit voltage: 11,5V ta: 50°C, tc: 70°C Electronic transformer (incl.) By a sideward protruding of &lt;75 cm the ceiling suspension 10 cm (138246) is needed. Further transformers see page 585.</p>		<p><b>Feed-in, 25A max.</b> Art. No.: 138252 silver grey/1 pce. Ø/H: 3,7/2,9 cm Cable-L: 60 cm £29.90</p>
	<p><b>Ceiling suspension, 6,5 cm</b> Art. No.: 138240 Aluminium silver grey/1 pce. £12.90</p>		<p><b>Flex coupler L, 25A max.</b> Art. No.: 138402 silver grey/1 pce. Swivel range: 240° Weight: 0,06 kg £24.90</p>
	<p><b>Ceiling suspension, 10 cm</b> Art. No.: 138246 Aluminium silver grey/1 pce. £14.80 Is suitable for Linux® Light Shortbox transformer (138192).</p>		<p><b>Flex coupler Y, 25A max.</b> Art. No.: 138412 silver grey/1 pce. Swivel range: &lt;45° Weight: 0,17 kg £59.50</p>
	<p><b>Ceiling suspension, flexible</b> Art. No.: 138260 Aluminium silver grey/1 pce. £19.90 Product-L: 17,5-26 cm</p>		<p><b>Straight coupler, 25A max.</b> Art. No.: 138202 silver grey/1 pce. £14.80</p>
	<p><b>Ceiling suspension, 21 cm</b> Art. No.: 138262 Aluminium silver grey/1 pce. £15.95</p>		<p><b>Wire suspension</b> Art. No.: 138250 silver grey/1 pce. Pendulum-L: 2,5 m £17.90</p>
	<p><b>Ceiling suspension for slanted ceilings, flexible</b> Art. No.: 138432 Aluminium silver grey/1 pce. £19.90 Joint: 180° Product-L: 20-30 cm</p>		<p><b>Wall holder, flexible</b> Art. No.: 138270 Aluminium silver grey/1 pce. £19.90 Product-L: 12,5-21 cm</p>
	<p><b>Pendulum lamp adapter</b> Art. No.: 138522 Aluminium silver grey/1 pce. £19.90 Product-L: 13 cm</p>		<p><b>Bending machine</b> Art. No.: 138200 1 pce. for radius-Ø: &gt; 40 cm £129.00</p>



Here are just a few possible application areas:


- Shelf with integrated lighting
- Vitrine inner lighting
- Mirror lighting
- Indirect lighting
- Illuminated picture holder track

The unique space saving shelf-track system with integrated 12 volt track.

With the available modules, the user can very easily configure and assemble the C-Track®. In short time presentation areas and illuminations are installed in one process. The low voltage technology is up to date and with the usage of normal 12 volt output current completely safe.

Even in the narrowest areas a specific illumination is possible. With a rotation of 90° the C-Track® spotlights can simply be clipped into any desirable place of the shelf track. Three types of spotlights are available for the individual light arrangement. They can be equipped with numerous available bulbs, also in colour.

C-TRACK® CARDANIC SPOT



**Socket/Bulb:**  
G5,3/MR16 (excl.)  
35W max.

**Material:**  
Aluminium/steel

**Dimensions:**  
L/W/H: 6,5/3,3/3,3 cm

**Versions:**  
silver grey

**Art. No.:**  
188142

£12.90

**Recommended bulb:**  
35W, 38°  
535338  
£1.90



C-TRACK® DABO SPOT



**Socket/Bulb:**  
G5,3/MR16 (excl.)  
35W max.

**Material:**  
Aluminium

**Dimensions:**  
L/W/H: 7/2,3/7 cm

**Versions:**  
silver grey

**Art. No.:**  
188152

£12.90

**Recommended bulb:**  
35W, 38°  
535338  
£1.90



C-TRACK® GOOSE SPOT



**Socket/Bulb:**  
G4/MR11 (excl.)  
35W max.

**Material:**  
Steel

**Dimensions:**  
L/W/H: 23,5/2,3/2,3 cm

**Versions:**  
silver grey

**Art. No.:**  
188122

£12.90

**Recommended bulb:**  
35W, 30°  
533330  
£1.90





## ACCESSORY for C-Track®

	<p>12- 20A max.</p> <p><b>Track, 20A max.</b> Aluminium silver grey L/W/H: 200/2,3/1 cm 2 end caps (incl.)</p>	<p>Art. No.: 188022</p> <p>£49.90</p>		<p><b>Wire shelf holder</b> Aluminium silver grey/2 pce. Wire-L: 1,2 m</p> <p>Art. No.: 188112</p> <p>£19.90</p> <p>For shelves till 30 cm width and max. 6 mm thickness. Max. mechanical load per wire 12 kg.</p>
	<p><b>Straight coupler, 20A max.</b> silver grey/1 pce. L/W/H: 4,3/2,3/1 cm</p>	<p>Art. No.: 188162</p> <p>£5.95</p>		<p><b>Flex coupler, 20A max.</b> silver grey/1 pce. L/W/H: 19/2,5/1,5 cm</p> <p>Art. No.: 188182</p> <p>£19.90</p>
	<p><b>Coupler Side, 20A max.</b> silver grey/2 pce. L/W/H: 3,3/3,3/1 cm</p>	<p>Art. No.: 188042</p> <p>£6.90</p>		<p><b>Feed-in, 20A max.</b> silver grey/1 pce. L/W/H: 5,6/2,6/1,5 cm</p> <p>Art. No.: 188002</p> <p>£9.90</p>
	<p><b>Wall and ceiling holder</b> silver grey/4 pce. W/H/D: 0,9/1,7/0,9 cm</p>	<p>Art. No.: 188062</p> <p>£4.80</p>		<p><b>End caps</b> silver grey/2 pce. L/W/H: 2/2,3/1 cm</p> <p>Art. No.: 188032</p> <p>£2.40</p>



Robot II with LED 3x 1W bulb see page 605.  
Operate only with a toroidal transformer by using LED-bulbs.

### ROBOT II adjustable, for GLU-TRAX®



**Socket/Bulb:**  
G5,3/MR16 (excl.)  
35W max.

**Material:**  
Steel/plastic

**Dimensions (without bulb):**  
W/H/D: 3/3/2,2 cm

**Versions:**  
chrome

**Art. No.:**  
186762

£9.90

**Recommended bulb:**  
35W, 38°  
537338  
£2.98



### SOLO 90°, SHORT for GLU-TRAX®



**Socket/Bulb:**  
G5,3/MR16 (excl.)  
50W max.

**Dimensions:**  
Head-Ø/H: 2,2/3 cm

**Versions:**  
chrome

**Art. No.:**  
186272

£14.80

**Recommended bulb:**  
35W, 40°  
535540  
£1.90



### FOCU-LED SPOT for GLU-TRAX®



**Bulb:**  
PowerLED (incl.)  
1W

**Material:**  
Aluminium

**Dimensions:**  
Ø/H: 3,4/5,8 cm

**Accessory/Included parts:**  
LED converter (incl.)


**Note:**  
Focusable with an emitting angle  
of 15°-30°  
Operate only with a  
toroidal transformer!

**Versions:**  
silver grey  
LED white

**Art. No.:**  
186282

£49.90

### POWER-LED SPOT for GLU-TRAX®



**Bulb:**  
PowerLED (incl.)  
1W

**Material:**  
Aluminium/PC

**Dimensions:**  
Ø/H: 2,7/6,35 cm

**Accessory/Included parts:**  
LED converter (incl.)

**Note:**  
Operate only with a  
toroidal transformer!

**Versions:**  
silver grey  
LED white  
LED warm white






**Art. No.:**  
186041

186042

£39.90



## ACCESSORY for Glu-Trax®

 <p>12~ 20A max.</p>	 <p>Track, 20A max. Plastic PC transparent L/W/H: 150/1/0,5 cm</p> <p>Laying out e.g. with double sided adhesive tape, 3 m</p> <p>Art. No.: 186015 £14.80 220000 £9.90</p>	 <p>Mounting clips Plastic PC, 10 pce. clear Ø/H: 1,7/0,8 cm</p> <p>Max. distance of clips: 50 cm. Max. mechanical load: 1 kg.</p> <p>The clips are equipped with an adhesive surface for the mounting on smooth surfaces as well as with a bore hole for screw joints. We recommend the fixing with a screw for wood.</p>	<p>Art. No.: 186020 £6.90</p>
	<p>Flexible straight coupler, 20A max. grey/1 pce.</p> <p>Art. No.: 186772 £9.90</p>		<p>Feed-in, 20A max. grey/1 pce.</p> <p>Art. No.: 186952 £4.80</p>





## MINI ALU-TRACK

12~ 12,5A max.



**Material:**  
Aluminium/PC

**Accessory/Included parts:**  
2 end caps, clear (incl.)

**Versions:**  
chrome  
1 m

**Art. No.:**  
186502

**Dimensions:**  
L/W/H: 100/1,1/0,85 cm

**Note:**  
Operate only with a toroidal transformer!

£19.90

## LED SPOT for Mini Alu-Track

12~ 1 pce.



**Bulb:**  
PowerLED (incl.)  
1W

**Accessory/Included parts:**  
LED converter (incl.)

**Versions:**  
chrome  
LED white  
LED warm white

**Art. No.:**  
186561  
186562

**Material:**  
Aluminium/PC

£39.90

**Dimensions:**  
Ø/H: 2,3/4,5 cm

## ACCESSORY for Mini Alu-Track

	<p><b>Suspension, steel/brass</b> 5 cm chrome</p> <p><b>Art. No.:</b> 186531</p> <p>£7.90</p> <p>10 cm chrome</p> <p><b>Art. No.:</b> 186532</p> <p>£8.90</p> <p>25 cm chrome</p> <p><b>Art. No.:</b> 186533</p> <p>£9.90</p> <p>A wall mounting is only possible with the 5 cm suspension.</p>		<p><b>Straight coupler, 12,5A max.</b> chrome/1 pce.</p> <p><b>Art. No.:</b> 186522</p> <p>L/W/H: 1,8/1,1/0,8 cm</p> <p>£1.48</p> <p>For the electrical connection of the tracks (186502).</p>
	<p><b>Feed-through for shelves</b> clear/2 pce. Acrylic Ø/H: 2,2/1,3 cm</p> <p><b>Art. No.:</b> 186540</p> <p>£1.48</p>		<p><b>Feed-in, 12,5A max.</b> chrome/1 pce.</p> <p><b>Art. No.:</b> 186512</p> <p>L/W/H: 1,4/2,2/1,7 cm</p> <p>£6.90</p>
			<p><b>Mounting clips</b> Plastic PC, 10 pce. clear L/W/H: 2,5/1,5/1,1 cm</p> <p><b>Art. No.:</b> 186530</p> <p>£6.90</p> <p>Track holder with adhesive tape for mounting the track on glass surfaces and with bore hole for screw mounting.</p>







LED bulb holder (220651) with LED bulb in white (550421),  
Cabline cable (220601) and track (220631).



Decorative accentuation illumination is easily laid out with this lighting system:

- High lifespan through Xenon and LED technique approx. 10000 h
- Optional accessories: mounting track + diffuser cap
- Quick fastening through simply clipping on the bulb holders
- Flexible lead
- Straight layout

#### XENON BULB 2800K, 10pce.

12~



**Bulb:**  
Xenon-LM

**Dimensions:**  
Ø/L: 1/4,2 cm

**Art. No.:**  
10W clear 2800K 100lm EEI=C 591230 £39.90

#### LED BULB

12~



**Socket/Bulb:**  
SV8,58/Superflux LED  
0,52W total

**Dimensions:**  
L: 4,2 cm

**Note:**  
Operate only with a toroidal transformer!  
Please pay attention to the usage rate of the transformer.

**Art. No.:**  
0,52W white 10lm 550421 £14.80  
0,52W warm white 10lm 550422 £14.80

#### ACCESSORY for Cabline

12~



**Cable, 16A max.**  
white  
Cable-L: 10 m  
W/H: 1,1/0,45 cm  
Cable cross-section: 2,5 mm<sup>2</sup>

**Art. No.:**  
220601  
£49.90



**Laying out track**  
white  
L/W/H: 100/2/0,9 cm

**Art. No.:**  
220631  
£3.95



**Track cover**  
L/W/H: 100/2,3/3,5 cm

**Art. No.:**  
220641  
£17.90



**End caps**  
white/2 pce.

**Art. No.:**  
220621  
£0.69



**Xenon Bulb holder**  
Plastic PC  
white/10 pce.  
L/W/H: 4,5/2,3/1,8 cm

**Art. No.:**  
220611  
£24.90

For 12V Xenon-bulbs see above








**LED Bulb holder**  
Plastic PC  
white/10 pce.  
L/W/H: 5/1,8/2,5 cm

**Art. No.:**  
220651  
£24.90

Only for LED-bulb see above



LAMP HOLDER ADJUSTABLE for Apollo low-voltage track

12-     



Socket/Bulb:  
GX5,3/MR16; pin socket (excl.)  
35W max.

Versions:  
black/2 pce.  
white/2 pce.  
silver grey/2 pce.

Art. No.:  
180080  
180081  
180082












£14.80

Recommended bulb:  
35W, 38°  
535338  
£1.90





## ACCESSORY for Apollo low-voltage track system

	<p>230~ 12~ 50-150 VA</p> <p></p> <p><b>Electronic track transformer</b> Plastic L/W/H: 18,4/4,4/4,5 cm</p> <p>black 182150 white 182151 silver grey 182152</p>		<p><b>Track, 1m, 25A max.</b> Aluminium 2 pce. W/H: 1,6/1,2 cm</p>	<p>12~ </p> <p>black 180000 white 180001 alu satin 180002</p>	<p>Art. No.: 182150 182151 182152</p> <p>£69.50</p>	<p>Art. No.: 180000 180001 180002</p> <p>£39.90</p>
<p>Due to interferences, the maximum track length of electronic transformers may not exceed 2m! When using the wall holders (180160/180161) a feed-in (180060, 180061 or 180062) is needed to operate Apollo transformers (182150/182151 and 182152). Additional transformers for your installation see page 585.</p>			<p><b>Track, 2m, 25A max.</b> Aluminium 1 pce. W/H: 1,6/1,2 cm</p>	<p>alu satin 180012</p>		<p>Art. No.: 180012</p> <p>£39.90</p>
	<p><b>Wall holder</b> Plastic 4 pce.</p> <p>black 180160 white 180161</p>		<p><b>End caps</b> Plastic 2 pce. L/W/H: 3,6/1,6/1,8 cm</p>	<p>black 180050 white 180051 silver grey 180052</p>	<p>Art. No.: 180160 180161</p> <p>£14.80</p>	<p>Art. No.: 180050 180051 180052</p> <p>£6.90</p>
<p>When using the wall holders (180160/180161) a feed-in (180060, 180061 or 180062) is needed to operate Apollo transformers (182150/182151 and 182152!)</p>			<p><b>Feed-in, 25A</b> 1 pce. L/W/H: 11/2/1,8 cm Cable-L: 60 cm</p>	<p>black 180060 white 180061 silver grey 180062</p>		<p>Art. No.: 180060 180061 180062</p> <p>£9.90</p>
	<p><b>Flex coupler, 25A</b> 1 pce. L/W/H: 14,5/2/1,8 cm</p> <p>black 180030 white 180031</p>		<p><b>Straight coupler, 25A</b> 2 pce. L/W/H: 5,3/2/1,8 cm</p>	<p>black 180040 white 180041 silver 180042</p>	<p>Art. No.: 180030 180031</p> <p>£9.90</p>	<p>Art. No.: 180040 180041 180042</p> <p>£9.90</p>
			<p><b>Straight coupler, 25A</b> 2 pce. L/W/H: 5,3/2/1,8 cm</p>	<p>black 180040 white 180041 silver 180042</p>		<p>Art. No.: 180040 180041 180042</p> <p>£9.90</p>



The following illustrated lamps of the Wave system always include a Wave track adapter.

### QRB SPOT for Wave

12-



**Socket/Bulb:**  
G53/QRB111 (excl.)  
50W max.

**Material:**  
Aluminium

**Dimensions:**  
L/W: 13/6 cm

**Versions:**  
chrome

**Art. No.:**  
138882

£29.90

**Recommended bulb:**  
50W, 45°  
543545  
£7.90



### SPACE for Wave

12-



**Socket/Bulb:**  
G5,3/MR16 (excl.)  
50W max.

**Material:**  
Aluminium

**Dimensions:**  
L/W/H: 12/8/6,5 cm

**Versions:**  
Adapter silver grey  
Lamp chrome

**Art. No.:**  
138832

£24.90

**Recommended bulb:**  
50W, 40°  
535540  
£1.90



### STAR for Wave

12-



**Socket/Bulb:**  
G5,3/MR16 (excl.)  
50W max.

**Material:**  
Aluminium/glass

**Dimensions:**  
L/W/H: 12,5/6/13 cm

**Versions:**  
chrome/white  
Glass satin finish

**Art. No.:**  
138881

£39.90

**Recommended bulb:**  
50W, 40°  
535540  
£1.90



### SYROS for Wave

12-



**Socket/Bulb:**  
G5,3/MR16 (excl.)  
50W max.

**Material:**  
Aluminium

**Dimensions:**  
L/H: 7,4/13 cm

**Versions:**  
chrome

**Art. No.:**  
138842

£19.90

**Recommended bulb:**  
50W, 40°  
535540  
£1.90





## LIGHT TUBE for Wave Design by CDC

12~



**Socket/Bulb:**  
G4/pin socket (excl.)  
2x 20W max.

**Material:**  
Glass/aluminium

**Dimensions:**  
Ø/L/H: 4,2/20/10,5 cm

**Versions:**  
silver grey  
Glass satin finish

**Art. No.:**  
138848

£39.90

**Recommended bulb:**  
20W  
512220  
£0.90



## SAIL GLAS for Wave

12~



**Socket/Bulb:**  
G4/pin socket (excl.)  
20W max.

**Material:**  
Glass

**Dimensions:**  
L/W/H: 12/8/6,5 cm

**Versions:**  
Glass satin finish

**Art. No.:**  
138841

£24.90

**Recommended bulb:**  
20W  
512220  
£0.90



## BIG SURA PENDULUM for Wave

12~



**Socket/Bulb:**  
G6,35/pin socket (excl.)  
50W max.

**Material:**  
Ceramic/brass, chrome-plated

**Dimensions:**  
Head-Ø/H: 9/9,5 cm

**Note:**  
The pendulum length can be  
shortened at the adapter.

**Versions:**  
Adapter silver grey  
Shade white/chrome


**Art. No.:**  
138871

£49.90

**Recommended bulb:**  
50W  
512250  
£0.90



## ACCESSORY for Wave



**System rods, 25A max.**  
chrome/2 rods  
Ø/L: 0,6/70 cm

12~



**Art. No.:**  
138800

£12.90



**Connector**  
chrome/10 pce.

**Art. No.:**  
138809

£9.90



**End caps**  
silver grey/2 pce.  
For track width 3 cm.

**Art. No.:**  
138807

£2.40



**Angle connector**  
chrome/2 pce.

**Art. No.:**  
138803

£9.90



**Cable feed-in, 25A max.**  
chrome/2 cables  
Product-L: 25 cm

**Art. No.:**  
138808

£6.90



**90°-Angle, 25A max.**  
chrome  
For track width 3 cm.

**Art. No.:**  
85 mm, inner  
138804

115 mm, outer  
138805

£5.00



**Suspension**  
chrome/silver grey  
Product-L: 25 cm  
For track width 3 cm  
Base-Ø: 1 cm  
Length adjustable: 16-28 cm

**Art. No.:**  
138806

£6.90





Wave low-voltage track with Space (138832), Light Tube (138848) and Sail Glass (138841) lamp heads see pages 264-265.



SALUNA



**Socket/Bulb:**  
G5,3/MR16 (excl.)  
35W max.

**Material:**  
Aluminium

**Dimensions:**  
Ø/H: 5,5/12,5 cm

**Versions:**  
alu natural


**Art. No.:**  
181180

£34.90

**Recommended bulb:**  
35W 40°  
535338  
£1.90



SALUNA 25



**Socket/Bulb:**  
G5,3/MR16 (excl.)  
35W max.

**Material:**  
Aluminium

**Dimensions:**  
Ø/H: 5,5/12,5 cm  
Stick: 25 cm

**Versions:**  
alu natural

**Art. No.:**  
181190

£39.90

**Recommended bulb:**  
35W, 40°  
535338  
£1.90



SYROS



**Socket/Bulb:**  
G5,3/MR16 (excl.)  
50W max.

**Material:**  
Aluminium

**Dimensions:**  
Ø/L/W: 2,5/9/17 cm

**Versions:**  
chrome

**Art. No.:**  
181212

£24.90

**Recommended bulb:**  
50W, 25°  
535527  
£1.90



QRB SPOT



**Socket/Bulb:**  
G53/QRB111 (excl.)  
50W max.

**Dimensions:**  
L/W: 13/6 cm

**Versions:**  
chrome

**Art. No.:**  
181222

£29.90

**Recommended bulb:**  
50W, 24°  
543524  
£7.90



WIRE LAMP QRB



**Socket/Bulb:**  
G53/QRB111 (excl.)  
50W max.

**Dimensions:**  
Head-Ø: 14 cm

**Versions:**  
chrome

**Art. No.:**  
186462

£24.90

**Recommended bulb:**  
50W, 24°  
543524  
£7.90



SAIL LAMP



**Socket/Bulb:**  
G4/pin socket (excl.)  
20W max.

**Dimensions:**  
Sail-L/W: 26/29 cm

**Versions:**  
chrome  
Sail white

**Art. No.:**  
186451

£24.90

**Recommended bulb:**  
20W  
512220  
£0.90





## SAIL



**Socket/Bulb:**  
GY6,35/pin socket (excl.)  
35W max.

**Material:**  
Glass

**Dimensions:**  
L/W/H: 12/8/9,5 cm

**Versions:**  
chrome  
Glass satin finish

**Art. No.:**  
181252

£34.90

**Recommended bulb:**  
35W warm white  
512235  
£0.90



## COMET



**Socket/Bulb:**  
GU5,3/MR16 (excl.)  
50W max.

**Material:**  
Aluminium/glass

**Dimensions:**  
Ø/H: 6/13 cm

**Versions:**  
chrome  
Glass partial satin finish

**Art. No.:**  
139230

£19.90

**Recommended bulb:**  
50W, 25°  
535527  
£1.90



## SURA



**Socket/Bulb:**  
GY6,35/pin socket (excl.)  
50W max.

**Material:**  
Aluminium/ceramic

**Dimensions:**  
Head-Ø/W/H: 6,5/16,5/12 cm

**Versions:**  
chrome  
Shade white


**Art. No.:**  
181232

£34.90

**Recommended bulb:**  
50W  
512250  
£0.90



## SURA PENDULUM



**Socket/Bulb:**  
GY6,35/pin socket (excl.)  
50W max.

**Material:**  
Aluminium/ceramic

**Dimensions:**  
Head-Ø/W/H: 6,5/16,5/12 cm

**Note:**  
The pendulum length can be  
shortened at the adapter.

**Versions:**  
chrome  
Shade white

**Art. No.:**  
181242

£49.90

**Recommended bulb:**  
50W  
512250  
£0.90



## TELESCOPE



**Socket/Bulb:**  
GX5,3/MR16 (excl.)  
20W max.

**Dimensions:**  
Stick-L: 21-52 cm

**Versions:**  
chrome

**Art. No.:**  
186492

£19.90

**Recommended bulb:**  
20W, 40°  
535240  
£1.90





## LAMP STICK

12-



Socket/Bulb:  
GX5,3/MR16 (excl.)  
35W max.

Dimensions:  
L: 8 cm

Versions:  
black

Art. No.:  
181160

£14.80

Recommended bulb:  
35W, 40°  
535338  
£1.90



## LAMP HOLDER, ADJUSTABLE

12-



Socket/Bulb:  
GX5,3/MR16 (excl.)  
35W max.

Versions:  
black/2 pce.

Art. No.:  
181080

£19.90

Recommended bulb:  
35W, 40°  
535338  
£1.90



## WIRE LAMP MR16

12-



Socket/Bulb:  
GX5,3/MR16 (excl.)  
35W max.

Dimensions:  
L: 60 cm

Versions:  
black

Art. No.:  
139162

£12.90

Recommended bulb:  
35W, 40°  
535338  
£1.90



## ACCESSORY for Low-voltage wire system



Low-voltage wire, 25A max.,  
4 mm<sup>2</sup>  
insulated/1 roll  
Product-L: 100 m  
Weight: 4,6 kg  
Can be cut to size

12-



Art. No.:  
139004

£149.00  
£1.49 /m



Low-voltage wire, 25A max.,  
6 mm<sup>2</sup>  
insulated/1 roll  
Product-L: 100 m  
Weight: 6,4 kg  
Can be cut to size

Art. No.:  
139006

£199.00  
£1.99 /m



Feed-in, 25A max.  
chrome/2 pce.

Art. No.:  
186352

£5.95



Insulating coupler  
chrome/2 pce.  
Product-L: 6 cm

Art. No.:  
186362

£12.90



Wall holder, short  
chrome/2 pce.  
Base-Ø/L: 5/3 cm

Screws (incl.)

Art. No.:  
186302

£19.90



Wall holder, middle  
chrome/2 pce.  
Base-Ø/L: 5/10 cm

With clamping jig.  
Screws (incl.)

Art. No.:  
186312

£29.90



Deflector, short  
chrome/2 pce.  
Base-Ø/L: 5/6 cm

Screws (incl.)

Art. No.:  
186332

£14.80



Deflector, long  
chrome/2 pce.  
Base-Ø/L: 5/16 cm

Screws (incl.)

Art. No.:  
186342

£14.80



Ceiling deflector  
chrome/2 pce.  
Base-Ø/L: 5/16,2 cm

With deflector roll.  
Screws (incl.)

Art. No.:  
186642

£69.50



Wire tightener, flexible  
chrome/2 pce.  
Product-L: 9-12,5 cm

Art. No.:  
181532

£15.95