



Design by Estudi Ribaudí



The photograph may not match the reference exactly. Please read the product description to identify the finish.

[Download photometric file .ldt / .ies](#)[Click on image to download energy label](#)

TECHNICAL CHARACTERISTICS


Type:	Pendant
IP Protection degrees:	IP20
Light source 1:	1 x E27 MAX 23W Maximum lamp length: 150.00 mm Maximum lamp diameter: 60.00 mm
Total power consumption (W):	23
Voltage / Frequency:	230-240V/50-60Hz
Warranty (Years):	2
Units per box:	1
Net Weight (Kg):	0.775
EAN:	8435111083550



MATERIALS / FINISHES

Structure material:	ABS Steel
Structure finish:	White lacquered Grey

71-2232-14-14



Track connector


Structure material: Polycarbonate
Structure finish: White



Luminaire			Measurem.			Lamp		
Code	00-4416-05-03		Code	00-4416-05-23		Code	PL ELEC23W/827 E27	
Name	Colgante 23W fluor E27		Name	Colgante 23W fluor E27		Number	1	
Line	Eulumdat		Date	27-09-2011		Position		
Efficiency			37.43%		Coordinate system	CG	Total Flux	1485.00 lm
Maximum value			198.05 cd		Position	C=45.00 G=50.00	Asymmetrical	
Round Luminaire			Diam.	205 mm	Height	330 mm		
Round Luminous Area			Diam.	200 mm	Height	0 mm		
Horizontal Luminous Area			0.031416 m2		Emitting area on Plane 180°		0.000000 m2	
Emitting area on Plane 0°			0.000000 m2		Emitting area on Plane 270°		0.000000 m2	
Emitting area on Plane 90°			0.000000 m2		Glare area at 76°		0.007600 m2	
Symmetry Type			Asymmetrical		Maximum Gamma Angle		90	
Measurement Distance			0.00		Measurement Flux		1485.00 lm	
Operator			Asselum T2		Source voltage			
Temperature			25.00 °C		Source current			
Humidity			60.00 %		Photocell			
Notes								

Luminaire Lamps					
Line	Code	Name	Flux [lm]	Pow. [W]	Q.ty
Eulumdat	PL ELEC23W/827 E27	PL ELEC23W/827 E27 - 23.00 W	1485.00	23.00	1
C.I.E.	35 74 94 100 37	D DIN 5040	A20		
F UTE	0.37 G	B NBN	BZ 6 / 1.5 / BZ 5		


Diam=205mm




C Halfplanes


180.0 — 0.0
270.0 — 90.0

ULOR 0.00 %
DLOR 37.43 %
RN 0.00 %







1




2




3



4



5



6

