


## Zoom Spotlight



### Description

Spotlight for indoor and outdoor use.

For downlighting.. Includes spike for ground or lawn mounting. Includes zoom system to regulate the angle of the beam without the use of tools. Suitable for installation in marine environments. Includes 2 cable outlets to facilitate chain mounting. Cable meters included: 0.75. Adjustable light source. Structure material: Anodized aluminium. Structure finish: Black. Diffuser material: Methacrylate. Diffuser finish: Transparent. UV protection. Warranty: 5 Years.




### Finish

Black  
Transparent

### Material

Anodized aluminium  
Methacrylate



### TECHNICAL CHARACTERISTICS

#### Light source

Light source: LED CREE  
Output (W): 3.8 W  
Total power consumption (W): 5.8 W  
Color temperature: Warm White - 3000K  
CRI: 80  
Real Lumen: 130  
Nominal Lumen: 285  
Qty Leds: 1  
Lm/Real W: 43  
Life Time: 36.000h L70B30  
Bin / Grup: 7C1 o 7B4  
MacAdam steps: 3 STEPS  
UGR: 37.3  
Photobiological risk: RG2

#### GEAR

Brand: E-LEMON  
Gear included: Yes, electronic  
Voltage / Frequency: 100-240V/50-60Hz  
Power Factor: 0.75

#### Luminaire

Double cable exit: Yes  
Drainage: No  
Recessed: No  
Seaside: Yes  
Cable meters included: 0.75  
Uv Protection: Yes  
Warranty: 5 Years

#### Logistics

Energy Efficiency: LED A++  
Net Weight (Kg): 0.000  
Packing: 325 x 75 x 40

