





wall lights





brenta p. 73



aria p. 70



serifos p. 77



bologna p. 73



eclipse p. 67



pienza p. 77



edge p. 85



pella p. 81



parma p. 79



rio p. 81



alba p. 97



bloc p. 97



altea p. 91



axios | artemis | sparta p. 89



epsilon | kappa p. 95



kea p. 101



elis p. 115



oslo p. 111




chios p. 112




dunbar p. 107



mast p. 105



7454



7248



7249

eclipse

available finish: plaster



round 250

finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
plaster	7249	LED	10.4W	3000	60	452	43	mains 230V	20		-	✓
plaster	7611	LED	8.1W	2700	60	357	44	mains 230V	20		-	✓


round 350

finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
plaster	7454	LED	12.3W	3000	60	432	35	mains 230V	20		-	✓
plaster	7614	LED	12.3W	2700	60	462	37	mains 230V	20		-	✓


square 300

finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
plaster	7248	LED	15W	3000	60	715	47	mains 230V	20		-	✓
plaster	7610	LED	14.4W	2700	60	576	47	mains 230V	20		-	✓


[



round 250




round 350



square 300

can be painted



- 01 eclipse 350 round (product has been painted)
- 02 eclipse 250 round (product has been painted)
- 03 eclipse 300 square

aria

available finish: plaster




300

finish	code	lamp	watt	IP	class	
plaster	7074	E27 LED ▼	12W max	20	□	✓

370

finish	code	lamp	watt	IP	class	
plaster	7107	E27 LED ▼	12W max	20	□	✓



▼ Lamp/input source not included and must be ordered separately. For driver compatibility and number of fixtures please visit: astrolighting.com

can be painted



7074

7107




brenta

available finish: plaster



	finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
130	plaster	0916	E14 LED ▼	9W max	-	-	-	-	-	20		✓	
175	plaster	7261	E27 LED ▼	12W max	-	-	-	-	-	20		✓	




bologna

available finish: plaster



	finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
160	plaster	7001	LED	6.4W	3000	80	139	21	mains 230V	20		-	✓
160	plaster	7605	LED	6.3W	2700	80	145	23	mains 230V	20		-	✓
240	plaster	7002	GU10 LED ▼	2 x 6W max	-	-	-	-	-	20		✓	-




▼ Lamp/input source not included and must be ordered separately. For driver compatibility and number of fixtures please visit: astrolighting.com

can be painted



- 01 **brenta 175**
- 02 **bologna 240**
- 03 **serifos 220**
- 04 **serifos 170**






pienza

available finish: plaster



	finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
LED	plaster	7152	LED	6.2W	3000	80	198	61	mains 230V	20		-	✓
LED	plaster	7607	LED	5.7W	2700	80	357	62	mains 230V	20		-	✓
140	plaster	0917	E14 LED ▼	7W max	-	-	-	-	-	20		✓	-
140 switched	plaster	7260	E14 LED ▼	7W max	-	-	-	-	-	20		✓	-
165	plaster	7153	E27 LED ▼	12W max	-	-	-	-	-	20		✓	-




serifos

available finish: plaster



	finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
170	plaster	7375	LED	6.3W	3000	80	286	45	mains 230V	20		-	✓
170	plaster	7613	LED	6W	2700	80	220	36	mains 230V	20		-	✓
220	plaster	7909	GU10 LED ▼	2 x 6W max	-	-	-	-	-	20		✓	-



▼ Lamp/input source not included and must be ordered separately. For driver compatibility and number of fixtures please visit: astrolighting.com

can be painted



parma

available finish: plaster



100 / 110

	finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
100	plaster	7019	LED	3.9W	3000	80	104	26	mains 230V	20		-	✓
100	plaster	7606	LED	3.9W	2700	80	104	26	mains 230V	20		-	-
110	plaster	7076	GU10 LED ▼	6W max	-	-	-	-	mains 230V	20		✓	-

160


	finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
160	plaster	0886	LED	6.3W	3000	80	134	21	mains 230V	20		-	✓
160	plaster	7598	LED	6.3W	2700	80	154	24	mains 230V	20		-	✓

210

	finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
210	plaster	8182	LED	7.7W	3000	80	503	66	mains 230V	20		✓	✓
210	plaster	8052	LED	8W	2700	80	549	68	mains 230V	20		✓	✓
210	plaster	0964	GU10 LED ▼	2 x 6W max	-	-	-	-	-	20		✓	-

200 / 250

	finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
200	plaster	7038	E14 LED ▼	7W max	-	-	-	-	-	20		✓	-
250	plaster	0887	LED	9W	3000	80	301	33	mains 230V	20		-	✓
250	plaster	7599	LED	8.7W	2700	80	301	33	mains 230V	20		-	✓



▼ Lamp/input source not included and must be ordered separately. For driver compatibility and number of fixtures please visit: astrolighting.com

can be painted



rio

available finish: plaster




125 / 210

	finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
125	plaster	7936	LED	5.7W	2700	80	196	34	mains 230V	20		-	✓
210	plaster	7937	LED	5.8W	2700	80	195	33	mains 230V	20		-	✓

190 / 325

	finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
190	plaster	7173	LED	14.6W	3000	80	1228	84	mains 230V	20		1-10V	✓
190	plaster	7609	LED	14.6W	2700	80	1365	90	mains 230V	20		1-10V	✓
190	plaster	8054	LED	16.6W	2700	80	1637	98	mains 230V	20		phase	✓
325	plaster	7172	LED	14.7W	3000	80	1198	80	mains 230V	20		1-10V	✓
325	plaster	7608	LED	14.7W	2700	80	1133	75	mains 230V	20		1-10V	✓
325	plaster	8053	LED	16.4W	2700	80	1550	94	mains 230V	20		phase	✓




pella

available finish: plaster



190 / 325

	finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
190	plaster	7141	GU10 LED ▼	2 x 6W max	-	-	-	-	-	20		✓	-
325	plaster	7140	E27 LED ▼	12W max	-	-	-	-	-	20		✓	-



▼ Lamp/input source not included and must be ordered separately. For driver compatibility and number of fixtures please visit: astrolighting.com

can be painted



01

02



03

04

05

01 rio 190

02 rio 325

03 parma 210

04 parma 160

05 parma 100



7805




7385

edge

available finish: plaster



	finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
560	matt white	7385	LED	12.8W	3000	80	479	30	700mA▼	20		✓	✓
560	matt white	7537	LED	12.8W	2700	80	425	28	700mA▼	20		✓	✓
560D	matt white	7805	LED	14.7W	2700	80	425	28	mains 230V	20		-	✓



edge

▼ Lamp/input source not included and must be ordered separately. For driver compatibility and number of fixtures please visit: astrolighting.com

01




02



01 edge 560

02 edge 560D



axios

artemis


sparta

axios

available finish: polished chrome



	finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
300	polished chrome	8180	LED	6.1W	3000	80	235	38	mains 230V	44		-	✓
600	polished chrome	7972	LED	11.6W	3000	80	483	41	mains 230V	44		-	✓
900	polished chrome	7973	LED	16.8W	3000	80	727	43	mains 230V	44		-	✓
1200	polished chrome	7492	LED	13.8W	3000	80	998	69	mains 230V	44		-	✓




artemis

available finish: polished chrome



	finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
600	polished chrome	7974	LED	11.2W	3000	80	658	58	mains 230V	44		-	✓
900	polished chrome	7975	LED	18.1W	3000	80	1016	56	mains 230V	44		-	✓
1200	polished chrome	7490	LED	13.8W	3000	80	1068	77	mains 230V	44		-	✓




sparta

available finish: polished chrome



	finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
600	polished chrome	7976	LED	12.3W	3000	80	649	52	mains 230V	44		-	✓
900	polished chrome	7977	LED	17.3W	3000	80	978	56	mains 230V	44		-	✓
1200	polished chrome	7491	LED	13.8W	3000	80	950	68	mains 230V	44		-	✓





8014

8015

altea

available finish: polished chrome




360

finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
polished chrome	8014	LED	15.6W	3000	80	650	42	mains 230V	44		-	✓


500

finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
polished chrome	8015	LED	20.3W	3000	80	858	42	mains 230V	44		-	✓






- 01 **sparta 600**
- 02 **sparta 900**
- 03 **artemis 1200**
- 04 **artemis 600**
- 05 **altea 500**
- 06 **altea 360**
- 07 **altea 360**



8161



8162

epsilon

available finish: polished chrome




finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
polished chrome	8161	LED	3.3W	3000	80	103	31	mains 230V	44		-	✓

kappa

available finish: polished chrome



finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
polished chrome	8162	LED	3.1W	3000	80	113	36	mains 230V	44		-	✓



0829



0828



alba

available finish: polished chrome



finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
polished chrome	0828	LED	3.3W	3000	80	69	21	mains 230V	44		-	✓

bloc

available finish: polished chrome



finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
polished chrome	0829	LED	3.3W	3000	80	58	17	mains 230V	44		-	✓



alba



bloc

01 bloc

02 epsilon

03 kappa

01



02



03



8022



8024



8025



kea

available finishes:
textured white / textured black



round 150

finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
textured white	8019	LED	8.1W	3000	80	565	69	mains 230V	65		-	✓
textured black	8020	LED	8.1W	3000	80	565	69	mains 230V	65		-	✓

round 250


finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
textured white	8021	LED	12.6W	3000	80	1046	83	mains 230V	65		-	✓
textured black	8022	LED	12.6W	3000	80	1046	83	mains 230V	65		-	✓

square 140

finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
textured white	8023	LED	5.3W	3000	80	347	65	mains 230V	65		-	✓
textured black	8024	LED	5.3W	3000	80	347	65	mains 230V	65		-	✓

square 240

finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
textured white	8025	LED	12.2W	3000	80	924	75	mains 230V	65		-	✓
textured black	8026	LED	12.2W	3000	80	924	75	mains 230V	65		-	✓





- 01 kea square 140
- 02 kea round 250
- 03 kea round 150
- 04 kea square 240
- 05 kea round 150
- 06 kea square 140



7144



7178



8183



7965




mast


available finishes:
textured white / textured black / textured painted silver / concrete / antique brass



finish	code	lamp	watt	IP	class	
textured white	7965	GU10 LED ▼	6W max	65	⊕	✓
textured black	7178	GU10 LED ▼	6W max	65	⊕	✓
textured painted silver	7144	GU10 LED ▼	6W max	65	⊕	✓
antique brass	7836	GU10 LED ▼	6W max	65	⊕	✓
antique brass (coastal)	7962	GU10 LED ▼	6W max	65	⊕	✓
concrete (coastal)	8183	GU10 LED ▼	6W max	44	⊕	✓



mast



mast (concrete)

▼ Lamp / input source not included and must be ordered separately. For driver compatibility and number of fixtures please visit: astrolighting.com



dunbar

available finishes:
textured white / textured black / textured painted silver / concrete



100

finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class	
textured white	7943	LED	3.7W	3000	80	64	17	mains 230V	65		✓
textured black	7945	LED	3.7W	3000	80	64	17	mains 230V	65		✓
textured painted silver	8059	LED	3.7W	3000	80	64	17	mains 230V	65		✓

120


finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class	
concrete (coastal)	8186	LED	3.9W	3000	80	60	15	mains 230V	65		✓

160

finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class	
textured white	7944	LED	6.8W	3000	80	134	19	mains 230V	65		✓
textured black	7946	LED	6.8W	3000	80	134	19	mains 230V	65		✓
textured painted silver	8060	LED	6.8W	3000	80	134	19	mains 230V	65		✓
concrete (coastal)	8187	LED	6.1W	3000	80	115	19	mains 230V	65		✓


255

finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class	
textured white	7994	LED	7.5W	3000	80	302	40	mains 230V	65		✓
textured black	7992	LED	7.5W	3000	80	302	40	mains 230V	65		✓
textured painted silver	7993	LED	7.5W	3000	80	302	40	mains 230V	65		✓






- 01 mast
- 02 dunbar 100
- 03 dunbar 255
- 04 dunbar 160



7060



8185

7991

7109

oslo

available finishes:
textured white / textured black / textured painted silver / concrete



100

finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class	
textured white	7493	LED	3.7W	3000	80	47	12	mains 230V	65		✓
textured black	7109	LED	3.7W	3000	80	47	12	mains 230V	65		✓
textured painted silver	7108	LED	3.7W	3000	80	47	12	mains 230V	65		✓

120


finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class	
concrete (coastal)	8184	LED	3.9W	3000	80	60	15	mains 230V	65		✓

160

finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class	
textured white	7494	LED	6W	3000	80	99	16	mains 230V	65		✓
textured black	7061	LED	6W	3000	80	99	16	mains 230V	65		✓
textured painted silver	7060	LED	6W	3000	80	99	16	mains 230V	65		✓
concrete (coastal)	8185	LED	6.1W	3000	80	117	19	mains 230V	65		✓

255

finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class	
textured white	7991	LED	7.5W	3000	80	270	36	mains 230V	65		✓
textured black	7989	LED	7.5W	3000	80	270	36	mains 230V	65		✓
textured painted silver	7990	LED	7.5W	3000	80	270	36	mains 230V	65		✓



100

120 (concrete)

160

160 (concrete)

255

chios

available finishes:
textured white / textured black / textured painted silver




80


finish	code	lamp	watt	IP	class	
textured white	7564	GU10 LED ▼	6W max	44		✓
textured black	7126	GU10 LED ▼	6W max	44		✓
textured painted silver	7125	GU10 LED ▼	6W max	44		✓

150

finish	code	lamp	watt	IP	class	
textured white	7565	GU10 LED ▼	2 x 6W max	44		✓
textured black	7128	GU10 LED ▼	2 x 6W max	44		✓
textured painted silver	7127	GU10 LED ▼	2 x 6W max	44		✓



▼ Lamp/input source not included and must be ordered separately. For driver compatibility and number of fixtures please visit: astrolighting.com





elis

available finishes:
textured white / textured black / textured painted silver / antique brass




single

finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
textured white	8116	LED	4.4W	3000	80	245	54	mains 230V	54		-	✓
textured black	7201	LED	4.4W	3000	80	245	54	mains 230V	54		-	✓
textured painted silver	7203	LED	4.4W	3000	80	245	54	mains 230V	54		-	✓
antique brass (coastal)	8006	LED	4.4W	3000	80	245	54	mains 230V	54		-	✓

twin

finish	code	lamp	watt	K	CRI	lumens	efficacy	input	IP	class		
textured white	8117	LED	7.7W	3000	80	490	63	mains 230V	54		-	✓
textured black	7202	LED	7.7W	3000	80	490	63	mains 230V	54		-	✓
textured painted silver	7204	LED	7.7W	3000	80	490	63	mains 230V	54		-	✓
antique brass (coastal)	8007	LED	7.7W	3000	80	490	63	mains 230V	54		-	✓




- 01 oslo 100
02 oslo 160
03 oslo 255
04 elis single
05 elis twin

04



05



01



02



03

