









148091 232

## WALL LIGHTS



|                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |    |    |    |    |    |    |    |
| 0220                                                                                | 0221                                                                                | 0222                                                                                | 0222                                                                                | 0223                                                                                 | 0223                                                                                  | 0224                                                                                  | 0225                                                                                  |
|    |    |    |    |    |    |    |    |
| 0225                                                                                | 0226                                                                                | 0227                                                                                | 0228                                                                                | 0229                                                                                 | 0231                                                                                  | 0231                                                                                  | 0232                                                                                  |
|    |    |    |    |    |    |    |    |
| 0232                                                                                | 0233                                                                                | 0233                                                                                | 0234                                                                                | 0235                                                                                 | 0235                                                                                  | 0236                                                                                  | 0237                                                                                  |
|    |    |    |    |    |    |    |    |
| 0237                                                                                | 0238                                                                                | 0238                                                                                | 0239                                                                                | 0240                                                                                 | 0240                                                                                  | 0241                                                                                  | 0242                                                                                  |
|    |    |    |    |    |    |    |    |
| 0242                                                                                | 0243                                                                                | 0243                                                                                | 0244                                                                                | 0244                                                                                 | 0245                                                                                  | 0245                                                                                  | 0246                                                                                  |
|   |   |   |   |   |   |   |   |
| 0246                                                                                | 0247                                                                                | 0247                                                                                | 0248                                                                                | 0248                                                                                 | 0249                                                                                  | 0249                                                                                  | 0250                                                                                  |
|  |  |  |  |  |  |  |  |
| 0251                                                                                | 0253                                                                                | 0253                                                                                | 0254                                                                                | 0255                                                                                 | 0256                                                                                  | 0257                                                                                  | 0258                                                                                  |
|  |  |  |  |  |  |  |  |
| 0259                                                                                | 0259                                                                                | 0260                                                                                | 0261                                                                                | 0262                                                                                 | 0263                                                                                  | 0265                                                                                  | 0265                                                                                  |
|  |  |  |  |  |  |  |  |
| 0265                                                                                | 0266                                                                                | 0266                                                                                | 0267                                                                                | 0267                                                                                 | 0268                                                                                  | 0268                                                                                  | 0269                                                                                  |
|  |  |  |  |  |  |  |  |
| 0270                                                                                | 0270                                                                                | 0271                                                                                | 0272                                                                                | 0273                                                                                 | 0274                                                                                  | 0274                                                                                  | 0275                                                                                  |
|  |  |  |  |  |  |  |  |
| 0275                                                                                | 0276                                                                                | 0276                                                                                | 0277                                                                                | 0277                                                                                 | 0278                                                                                  | 0279                                                                                  | 0279                                                                                  |
|  |  |  |                                                                                     |                                                                                      |                                                                                       |                                                                                       |                                                                                       |
| 0280                                                                                | 0281                                                                                | 0281                                                                                |                                                                                     |                                                                                      |                                                                                       |                                                                                       |                                                                                       |





## SOBERBIA

A - A++



- Extravagant design with premium LED
- Sets unusual emphasis in the room

## Products available in these colours and variants




## Product details

220-240V ~50/60Hz sec. 700mA

Total consumption: 15W

Material: Steel


Dimmable: Triac C



2.3



## Line drawing



165431 196


165441 123



DESIGNED BY  
Johan Carpner

| Variant                        | Item no. |
|--------------------------------|----------|
| 950lm   2700K   CRI>80         |          |
| <input type="checkbox"/> white | 165431   |





## LISENNE E27

E - A++



- Modern combination of glass & stone
- Smoked glass look for subtle light
- Robust base made from stone

Products available in  
these colours and variants



1003



### Product details


230V ~50/60Hz

Material: Basalt/glass



2.8

### Line drawing



### Lamp details

23W max.

Ø: 5.5 cm max. L: 15 cm max.  
optional: LED

### Recommended lamp

LED E27 12 W 240°  
3000K 1060lm EEL=A+  
12 kWh/1000h  
Item no. 1001032 |



| Variant         | Item no. |
|-----------------|----------|
| E27   TC(...)SE |          |
| ■ Grey / brown  | 155752   |





**DESIGNED BY**

Andreas Robertz

*Robertz*



## I-RING

A - A++



LED  
INSIDE

- Unusual design for modern rooms
- Pleasant, homogeneous light
- Premium LED

Products available in these colours and variants



1001



### Product details

220-240V ~50/60Hz sec. 700mA

Total consumption: 16W

Material: Steel/textile

Dimmable: Triac C, Triac L



135°




1.9



30000

### Line drawing



### Note

Red textile cable


| Variant                | Item no. |
|------------------------|----------|
| 1000lm   3000K   CRI80 |          |
| □ white                | 156311   |





149431

201



**DESIGNED BY**  
Johannes Tomm



## BRENDA

A - A++



- Extravagant design with premium LED
- Indirect lighting

Products available in  
these colours and variants




0998




## Product details

220-240V ~50/60Hz sec. 500mA  
Total consumption: 12W  
Material: Aluminium/frosted glass  
Dimmable: Triac C, Triac L



## Line drawing



## BRENDA

A - A++



- Brenda with additional indirect lighting

Products available in  
these colours and variants




0998




## Product details

220-240V 500mA (main light source)  
220-240V 350mA (spotlight)  
Total consumption: 14W  
Material: Aluminium/frosted glass  
Dimmable: Triac C, Triac L



## Line drawing



## Note

Light sources can be switched together  
or separately (wiring can be freely selected)

| Variant                          | Item no. |
|----------------------------------|----------|
| Indirect: 880lm   3000K   CRI>80 |          |
| white/silver                     | 149421   |

| Variant                          | Item no. |
|----------------------------------|----------|
| Indirect: 880lm   3000K   CRI>80 |          |
| Spot: 80lm   3000K   CRI80 30°   |          |
| white/silver                     | 149431   |



**TENORA**  
E27

E - A++



- Classic design
- Swivelling joint
- Ideal as reading lamp

**Products available in  
these colours and variants**

1009

**Product details**

230V ~50Hz


Material: Textile/polystyrene/steel



1.2

350°

90°

**Line drawing****Note**

Switch in the canopy

**Lamp details**

60W max.

optional: LED TC(...)SE QA60

**Recommended LED lamp**LED E27 8.5W  
2700K 806lm EEL=A+  
10kWh/1000h

Item no. 560161 |

Valeto E27 9.6W  
2700K-6500K 900lm EEL=A+  
10kWh/1000h

Item no. 420051 |



| Variant   | Item no. |
|-----------|----------|
| E27   A60 |          |
| ■ black   | 156020   |
| E27   A60 |          |
| □ white   | 156021   |



156020

202



155860 203

## SOPRANA OVAL E27

E - A++



- Classic design
- Textile shade with modern structure
- For cosy lighting accents

### Products available in these colours and variants



1009



### Product details


230V ~50Hz

Material: Textile/polystyrene/steel



0.62

### Line drawing



### Lamp details

60W max.

L: 13 cm max.

optional: LED TC(...)SE QA60

### Recommended LED lamp

LED E27 6W  
3000K 450lm EEL=A+  
6kWh/1000h

Item no. 551553 |

Valeto E27 9.6W  
2700K-6500K 900lm EEL=A+  
10kWh/1000h

Item no. 420051 |



| Variant   | Item no. |
|-----------|----------|
| E27   A60 |          |
| ■ black   | 155860   |
| E27   A60 |          |
| □ white   | 155861   |



LASSON  
E27

E - A++




- Unusual changing look

Products available in  
these colours and variants




## Product details

230V ~50Hz  
Material: Linen / Polystyrene / Steel



## Line drawing



## Lamp details

40W max.  
Ø: 5 cm max. L: 20 cm max.  
optional: LED TC(...)SE QA60

## Recommended LED lamp

LED E27 8.5W  
2700K 806lm EEL=A+  
10kWh/1000h  
Item no. 560161 |



Valeto E27 9.6W  
2700K-6500K 900lm EEL=A+  
10kWh/1000h  
Item no. 420051 |



| Variant              | Item no. |
|----------------------|----------|
| E27   A60<br>■ black | 155340   |

SOPRANA  
E27

E - A++




- Homogeneous, glare-free lighting

Products available in  
these colours and variants




## Product details

230V ~50Hz  
Material: Steel / Plastic / Textile



## Line drawing



## Lamp details

40W max.  
Ø: 6.6 cm max. L: 17.3 cm max.  
optional: LED TC(...)SE QA60

## Recommended LED lamp

LED E27 8.5W  
2700K 806lm EEL=A+  
10kWh/1000h  
Item no. 560161 |



Valeto E27 9.6W  
2700K-6500K 900lm EEL=A+  
10kWh/1000h  
Item no. 420051 |



| Variant              | Item no. |
|----------------------|----------|
| E27   A60<br>■ beige | 155643   |



155340

204



155643

204



151221 205

**DESIGNED BY**  
Susanne Uerlings

## PLATES QT14

D - A++



- Unusual design for modern rooms
- Indirect, glare-free lighting

Product available in this colour




### Product details

220-240V ~50/60Hz  
Material: Steel



### Line drawing



### Note

Euro plug  
Power switch in connection cable

### Lamp details

25W max.  
optional: LED

### Recommended LED lamp

LED G9 2.5W  
2700K 180lm EEL=A+  
3kWh/1000h  
Item no. 560302 |



| Variant                        | Item no. |
|--------------------------------|----------|
| G9   QT14                      |          |
| <input type="checkbox"/> white | 151221   |

## BASKET E27

E - A++




- Classically elegant design
- Frosted glass shade for subtle light
- Can be flexibly integrated

Product available in this colour




### Product details

230V ~50Hz  
Material: Aluminium/frosted glass



### Line drawing



### Lamp details

60W max.  
Ø: 5.2 cm max. L: 15.2 cm max.  
optional: LED TC(...)SE QA60

### Recommended LED lamp

LED E27 9.1W  
2700K 760lm EEL=A+  
10kWh/1000h  
Item no. 560402 |




Valetto E27 9.6W  
2700K-6500K 900lm EEL=A+  
10kWh/1000h  
Item no. 420051 |



| Variant                        | Item no. |
|--------------------------------|----------|
| E27   A60                      |          |
| <input type="checkbox"/> white | 151591   |

151591 205







## RIOTTE E14

E - A++




- Functional design in all-glass shade
- Homogeneous, glare-free lighting

Product available in this colour




### Product details

230V ~50Hz  
Material: Steel/glass



1

### Line drawing



### Lamp details

40W max.  
Ø: 5 cm max. L: 11.5 cm max.  
optional: LED TC(...)SE QC35

### Recommended LED lamp

4W  
2700K 250lm EEL=A+  
3kWh/1000h  
Item no. 560222 |



| Variant                 | Item no. |
|-------------------------|----------|
| LED E14<br>chrome/white | 146922   |

## COUPA FLEX

D - A++



LED  
INSIDE


- Functional wall and reading light
- Warm-white light with premium LED
- Light sources can be switched separately

Product available in this colour



### Product details

230V ~50Hz  
Total consumption: 4.8W  
Material: Steel/glass




30°

1.3



30000

### Line drawing



### Lamp details

40W max.  
L: 9 cm max.  
optional: LED

### Recommended LED lamp

LED G9 2.5W  
2700K 180lm EEL=A+  
3kWh/1000h  
Item no. 560302 |



| Variant                                                   | Item no. |
|-----------------------------------------------------------|----------|
| Spot: 125lm   3000K   CRI>80<br>G9   QT14<br>chrome/white | 149452   |





155670 209





## ACCANTO SPOT E27

A - A++




- Wall & reading light in classic design
- Warm-white light with premium LED
- Light sources can be switched separately

Product available in these colours




### Product details

230V ~50Hz  
Material: Textile/polystyrene/steel



### Line drawing



### Lamp details

24W max.  
L: 17.3 cm max.  
optional: LED

### Recommended LED lamp

LED E27 8.5W  
2700K 806lm EEL=A+  
10kWh/1000h  
Item no. 560161 |



| Variant                                            | Item no. |
|----------------------------------------------------|----------|
| Spot: 95lm   3000K   CRI>80 30°<br>E27   TC(...)SE |          |
| ■ black                                            | 155670   |
| Spot: 95lm   3000K   CRI>80 30°<br>E27   TC(...)SE |          |
| □ white                                            | 155673   |

## PIPOFLEX

A - A++




- Reading light with functional design
- Individually alignable light source
- Premium LED

Product available in these colours




### Product details

220-240V ~50/60Hz sec. 266mA  
Total consumption: 4.6W  
Material: Aluminium



### Line drawing



| Variant                                 | Item no. |
|-----------------------------------------|----------|
| 200lm   3000K   CRI 80<br>■ black       | 146700   |
| 200lm   3000K   CRI 80<br>□ white       | 146701   |
| 200lm   3000K   CRI 80<br>■ silver-grey | 146704   |
| 200lm   3000K   CRI 80<br>■ red         | 146706   |





## NAPIA

A - A++




- High-quality design with premium LED
- Direct and indirect lighting
- Light sources can be switched separately

Product available in these colours




## Product details

220-240V ~50/60Hz sec. 350mA  
Total consumption: 3.8W  
Material: Aluminium



## Line drawing



## NAPIA TWIN

A - A++




- High-quality strip light with premium LED
- Direct and indirect lighting
- Light sources can be switched separately

Product available in this colour




## Product details

220-240V ~50/60Hz  
Total consumption: 16.6W  
Material: Aluminium



## Line drawing



## Note

Switch included

| Variant                        | Item no. |
|--------------------------------|----------|
| Spot: 95lm   3000K   CRI80 32° |          |
| Indirect: 62lm   3000K   CRI80 |          |
| ■ black                        | 155100   |
| Spot: 95lm   3000K   CRI80 32° |          |
| Indirect: 62lm   3000K   CRI80 |          |
| □ white                        | 155101   |
| Spot: 95lm   3000K   CRI80 32° |          |
| Indirect: 62lm   3000K   CRI80 |          |
| ■ champagne                    | 155103   |
| Spot: 95lm   3000K   CRI80 32° |          |
| Indirect: 62lm   3000K   CRI80 |          |
| ■ Brushed aluminium            | 155104   |

| Variant                         | Item no. |
|---------------------------------|----------|
| Spot: 95lm   3000K   CRI80 32°  |          |
| Indirect: 470lm   3000K   CRI80 |          |
| ■ Brushed aluminium             | 155114   |





148540 211



155114 210

## PHELIA QPAR51

E - A++



- Classically elegant design
- Elegant conical lamp shade
- Easy care aluminium and steel combination

Products available in  
these colours and variants



1005




### Product details

230V ~50/60Hz  
Material: Aluminium/steel



0.5 350° 90°

### Line drawing



### Note

148530 without switch  
148540 with a switch on the lamp head

### Lamp details

35W max.  
Ø: 5 cm max. L: 10.5 cm max.  
optional: LED

### Recommended LED lamp

LED GU10 4.3W 40°  
2700K 245lm EEL=A+  
5kWh/1000h  
Item no. 551252 |




Valeto GU10 5.3W  
2700K 385lm EEL=A+  
6kWh/1000h  
Item no. 420060 |



| Variant       | Item no. |
|---------------|----------|
| GU10   QPAR51 |          |
| ■ black       | 148530   |
| GU10   QPAR51 |          |
| ■ black       | 148540   |

## STIX




- Functional modern wall and reading light
- Rotating and swivelling lamp head
- Easily accessible switch

Product available in these colours



### Product details

100-240V ~50/60Hz sec. 700mA  
Total consumption: 4.5W  
Material: Aluminium




20° 0.35



30000 350° 90°

### Line drawing



### Note

Switch included

| Variant               | Item no. |
|-----------------------|----------|
| 185lm   3000K   CRI80 |          |
| ■ black               | 146270   |
| 185lm   3000K   CRI80 |          |
| □ white               | 146271   |
| 185lm   3000K   CRI80 |          |
| ■ silver-grey         | 1000326  |





## KARPO

A - A++




- Functional round design
- Rotating and swivelling lamp head
- Direct lighting

Products available in these colours and variants




### Product details

100-240V ~50/60Hz sec. 500mA  
Total consumption: 6W  
Material: Aluminium/steel



### Line drawing



### Note

Switch on lamp housing

152341 212



| Variant                | Item no. |
|------------------------|----------|
| 380lm   3000K   CRI>90 |          |
| ■ black                | 152340   |
| 400lm   3000K   CRI>90 |          |
| □ white                | 152341   |



146632 213



## DIO FLEX PLUG QPAR51

E - A++




- Practical reading and working light
- Lamp as central design element
- Flexible arm for individual illumination

Product available in this colour




### Product details

230V ~50Hz  
Material: Aluminium / PC



Line drawing



### Lamp details

50W max.  
optional: LED

### Recommended LED lamp

LED GU10 4.3W 40°  
2700K 245lm EEL=A+  
5kWh/1000h  
Item no. 551252 |

Valeto GU10 5.3W  
2700K 385lm EEL=A+  
6kWh/1000h  
Item no. 420060 |



| Variant                       | Item no. |
|-------------------------------|----------|
| GU10   QPAR51<br>chrome/white | 146632   |

## DIO FLEX PLUG

A - A++




- Practical reading and working light
- Lamp head with premium LED
- Flexible arm for individual illumination

Product available in this colour




### Product details

230V ~50Hz sec. 350mA  
Total consumption: 3.8W  
Material: PC / Aluminium



Line drawing



| Variant                         | Item no. |
|---------------------------------|----------|
| 80lm   3000K   CRI>80<br>chrome | 146672   |





146692    214



146680    215



DIO FLEX PLATE  
QPAR51

E - A++




- Functional reading and working lamp
- Lamp as central design element
- Flexible arm for individual alignment

Product available in this colour




## Product details

230V ~50Hz  
Material: Aluminium



Line drawing



## Note

Switch included

## Lamp details

50W max.  
optional: LED

## Recommended LED lamp

LED GU10 4.3W 40°  
2700K 245lm EEL=A+  
5kWh/1000h  
Item no. 551252 |



Valeto GU10 5.3W  
2700K 385lm EEL=A+  
6kWh/1000h  
Item no. 420060 |



| Variant                   | Item no. |
|---------------------------|----------|
| GU10   QPAR51<br>■ chrome | 146692   |

## DIO FLEX PLATE

A - A++




- Functional reading and working lamp
- Lamp head with premium LED
- Flexible arm for individual alignment

Product available in this colour




## Product details

100-240V ~50/60Hz sec. 350mA  
Total consumption: 2.2W  
Material: Aluminium



Line drawing



## Note

Switch included

| Variant                          | Item no. |
|----------------------------------|----------|
| 80lm   4000K   CRI80<br>■ chrome | 146680   |
| 70lm   3000K   CRI80<br>■ chrome | 146682   |

IVED GOOSE  
Canopy

A - A++




- Functional reading and working lamp
- Lamp head with power LED
- Flexible arm for individual alignment

Product available in this colour




## Product details

100-240V ~50/60Hz sec. 350mA  
Total consumption: 2.2W  
Material: Aluminium



Line drawing



| Variant                                | Item no. |
|----------------------------------------|----------|
| 80lm   3000K   CRI>80<br>■ silver-grey | 146512   |





## ANELA

A - A++



NEW

LED  
INSIDE


- Premium LED
- High-quality lamp head
- Solid terminal

Products available in  
these colours and variants



## Product details


220-240V ~50/60Hz  
Total consumption: 10W  
Material: Aluminium  
Product dimensions:  
Ø: 8.4 cm L: 62 cm H: 10.2 cm  
Dimmable: Triac C, Triac L



## Note

Shock-proof mains plug  
Clamping range: 7-50 mm  
Mounting clips incl.

| Variant                           | Item no. |
|-----------------------------------|----------|
| 750lm   3000K   CRI>80<br>■ black | 1000733  |
| 750lm   3000K   CRI>80<br>□ white | 1000734  |
| 750lm   4000K   CRI>80<br>■ black | 1001009  |
| 750lm   4000K   CRI>80<br>□ white | 1001010  |



1001009 216



146452 217

## FILI CANOPY QPAR51

E - A++



- Functional display lighting
- Rotating and swivelling lamp head

Product available in this colour




### Product details

230V ~50Hz  
Material: Aluminium / Brass



0.3 270° 90°

Line drawing



### Note

Decorative ring, 51 mm, incl.

### Lamp details

75W max.  
optional: LED

### Recommended LED lamp

LED GU10 4.3W 40°  
3000K 375lm EEL=A++  
5kWh/1000h  
Item no. 560143 |  
18kWh/1000h



Valetto GU10 5.3W  
2700K 385lm EEL=A+  
6kWh/1000h  
Item no. 420060 |



| Variant       | Item no. |
|---------------|----------|
| GU10   QPAR51 |          |
| ■ silver-grey | 146482   |

## FILI TERMINAL QPAR51

E - A++



- Functional display lighting
- Lamp as central design element

Product available in this colour




### Product details

230V ~50Hz  
Material: Aluminium / Brass



0.3 270° 90°

Line drawing



### Note

Clamping range max. 8 cm.

### Lamp details

75W max.  
optional: LED

### Recommended LED lamp

LED GU10 4.3W 40°  
2700K 245lm EEL=A+  
5kWh/1000h  
Item no. 551252 |



Valetto GU10 5.3W  
2700K 385lm EEL=A+  
6kWh/1000h  
Item no. 420060 |



| Variant       | Item no. |
|---------------|----------|
| GU10   QPAR51 |          |
| ■ silver-grey | 146452   |



DISPLAY ADL  
QPAR51

E - A++



- Sophisticated design with tapered head
- Exposed lamp
- Ideal for cabinet mounting

Product available in this colour




## Product details

230V ~50Hz  
Material: Aluminium / Brass



Line drawing



## Note

Open cable end  
Connection box incl.

## Lamp details

50W max.  
optional: LED

## Recommended LED lamp

LED GU10 7W 38°  
2700K 400lm EEL=A+  
7kWh/1000h  
Item no. 551872 |



Valeto GU10 5.3W  
2700K 385lm EEL=A+  
6kWh/1000h  
Item no. 420060 |



| Variant                   | Item no. |
|---------------------------|----------|
| GU10   QPAR51<br>■ chrome | 146332   |

HIBIT  
QPAR51

E - A++



- Simple design
- Curved extension rod
- Ideal for cabinet mounting

Product available in this colour




## Product details

230V ~50Hz  
Material: Aluminium / Brass



Line drawing



## Note

Open cable end  
Mounting bracket incl.

## Lamp details

50W max.  
optional: LED

## Recommended LED lamp


LED GU10 4.3W 40°  
3000K 375lm EEL=A++  
5kWh/1000h  
Item no. 560143 |



Valeto GU10 5.3W  
2700K 385lm EEL=A+  
6kWh/1000h  
Item no. 420060 |



| Variant                        | Item no. |
|--------------------------------|----------|
| GU10   QPAR51<br>■ silver-grey | 146462   |



146462

218

146472 219



146342 219

SDL DISPLAY  
QT-DE12

D - A+



- Functional reduced design
- Straight extension rod with wide lamp head
- Rotating and swivelling head

## Product available in this colour




## Product details

230V ~50Hz  
Material: Aluminium



## Line drawing



## Note

Shock-proof mains plug  
Clamping range: 15-60 mm

## Lamp details

200W max.  
optional: LED

## Recommended LED lamp

LED R7s 118mm 6.5W  
3000K 806lm EEL=A++  
7kWh/1000h  
Item no. 551893 |



| Variant                                     | Item no. |
|---------------------------------------------|----------|
| R7s 118mm   QT-DE12<br>Silver-grey / Chrome | 146324   |

NEPRO DISPLAY  
QT-DE12

D - A+



- Functional reduced design
- Straight extension rod with rounded head
- Rotating and swivelling head

## Product available in this colour




## Product details

230V ~50Hz  
Material: Aluminium



## Line drawing



## Note

Shock-proof mains plug and switch  
Clamping range: 15-55 mm

## Recommended accessories Item no.

Pipe kit 146479

## Lamp details

300W max.  
optional: LED

## Recommended LED lamp

LED R7s 118mm 6.5W  
3000K 806lm EEL=A++  
7kWh/1000h  
Item no. 551893 |



| Variant                                     | Item no. |
|---------------------------------------------|----------|
| R7s 118mm   QT-DE12<br>Silver-grey / Chrome | 146472   |





## DISPLAY

A - A++



- Lightweight display fitting
- Rotating and swivelling lamp head
- Ideal for trade fair construction

Product available in this colour




## Product details


230V ~50Hz sec. 24V DC

Total consumption: 16W

Material: Plastic/aluminium/steel



## Line drawing



## Note

Euro plug

Clamping range: 5-55 mm

| Variant                 | Item no. |
|-------------------------|----------|
| 1100lm   4000K   CRI>80 |          |
| ■ silver-grey           | 170401   |
| 1060lm   3000K   CRI>80 |          |
| ■ silver-grey           | 170402   |





133940 221



## AIR INDI DISPLAY

A - A++



LED  
INSIDE

- Reduced design
- Professional lamp with premium LED
- Ideal for lighting pictures

Products available in  
these colours and variants




### Product details

220-240V ~50/60Hz sec. 500mA  
Total consumption: 11W  
Material: Aluminium/steel/glass  
Dimmable: Triac C, Triac L



### Line drawing



### Note

Mounting plate with hook for hanging  
picture available

### Recommended accessories Item no.

Installation plate 133949

| Variant                | Item no. |
|------------------------|----------|
| 490lm   3000K   CRI>90 |          |
| ■ black                | 133940   |
| 490lm   3000K   CRI>90 |          |
| □ white                | 133941   |
| 490lm   3000K   CRI>90 |          |
| ■ Brass                | 133943   |





## VINCELLI D

A - A++




- Natural look thanks to real bamboo
- Lamp head can be individually aligned
- Can be flexibly integrated

Products available in these colours and variants




### Product details

220-240V ~50/60Hz sec. 350mA  
Total consumption: 11W  
Material: Bamboo/steel  
Dimmable: Triac C, Triac L



### Line drawing



### Note

Switch on wall canopy

## VINCELLI D

A - A++




- Display fitting with adjustable extension rod
- Lamp head can be individually aligned
- Natural look thanks to real bamboo

Products available in these colours and variants




### Product details

220-240V ~50/60Hz sec. 350mA  
Total consumption: 11W  
Material: Bamboo/steel  
Dimmable: Triac C, Triac L



### Line drawing



### Note

Switch on wall canopy

| Variant | Item no. |
|---------|----------|
|---------|----------|

500lm | 2700K | CRI>80

■ dark bamboo

156287

| Variant | Item no. |
|---------|----------|
|---------|----------|

500lm | 2700K | CRI>80


■ dark bamboo

156297



156257

222



156287

222



1000777 223



1000780 223

## DORISA

A - A++




Product available in these colours



## Product details

200-240V ~50Hz sec. 340mA  
 Total consumption: 5.2W  
 Material: Aluminium/plastic  
 Product dimensions: L: 30 cm W: 20 cm H: 4 cm



## Note

Clamping range: 0-6 mm  
 Fastening materials included

## DORISA

A - A++



Product available in these colours



## Product details

200-240V ~50Hz sec. 340mA  
 Total consumption: 6.6W  
 Material: Aluminium/plastic  
 Product dimensions: L: 20 cm W: 9 cm H: 4.5 cm



## Note

Clamping range: 0-6 mm  
 Fastening materials included

| Variant                | Item no. |
|------------------------|----------|
| 280lm   4000K   CRI>80 |          |
| chrome                 | 1000777  |
| 280lm   4000K   CRI>80 |          |
| brushed metal          | 1000778  |

| Variant                | Item no. |
|------------------------|----------|
| 350lm   4000K   CRI>80 |          |
| chrome                 | 1000780  |
| 350lm   4000K   CRI>80 |          |
| brushed metal          | 1000781  |





## DORISA

A - A++



NEW

LED  
INSIDE

Product available in this colour



### Product details

200-240V ~50Hz sec. 340mA

Total consumption: 6.6W

Material: Aluminium/plastic

Product dimensions: L: 20 cm W: 9 cm H: 4.5 cm



IP 44



0.18



30000

### Note

Clamping range: 0-6 mm

Fastening materials included

146583

225



| Variant                          | Item no. |
|----------------------------------|----------|
| 230lm   4000K   CRI>80<br>chrome | 1000816  |



## BILDERLEUCHTE T16

A




- Elegant design with straight extension rod
- Joints for individual alignment
- Display fitting for fluorescent tubes

Products available in  
these colours and variants



### Product details


230V ~50Hz  
Material: Steel



0.85

180°

### Line drawing



## BILDERLEUCHTE STRIP

A - A++



LED  
INSIDE

- Modern edge design with straight extension rod
- Joints for individual alignment
- UV-free LED light without heat radiation

Products available in  
these colours and variants



### Product details


230V ~50Hz sec. 24V DC  
Total consumption: 3.8W  
Material: Steel



0.65

30000

### Line drawing



### Lamp details

13W

### Recommended lamp

G5 13W  
4000K 950lm EEI=A  
15kWh/1000h  
Item no. 591296 |



| Variant       | Item no. |
|---------------|----------|
| G5   T16      |          |
| chrome        | 146582   |
| G5   T16      |          |
| Antique brass | 146583   |


| Variant                | Item no. |
|------------------------|----------|
| 150lm   3000K   CRI>80 |          |
| chrome                 | 146722   |
| 150lm   3000K   CRI>80 |          |
| Antique brass          | 146732   |





## WAVE 25

A - A++



- Elegant curved uplight and downlight
- Professional lamp with premium LED
- High-quality finish

Products available in these colours and variants




### Product details

220-240V ~50/60Hz sec. 500mA


Total consumption: 11.5W

Material: Aluminium

Dimmable: Triac C, Triac L



### Line drawing



| Variant               | Item no. |
|-----------------------|----------|
| 600lm   3000K   CRI80 |          |
| ■ black               | 147820   |
| 765lm   3000K   CRI80 |          |
| □ white               | 147821   |
| 670lm   3000K   CRI80 |          |
| ■ Brass               | 147823   |
| 765lm   3000K   CRI80 |          |
| ■ Brushed aluminium   | 147826   |








1000649 227

## WAVE 45

A - A++



NEW

LED  
INSIDE

- Dim to Warm
- Light colour changes when dimming

Products available in  
these colours and variants



1010



## Product details

220-240V ~50/60Hz sec. 500mA  
Total consumption: 22W  
Material: Aluminium/steel  
Dimmable: Triac C, Triac L




1.302



30000

## Line drawing




| Variant                                            | Item no. |
|----------------------------------------------------|----------|
| 1050lm   2000K-3000K   CRI>90<br>■ black           | 1000649  |
| 1050lm   2000K-3000K   CRI>90<br>□ white           | 1000650  |
| 1050lm   2000K-3000K   CRI>90<br>■ Brass           | 1000651  |
| 1050lm   2000K-3000K   CRI>90<br>▨ aluminium/white | 1000652  |





## WAVE 45

A - A++



- Elegant curved uplight and downlight
- Professional lamp with premium LED
- High-quality finish

Products available in  
these colours and variants




## Product details

220-240V ~50/60Hz sec. 500mA


Total consumption: 21W

Material: Aluminium

Dimmable: Triac C, Triac L



## Line drawing



| Variant                 | Item no. |
|-------------------------|----------|
| 1100lm   3000K   CRI>90 |          |
| ■ black                 | 147840   |
| 1400lm   3000K   CRI>90 |          |
| □ white                 | 147841   |
| 1300lm   3000K   CRI>90 |          |
| ■ Brass                 | 147843   |
| 1400lm   3000K   CRI>90 |          |
| □ Brushed aluminium     | 147846   |





## SOLID CUBE QT14

D - A+



NEW

- Luminaire made from high-quality concrete
- Cubic design for modern furnishing

Product available in these colours




### Product details

230V ~50Hz  
Material: concrete



1.1

### Line drawing



### Lamp details

25W max.  
optional: LED

### Recommended LED lamp

LED G9 2.5W  
2700K 180lm EEL=A+  
3kWh/1000h  
Item no. 560302 |



| Variant            | Item no. |
|--------------------|----------|
| G9   QT14          |          |
| ■ grey             | 1000910  |
| ■ Black sandstone  | 1000911  |
| ■ Yellow sandstone | 1000912  |
| ■ White sandstone  | 1000913  |





155750

231





## SOPRANA QPAR51

E - A++




- Puristic conical design made from concrete
- Indirect warm light
- Every luminaire is unique

### Products available in these colours and variants




### Product details

230V ~50Hz  
Material: concrete



1.3

### Line drawing



### Lamp details

25W max.  
optional: LED

### Recommended LED lamp

LED GU10 7W 36°  
3000K 520lm EEL=A+  
7kWh/1000h  
Item no. 551283 |



Valeto GU10 5.3W  
2700K-6500K 385lm EEL=A+  
6kWh/1000h  
Item no. 420061 |



| Variant       | Item no. |
|---------------|----------|
| GU10   QPAR51 |          |
| ■ grey        | 155751   |

## SOPRANA E14

E - A++




- Puristic hemisphere design made from concrete
- Indirect warm light
- Every luminaire is unique

### Products available in these colours and variants




### Product details

230V ~50Hz  
Material: concrete



1.74

### Line drawing



### Lamp details

40W max.  
Ø: 4.8 cm max. L: 12.5 cm max.  
optional: LED TC(...)SE QC35

### Recommended LED lamp

LED E14 4W  
2700K 250lm EEL=A+  
3kWh/1000h  
Item no. 560222 |



| Variant   | Item no. |
|-----------|----------|
| E14   C35 |          |
| ■ grey    | 155750   |





## PLASTRA

A - A++



NEW

LED  
INSIDE



- Modern sweeping design, in hemisphere
- Professional luminaire made from plaster with high voltage LED
- Can be designed with colours, stickers & more

Products available in  
these colours and variants




## Product details

230V ~50Hz  
Total consumption: 19W  
Material: Plaster/glass/steel  
Dimmable: Triac, Triac C



## Line drawing



## PLASTRA

A - A++



NEW

LED  
INSIDE

- Modern flat design, circular shape
- Plaster luminaire for indirect, glare-free light
- Can be designed with colours, stickers & more

Products available in  
these colours and variants




## Product details

100-240V ~50/60Hz sec. 12V/DC  
Total consumption: 7.4W  
Material: Plaster/steel



## Line drawing




148062

232



148091

232



| Variant                       | Item no. |
|-------------------------------|----------|
| up: 520lm   3000K   CRI >80   |          |
| down: 520lm   3000K   CRI >80 |          |
| white                         | 148062   |

| Variant               | Item no. |
|-----------------------|----------|
| 400lm   3000K   CRI80 |          |
| white                 | 148091   |



## PLASTRA

A - A++



- Modern flat design, rectangular shape
- Plaster luminaire for indirect, glare-free light
- Can be designed with colours, stickers & more

Products available in  
these colours and variants



## Product details


100-240V ~50/60Hz sec. 12V/DC  
Total consumption: 19W  
Material: Plaster/steel



5.8

15000

## Line drawing



## PLASTRA

A - A++



- Modern flat design, square shape
- Plaster luminaire for indirect, glare-free light
- Can be designed with colours, stickers & more

Products available in  
these colours and variants



## Product details


100-240V ~50/60Hz sec. 12V/DC  
Total consumption: 11W  
Material: Plaster/steel



3

15000

## Line drawing



| Variant                  | Item no. |
|--------------------------|----------|
| 1200lm   3000K   CRI >80 |          |
| □ white                  | 148093   |

| Variant               | Item no. |
|-----------------------|----------|
| 400lm   3000K   CRI80 |          |
| □ white               | 148019   |



PLASTRA  
QPAR111

A - A++



NEW



- Modern design in cubic shape
- Plaster luminaire for indirect, glare-free light
- Can be designed with colours, stickers & more

Products available in  
these colours and variants



1006



## Product details


230V ~50Hz

Material: Plaster/steel



4.1

## Line drawing



## Lamp details

2x 17.5W max.

## Recommended LED lamp

LED GU10 15.5W 30°

2700K 680lm EEL=A

6kWh/1000h

Item no. 570672 |



Valeto GU10 9.5W

2700-6000K 830lm EEL=A+

10kWh/1000h

Item no. 1000756 |



| Variant                        | Item no. |
|--------------------------------|----------|
| GU10   LED                     |          |
| <input type="checkbox"/> white | 148064   |






148013 235



148012 235

## PLASTRA 101 E14

E - A++




- Modern round half-shell design
- Plaster luminaire for indirect, glare-free light
- Can be designed with colours, stickers & more

Products available in  
these colours and variants




### Product details

230V ~50Hz  
Material: Plaster/steel



1.25

### Line drawing



## PLASTRA 102 Curve, QT-DE12

D - A+



- Modern round half-shell design
- Plaster luminaire for indirect, glare-free light
- Can be designed with colours, stickers & more

Products available in  
these colours and variants




### Product details

230V ~50Hz  
Material: Plaster/steel



1.58

### Line drawing



### Lamp details

40W max.  
Ø: 4.5 cm max. L: 11 cm max.  
optional: LED TC(...)SE QC35

### Recommended LED lamp

LED E14 4W  
2700K 250lm EEL=A+  
3kWh/1000h  
Item no. 560222 |



### Lamp details

100W max.  
optional: LED

### Recommended LED lamp

LED R7s 78mm 5.5W 330°  
2700K 530lm EEL=A+  
6kWh/1000h  
Item no. 560332 |



| Variant                        | Item no. |
|--------------------------------|----------|
| E14   C35                      |          |
| <input type="checkbox"/> white | 148013   |

| Variant                        | Item no. |
|--------------------------------|----------|
| R7s 78mm   QT-DE12             |          |
| <input type="checkbox"/> white | 148012   |





## PLASTRA 103 T16

B - A



- Modern, edgy design
- Plaster luminaire for indirect, glare-free light
- Can be designed with colours, stickers & more

### Products available in these colours and variants



1006




### Product details

230V ~50Hz

Material: Plaster/steel



### Line drawing



### Lamp details


8W

### Recommended lamp

G5 8W  
3000K 400lm EEL=A  
9kWh/1000h  
Item no. 591293 |



| Variant                        | Item no. |
|--------------------------------|----------|
| G5   T16                       |          |
| <input type="checkbox"/> white | 148011   |





## PLASTRA Slot, E14

E - A++



- Modern design with light slits
- Plaster luminaire for indirect, glare-free light
- Can be designed with colours, stickers & more

### Products available in these colours and variants




### Product details

230V ~50Hz  
Material: Plaster/steel



0.81

### Line drawing



### Lamp details

40W max.  
optional: LED TC(...)SE QC35

### Recommended LED lamp

LED E14 4W  
2700K 250lm EEL=A+  
3kWh/1000h  
Item no. 560222 |



| Variant                                     | Item no. |
|---------------------------------------------|----------|
| E14   C35<br><input type="checkbox"/> white | 148010   |

## PLASTRA QPAR51

E - A++



- Modern, narrow design
- Plaster luminaire for indirect, glare-free light
- Can be designed with colours, stickers & more

### Products available in these colours and variants




### Product details

230V ~50Hz  
Material: Plaster/steel



1.49

### Line drawing



### Lamp details

2x 35W max.  
optional: LED

### Recommended LED lamp

LED GU10 6.1W 36°  
2700K 370lm EEL=A+  
7kWh/1000h  
Item no. 560532 |



Valeto GU10 5.3W  
2700K-6500K 385lm EEL=A+  
6kWh/1000h  
Item no. 420061 |



| Variant                                         | Item no. |
|-------------------------------------------------|----------|
| GU10   QPAR51<br><input type="checkbox"/> white | 148015   |





## PLASTRA CONE TCR-TSE

B - A++



- Modern design in conical shape
- Plaster luminaire for indirect, glare-free light
- Can be designed with colours, stickers & more

### Products available in these colours and variants




### Product details

230V ~50Hz

Material: Plaster/steel



### Line drawing



### Lamp details

11W max.

optional: LED

### Recommended LED lamp

LED GX53 4.2W 35°  
3000K 200lm EEL=A  
5kWh/1000h


Item no. 550092 |



| Variant                        | Item no. |
|--------------------------------|----------|
| GX53   TCR-TSE                 |          |
| <input type="checkbox"/> white | 148061   |

## PLASTRA CUBE QT14

D - A+



- Modern design in cubic shape
- Plaster luminaire for indirect, glare-free light
- Can be designed with colours, stickers & more

### Products available in these colours and variants




### Product details

230V ~50Hz

Material: Plaster/steel



### Line drawing



### Lamp details

42W max.

optional: LED

### Recommended LED lamp

LED G9 2.5W  
2700K 180lm EEL=A+  
3kWh/1000h

Item no. 560302 |



| Variant                        | Item no. |
|--------------------------------|----------|
| G9   QT14                      |          |
| <input type="checkbox"/> white | 148018   |






147566

239

TANI  
QT-DE12

D - A+




- Puristic up and downlight
- Indirect, glare-free lighting
- Easy care aluminium

Product available in this colour




## Product details

230V ~50Hz  
Material: Aluminium/glass



## Line drawing



## Lamp details


200W max.  
optional: LED

## Recommended LED lamp

LED R7s 118mm 10.5W 330°  
2700K 1050lm EEL=A+  
11kWh/1000h  
Item no. 560352 |



| Variant             | Item no. |
|---------------------|----------|
| R7s 118mm   QT-DE12 |          |
| ■ Brushed aluminium | 147566   |



147566

239





## WL 149 QT-DE12

D - A+




- LED luminaire with puristic design
- Indirect, glare-free lighting
- Easy care aluminium and glass combination

Product available in these colours




### Product details

230V ~50Hz  
Material: Steel/glass



### Line drawing



### Lamp details

60W max.  
optional: LED

### Recommended LED lamp

LED R7s 78mm 5.5W 330°  
2700K 530lm EEL=A+  
6kWh/1000h  
Item no. 560332 |



| Variant                            | Item no. |
|------------------------------------|----------|
| R7s 78mm   QT-DE12<br>□ matt white | 149471   |
| R7s 78mm   QT-DE12<br>■ chrome     | 149472   |

## WL 24

A - A++




- High-voltage luminaire with puristic design
- Indirect, glare-free lighting
- Easy care aluminium and glass combination

Product available in these colours




### Product details


220-240V ~50/60Hz sec. 500mA  
Total consumption: 16W  
Material: Steel/glass



### Line drawing



| Variant                             | Item no. |
|-------------------------------------|----------|
| 1060lm   3000K   CRI>80<br>□ white  | 149511   |
| 1060lm   3000K   CRI>80<br>■ chrome | 149512   |





## CHROMBO

A - A++



LED  
INSIDE

- LED luminaire with puristic/edgy design
- Indirect, glare-free lighting
- Stable steel/glass combination

Product available in these colours




### Product details

220-240V ~50/60Hz


Total consumption: 9.7W

Material: Steel/glass

Dimmable: Triac, Triac C, Triac L



### Line drawing



| Variant               | Item no. |
|-----------------------|----------|
| 480lm   3000K   CRI80 |          |
| □ white               | 155221   |
| 480lm   3000K   CRI80 |          |
| ■ chrome              | 155222   |
| 480lm   3000K   CRI80 |          |
| ■ brushed metal       | 155228   |





## ASSO 70

A - A++




- Striking, wide design
- Up & Downlight with premium LED
- Glare-free, indirect lighting

Product available in these colours



### Product details

100-240V ~50/60Hz sec. 500mA  
Total consumption: 7.6W  
Material: Aluminium/steel




0.63



30000

### Line drawing



## ASSO 300

A - A++




- Striking, narrow design
- Up & Downlight with premium LED
- Glare-free, indirect lighting

Product available in these colours



### Product details

220-240V ~50/60Hz sec. 500mA  
Total consumption: 12W  
Material: Aluminium/steel




0.91



30000

### Line drawing



1000636 242



1000635 243


| Variant                | Item no. |
|------------------------|----------|
| 380lm   3000K   CRI>80 |          |
| □ white                | 151311   |
| 380lm   3000K   CRI>80 |          |
| ▒ alu brushed/white    | 151315   |

| Variant                | Item no. |
|------------------------|----------|
| 600lm   3000K   CRI>80 |          |
| □ white                | 151271   |
| 600lm   3000K   CRI>80 |          |
| ▒ alu brushed/white    | 151275   |



## ASSO 300

A - A++



NEW

LED  
INSIDE


- Dim to Warm
- Light colour changes when dimming

Product available in these colours



## Product details


220-240V ~50/60Hz sec. 500mA  
 Total consumption: 22W  
 Material: Aluminium/steel  
 Dimmable: Triac C



1.05

30000

Line drawing



## ASSO

A - A++



NEW

LED  
INSIDE

- Dim to Warm
- Light colour changes when dimming

Product available in these colours



## Product details


220-240V ~50/60Hz sec. 250mA  
 Total consumption: 12W  
 Material: Aluminium/steel  
 Dimmable: Triac C



0.67

30000

Line drawing



Variant

Item no.

530lm | 2000K-3000K | CRI&gt;90

□ white

1000634

530lm | 2000K-3000K | CRI&gt;90

▒ alu brushed/white

1000635

Variant

Item no.

530lm | 2000K-3000K | CRI&gt;90

□ white

1000636

530lm | 2000K-3000K | CRI&gt;90

▒ alu brushed/white

1000637





## OSSA 180 QT-DE12

D - A+




- UP & Downlight with halogen lamp
- Glare-free, indirect lighting

Product available in these colours




### Product details

230V ~50Hz  
Material: Aluminium/steel



0.65

### Line drawing



### Lamp details

100W max.  
optional: LED

### Recommended LED lamp

LED R7s 78mm 5.5W 330°  
2700K 530lm EEL=A+  
6kWh/1000h  
Item no. 560332 |



| Variant             | Item no. |
|---------------------|----------|
| R7s 78mm   QT-DE12  |          |
| ■ black             | 151450   |
| R7s 78mm   QT-DE12  |          |
| □ white             | 151451   |
| R7s 78mm   QT-DE12  |          |
| ▒ Brushed aluminium | 151456   |

## OSSA 300 QT-DE12

D - A+




- UP & Downlight with halogen lamp
- Glare-free, indirect lighting

Product available in these colours




### Product details

230V ~50Hz  
Material: Aluminium/steel



0.85

### Line drawing



### Lamp details


120W max.  
optional: LED

### Recommended LED lamp

LED R7s 118mm 10.5W 330°  
2700K 1050lm EEL=A+  
11kWh/1000h  
Item no. 560352 |



| Variant             | Item no. |
|---------------------|----------|
| R7s 118mm   QT-DE12 |          |
| ■ black             | 151410   |
| R7s 118mm   QT-DE12 |          |
| □ white             | 151411   |
| R7s 118mm   QT-DE12 |          |
| ▒ alu brushed/white | 151416   |





## QUAD 70

A - A++

LED  
INSIDE


- Striking design
- Premium LED
- Easy care aluminium

Product available in these colours




## Product details

200-240V ~50/60Hz sec. 700mA  
Total consumption: 4.6W  
Material: Aluminium/glass



## Line drawing



## QUAD 90

A - A++

LED  
INSIDE


- Striking design in large version
- Premium LED
- Easy care aluminium

Product available in these colours




## Product details

100-277V ~50/60Hz sec. 350mA  
Total consumption: 4.5W  
Material: Aluminium/glass



## Line drawing



| Variant                | Item no. |
|------------------------|----------|
| 100lm   3000K   CRI 80 |          |
| □ white                | 232461   |
| 80lm   3000K   CRI 80  |          |
| ■ anthracite           | 232465   |

| Variant                | Item no. |
|------------------------|----------|
| 290lm   3000K   CRI 80 |          |
| □ white                | 232431   |
| 260lm   3000K   CRI 80 |          |
| ■ anthracite           | 232435   |





## QUAD 40

A - A++



- Striking, flat design
- Up & Downlight with premium LED
- Easy care aluminium

Product available in these colours




## Product details

200-240V ~50/60Hz sec. 700mA  
Total consumption: 6.8W  
Material: Aluminium/glass



## Line drawing



## QUAD 50

A - A++





- Striking flat design in flat version
- Up & Downlight with premium LED
- Easy care aluminium

Product available in these colours




## Product details

100-277V ~50/60Hz sec. 350mA  
Total consumption: 8.6W  
Material: Aluminium/glass




## Line drawing



| Variant               | Item no. |
|-----------------------|----------|
| 175lm   3000K   CRI80 |          |
| □ white               | 232471   |
| 140lm   3000K   CRI80 |          |
| ■ anthracite          | 232475   |

| Variant               | Item no. |
|-----------------------|----------|
| 580lm   3000K   CRI80 |          |
| □ white               | 232441   |
| 520lm   3000K   CRI80 |          |
| ■ anthracite          | 232445   |






151710 247

## CARISO

A - A++



- Unusual design - high front
- Up & Downlight with premium LED
- Brass lining provides warm light

Product available in these colours




### Product details

100-240V ~50/60Hz sec. 500mA  
Total consumption: 9.6W  
Material: Aluminium/steel




### Line drawing



## CARISO

A - A++




- Unusual design - narrow front
- Up & Downlight with premium LED
- Brass lining provides warm light

Product available in these colours




### Product details

220-240V ~50/60Hz sec. 500mA  
Total consumption: 11W  
Material: Aluminium/steel  
Dimmable: Triac C, Triac L



### Line drawing



| Variant                | Item no. |
|------------------------|----------|
| 190lm   3000K   CRI>80 |          |
| black/brass            | 151700   |
| 360lm   3000K   CRI>80 |          |
| white                  | 151701   |
| 360lm   3000K   CRI>80 |          |
| Brass                  | 151703   |

| Variant                | Item no. |
|------------------------|----------|
| 200lm   3000K   CRI>80 |          |
| black/brass            | 151710   |
| 390lm   3000K   CRI>80 |          |
| white                  | 151711   |
| 390lm   3000K   CRI>80 |          |
| Brass                  | 151713   |





## CARISO

A - A++



- Unusual design - high front
- Variable light colour due to dimmable LED
- Brass lining provides warm light

Product available in these colours




### Product details

220-240V ~50/60Hz sec. 500mA  
Total consumption: 22W  
Material: Aluminium/steel  
Dimmable: Triac C, Triac L




### Line drawing



| Variant                                 | Item no. |
|-----------------------------------------|----------|
| 600lm   2700K   CRI>90<br>■ black/brass | 151730   |
| 1000lm   2700K   CRI>90<br>□ white      | 151731   |
| 1000lm   2700K   CRI>90<br>■ Brass      | 151733   |

## CARISO

A - A++




- Unusual design - narrow front
- Variable light colour due to dimmable LED
- Brass lining provides warm light

Product available in these colours




### Product details

220-240V ~50/60Hz sec. 500mA  
Total consumption: 22W  
Material: Aluminium/steel  
Dimmable: Triac C, Triac L




### Line drawing



| Variant                                 | Item no. |
|-----------------------------------------|----------|
| 600lm   2700K   CRI>90<br>■ black/brass | 151740   |
| 1000lm   2700K   CRI>90<br>□ white      | 151741   |
| 1000lm   2700K   CRI>90<br>■ Brass      | 151743   |

151743

248



151320

249





## LOGS IN

A - A++

LED  
INSIDE


- Striking luminaire cube
- Up & Downlight with premium LED
- Glare-free, indirect lighting

Product available in these colours



## Product details

100-240V ~50/60Hz sec. 500mA  
Total consumption: 6.7W  
Material: Aluminium




0.47




30000

## Line drawing



## LOGS IN

A - A++



NEW


DIM TO  
WARMLED  
INSIDEProducts available in  
these colours and variants

1003




## Product details

220-240V ~50/60Hz sec. 250mA  
Total consumption: 12W  
Material: Aluminium  
Dimmable: Triac C




0.51



30000

## Line drawing



| Variant                | Item no. |
|------------------------|----------|
| 270lm   3000K   CRI 80 |          |
| ■ black/brass          | 151320   |
| 300lm   3000K   CRI 80 |          |
| □ white                | 151321   |
| 300lm   3000K   CRI 80 |          |
| ■ alu brushed/white    | 151325   |

| Variant                      | Item no. |
|------------------------------|----------|
| 290lm   2000K-3000K   CRI>90 |          |
| ■ black/brass                | 1000638  |
| 490lm   2000K-3000K   CRI>90 |          |
| □ white                      | 1000639  |
| 490lm   2000K-3000K   CRI>90 |          |
| ■ aluminium/white            | 1000640  |





## DACU SPACE

A - A++

LED  
INSIDE

- Unusual open design
- Up & Downlight with premium LED
- Can be flexibly integrated

Product available in these colours




## Product details

100-240V ~50/60Hz sec. 500mA

Total consumption: 6.1W

Material: Aluminium




0.52



30000

## Line drawing



| Variant                                     | Item no. |
|---------------------------------------------|----------|
| 310lm   3000K   CRI>80<br>white/white       | 151471   |
| 310lm   3000K   CRI>80<br>alu brushed/white | 151476   |





## DELWA

A - A++

LED  
INSIDE



- Modern, soft design
- LED uplight for indoors and outdoors
- Easy care aluminium

Products available in these colours and variants



0999



### Product details

100-240V ~50/60Hz sec. 700mA

Total consumption: 8.8W

Material: Aluminium



100°



IP 44



0.8




0.2



30000

### Line drawing



| Variant                | Item no. |
|------------------------|----------|
| 910lm   3000K   CRI>80 |          |
| □ white                | 1000340  |
| 910lm   3000K   CRI>80 |          |
| ■ silver-grey          | 1000341  |
| 910lm   3000K   CRI>80 |          |
| ■ anthracite           | 1000342  |






231012    253



151504 253

ALTRA DICE  
QPAR51

E - A++




- Modern luminaire cube
- Easy care aluminium and steel combination


Products available in  
these colours and variants

## Product details

230V ~50Hz  
Material: Aluminium/steel



## Line drawing



## Lamp details

35W max.  
optional: LED

## Recommended LED lamp

LED GU10 7W 38°  
2700K 400lm EEL=A  
7kWh/1000h  
Item no. 551872 |

Valeto GU10 5.3W  
2700K-6500K 385lm EEL=A+  
6kWh/1000h  
Item no. 420061 |



| Variant             | Item no. |
|---------------------|----------|
| GU10   QPAR51       |          |
| □ white             | 151501   |
| GU10   QPAR51       |          |
| ■ silver-grey/black | 151504   |

PEMA®  
up/down

A - A++



- Puristic round design
- Downlight with premium LED
- Easy care aluminium

## Product available in these colours




## Product details

230V ~50Hz  
Total consumption: 4.2W  
Material: Aluminium/glass



## Line drawing



## Note

Protection class UP44 only when mounted with the light emission opening pointing downwards.

| Variant               | Item no. |
|-----------------------|----------|
| 120lm   3000K   CRI80 |          |
| □ white               | 231010   |
| 120lm   3000K   CRI80 |          |
| ■ silver-grey         | 231012   |
| 110lm   3000K   CRI80 |          |
| ■ anthracite          | 231015   |





## LIGHT EYE 150 QPAR111

E - A++



NEW



- Modern globe design
- Indirect light
- Can be flexibly integrated
- Modern up light for a harmonious ambience

Products available in  
these colours and variants




1003



### Product details


230V ~50Hz

Material: Steel



0.5

### Line drawing



### Lamp details

75W max.  
optional: LED

### LED Upgrade

LED GU10 15.5W 30°  
2700K 680lm EEL=A  
6kWh/1000h  
Item no. 570672 |



### Recommended LED lamp

Valeto GU10 9.5W  
2700-6000K 830lm EEL=A+  
10kWh/1000h  
Item no. 1000756 |



| Variant        | Item no. |
|----------------|----------|
| GU10   QPAR111 |          |
| ■ black/chrome | 149030   |
| GU10   QPAR111 |          |
| ■ chrome/white | 149031   |
| GU10   QPAR111 |          |
| ■ white/chrome | 149032   |



149032

254





1000414 255

## LYNAH

A - A++



NEW

LED  
INSIDE

- Luminaire can be rotated in multiple directions. Rotates 180°.
- Premium LED

Products available in  
these colours and variants



## Product details


220-240V ~50/60Hz sec. 350mA

Total consumption: 16W

Material: Aluminium/plastic PC

Product dimensions: W: 16.1 cm H: 5.5 cm D: 18 cm

Dimmable: Triac C



## Note

Fastening materials included

| Variant                 | Item no. |
|-------------------------|----------|
| 1000lm   3000K   CRI>80 |          |
| ■ black                 | 1000414  |
| 1000lm   3000K   CRI>80 |          |
| □ white                 | 1000415  |



ALTRA DICE  
QPAR51

E - A++



- Modern, edgy design
- Glare-free, indirect light
- For a wide range of furnishing styles

Products available in  
these colours and variants

0997



## Product details


230V ~50Hz

Material: Aluminium/steel



0.55

## Line drawing



## Lamp details

50W max.

optional: LED

## Recommended LED lamp

LED GU10 3.5W 40°  
2700K 265lm EEL=A++  
4kWh/1000h

Item no. 560122 |



Valeto GU10 5.3W  
2700K-6500K 385lm EEL=A+  
6kWh/1000h

Item no. 420061 |



| Variant             | Item no. |
|---------------------|----------|
| GU10   QPAR51       |          |
| □ white             | 151561   |
| GU10   QPAR51       |          |
| ■ silver-grey/black | 151564   |



151561 256





1000731 257

## ENOLA\_B QPAR51

E - A++



NEW



- Puristic design for the versatile accent lighting

Products available in  
these colours and variants



0999



### Product details

230V ~50Hz

Material: Aluminium/steel




0,44

350°

90°

### Line drawing



### Note

Switch included

### Recommended accessories Item no.

Deco ring 151840

### Lamp details

50W max.

Ø: 5 cm max. L: 6 cm max.

optional: LED

### Recommended LED lamp

LED GU10 4.3W 40°

2700K 245lm EEL=A+

5kWh/1000h

Item no. 551252 |



| Variant           | Item no. |
|-------------------|----------|
| GU10   QPAR51     |          |
| black             | 1000729  |
| GU10   QPAR51     |          |
| white             | 1000730  |
| GU10   QPAR51     |          |
| Brass             | 1000731  |
| GU10   QPAR51     |          |
| silver-grey/black | 1000732  |





## PLASTRA

A - A++

NEW



LED  
INSIDE



- Modern, soft design
- Plaster luminaire for indirect, glare-free light
- Can be designed with colours, stickers & more

Products available in  
these colours and variants




### Product details

220-240V ~50/60Hz sec. 700mA


Total consumption: 6.6W

Material: Plaster/steel

Dimmable: Triac, Triac C



### Line drawing



| Variant | Item no. |
|---------|----------|
|---------|----------|

Up: 100lm | 3000K | CRI>80

Down: 100lm | 3000K | CRI>80

white

148063



148063

258



148016 259



148060 259

PLASTRA 104  
QT14

D - A+




- Modern, hemispherical design
- Plaster luminaire for indirect, glare-free light
- Can be designed with colours, stickers & more


Products available in  
these colours and variants

## Product details

230V ~50Hz  
Material: Plaster/steel



## Line drawing



## Lamp details

42W max.  
optional: LED

## Recommended LED lamp

LED G9 2.5W  
2700K 180lm EEL=A+  
3kWh/1000h  
Item no. 560302 |



| Variant   | Item no. |
|-----------|----------|
| G9   QT14 |          |
| □ white   | 148016   |

PLASTRA  
QPAR51

E - A++



- Modern, narrow design
- Plaster luminaire for indirect, glare-free light
- Can be designed with colours, stickers & more


Products available in  
these colours and variants

## Product details

230V ~50Hz  
Material: Plaster/steel



## Line drawing



## Lamp details

2x 35W max.  
optional: LED

## Recommended LED lamp

LED GU10 6.1W 36°  
2700K 370lm EEL=A+  
7kWh/1000h  
Item no. 560522 |



Valetto GU10 5.3W  
2700K-6500K 385lm EEL=A+  
6kWh/1000h  
Item no. 420061 |



| Variant       | Item no. |
|---------------|----------|
| GU10   QPAR51 |          |
| □ white       | 148060   |





## KARPO

A - A++

NEW

LED  
INSIDE



- Straight uplight /downlight for modern furnishing

Products available in these colours and variants



### Product details


100-240V ~50/60Hz sec. 450mA

Total consumption: 10W

Material: Aluminium



### Line drawing



| Variant                                                             | Item no. |
|---------------------------------------------------------------------|----------|
| UP: 320lm   3000K   CRI80<br>DOWN: 320lm   3000K   CRI80<br>■ black | 1000675  |
| UP: 320lm   3000K   CRI80<br>DOWN: 320lm   3000K   CRI80<br>□ white | 1000676  |

1000676 260







## THEO UP/DOWN QPAR51



- Puristic design

Products available in  
these colours and variants




### Product details

230V ~50Hz  
Material: Aluminium/steel



### Line drawing



### Recommended LED lamp

LED GU10 6.1W 36°  
2700K 370lm EEL=A+  
7kWh/1000h  
Item no. 560522 |



Valeto GU10 5.3W  
2700K-6500K 385lm EEL=A+  
6kWh/1000h  
Item no. 420061 |



| Variant                               | Item no. |
|---------------------------------------|----------|
| GU10   QPAR 51<br>□ white             | 1000327  |
| GU10   QPAR 51<br>■ silver-grey       | 1000328  |
| GU10   QPAR 51<br>■ Brushed aluminium | 1000329  |
| GU10   QPAR 51<br>■ anthracite        | 1000330  |



ENOLA\_B  
QPAR51

E - A++



- Puristic, narrow design
- Uplight and downlight for accent lighting
- Easy care aluminium and steel combination

Products available in  
these colours and variants

0999



## Product details


230V ~50Hz

Material: Aluminium/steel



0.57

## Line drawing



## Recommended accessories Item no.

■ Deco ring 151840

## Lamp details

2x 50W max.  
optional: LED

## Recommended LED lamp

LED GU10 6.1W 36°  
2700K 370lm EEL=A+  
7kWh/1000h

Item no. 560522 |

Valeto GU10 5.3W  
2700K-6500K 385lm EEL=A+  
6kWh/1000h

Item no. 420061 |



| Variant             | Item no. |
|---------------------|----------|
| GU10   QPAR51       |          |
| ■ black             | 151800   |
| GU10   QPAR51       |          |
| □ white             | 151801   |
| GU10   QPAR51       |          |
| ■ Brass             | 151803   |
| GU10   QPAR51       |          |
| ■ silver-grey/black | 151804   |



151801

262



151800

262

150644 263



## RETO

A - A++

LED  
INSIDE

- Sophisticated design made from aluminium & glass in trend colour
- UP & Downlight with premium LED
- Indirect, glare-free light

Products available in  
these colours and variants



1007



## Product details

220-240V ~50/60Hz sec. 365mA

Total consumption: 12W

Material: Aluminium/frosted glass

Dimmable: Triac C, Triac L




1.8



30000

## Line drawing



Variant

Item no.

Up: 275lm | 2700K | CRI90

Down: 275lm | 2700K | CRI90

Grey/white


150644





DENA  
E14

E - A++




- Lamp body mainly made from glass
- Frosted glass cylinder for subtle light
- Suitable for different furnishing styles

Product available in this colour




## Product details

230V ~50Hz  
Material: Aluminium/glass



## Line drawing



## Lamp details

2x 40W max.  
Ø: 5 cm max. L: 9.6 cm max.  
optional: LED TC(...)SE QC35

## Recommended LED lamp

LED E14 4W  
2700K 250lm EEL=A+  
3kWh/1000h  
Item no. 560222 |



| Variant             | Item no. |
|---------------------|----------|
| E14   C35           |          |
| ■ Brushed aluminium | 147529   |

DENA  
E14

E - A++



- Narrow lamp body mainly made from glass
- Frosted glass cylinder for subtle light
- Suitable for different furnishing styles

Product available in this colour




## Product details

230V ~50Hz  
Material: Aluminium/glass



## Line drawing



## Lamp details

40W max.  
Ø: 5 cm max. L: 9.6 cm max.  
optional: LED TC(...)SE QC35

## Recommended LED lamp

LED E14 4W  
2700K 250lm EEL=A+  
3kWh/1000h  
Item no. 560222 |



| Variant             | Item no. |
|---------------------|----------|
| E14   C35           |          |
| ■ Brushed aluminium | 147519   |

ASTINA UP-DOWN  
QPAR51

E - A++



- Lamp body mainly made from aluminium
- Frosted glass elements for subtle light
- Suitable for different furnishing styles

Product available in this colour




## Product details

230V ~50Hz  
Material: Aluminium/glass



## Line drawing



## Lamp details

2x 50W max.  
Ø: 5 cm max. L: 5.7 cm max.  
optional: LED

## Recommended LED lamp

LED GU10 6.1W 36°  
2700K 370lm EEL=A+  
7kWh/1000h  
Item no. 560532 |



Valeto GU10 5.3W  
2700K-6500K 385lm EEL=A+  
6kWh/1000h  
Item no. 420061 |



| Variant       | Item no. |
|---------------|----------|
| GU10   QPAR51 |          |
| ■ silver-grey | 151901   |



ROX  
QPAR111

E - A++



- Puristic design
- Made from easy-care aluminium and glass
- For indoor and outdoor areas

Products available in  
these colours and variants




## Product details

230V ~50Hz  
Material: Aluminium/glass



## Line drawing



## Lamp details

75W max.  
optional: LED

## Recommended LED lamp

LED GU10 15.5W 30°  
2700K 680lm EEL=A  
6kWh/1000h  
Item no. 570672 |



Valeto GU10 9.5W  
2700-6000K 830lm EEL=A+  
10kWh/1000h  
Item no. 1000756 |



| Variant             | Item no. |
|---------------------|----------|
| GU10   QPAR111      |          |
| ■ Brushed aluminium | 1000333  |

ROX UP/DOWN  
QPAR111

E - A++



- Puristic design- large version
- Made from easy-care aluminium and glass
- For indoor and outdoor areas

Products available in  
these colours and variants




## Product details

230V ~50Hz  
Material: Aluminium/glass



## Line drawing



## Lamp details

2x 50W max.  
optional: LED

## Recommended LED lamp


LED GU10 15.5W 30°  
2700K 680lm EEL=A  
6kWh/1000h  
Item no. 570672 |



Valeto GU10 9.5W  
2700-6000K 830lm EEL=A+  
10kWh/1000h  
Item no. 1000756 |



| Variant             | Item no. |
|---------------------|----------|
| GU10   QPAR111      |          |
| ■ Brushed aluminium | 1000334  |





## SUPROS 78

A - A++




- UP & Downlight with simple design
- Reflectors can be replaced without tools
- Professional lamp with premium LED

Products available in these colours and variants




## Product details

220-240V ~50/60Hz sec. 250mA  
Total consumption: 24W  
Material: Aluminium  
Dimmable: Triac C, Triac L



## Line drawing



## Recommended accessories Item no.

|           |        |
|-----------|--------|
| Lens, 20° | 116302 |
| Lens, 40° | 116304 |

## Variant Item no.

|                              |        |
|------------------------------|--------|
| Up: 700lm   3000K   CRI>80   |        |
| Down: 700lm   3000K   CRI>80 |        |
| ■ black                      | 116340 |
| Up: 700lm   3000K   CRI>80   |        |
| Down: 700lm   3000K   CRI>80 |        |
| □ white                      | 116341 |

## SUPROS

A - A++




- UP & Downlight with simple design – large
- Reflectors can be replaced without tools
- Professional lamp with premium LED

Products available in these colours and variants




## Product details

220-240V ~50/60Hz sec. 1000mA  
Total consumption: 34W  
Material: Aluminium



## Line drawing



## Recommended accessories Item no.

|               |        |
|---------------|--------|
| Reflector 20° | 114102 |
| Reflector 40° | 114104 |

## Variant Item no.

|                               |        |
|-------------------------------|--------|
| Up: 1400lm   3000K   CRI>80   |        |
| Down: 1400lm   3000K   CRI>80 |        |
| ■ black                       | 114140 |
| Up: 1400lm   3000K   CRI>80   |        |
| Down: 1400lm   3000K   CRI>80 |        |
| □ white                       | 114141 |
| Up: 1450lm   4000K   CRI>80   |        |
| Down: 1450lm   4000K   CRI>80 |        |
| ■ black                       | 114190 |
| Up: 1450lm   4000K   CRI>80   |        |
| Down: 1450lm   4000K   CRI>80 |        |
| □ white                       | 114191 |





## VISSARDO

A - A++




- Practical wall light with cosmetic mirror
- 3-times optical magnification
- Premium LED

Product available in this colour




### Product details

100-240V ~50/60Hz  
Total consumption: 5.8W  
Material: Steel/glass



### Line drawing



### Note

Switch included  
Magnification at one side, mirror on both sides

## VISSARDO

A - A++



- Flexible table lamp with cosmetic mirror
- 3-times optical magnification
- Premium LED

Product available in this colour




### Product details

100-240V ~50/60Hz  
Total consumption: 5.5W  
Material: Steel/glass



### Line drawing



### Note

Euro plug  
Switch included  
Magnification at one side, mirror on both sides

| Variant                           | Item no. |
|-----------------------------------|----------|
| 130lm   3000K   CRI80<br>■ chrome | 149782   |

| Variant                           | Item no. |
|-----------------------------------|----------|
| 130lm   3000K   CRI80<br>■ chrome | 149792   |

149792

268



149792

268





149752 269

## TRUKKO

A - A++



LED  
INSIDE

- Wall-mounted mirror luminaire with flat design
- Pleasant, homogeneous light
- Premium LED

Products available in  
these colours and variants



1010



### Product details

100-240V ~50/60Hz sec. 700mA

Total consumption: 9W

Material: Glass



IP 44




9



30000

### Line drawing



| Variant               | Item no. |
|-----------------------|----------|
| 890lm   3000K   CRI80 |          |
| □ clear               | 149752   |





## VAYNISSA

A - A++




- Modern strip light
- Pleasant warm-white light
- Efficient LED lighting

Product available in these colours




## Product details

220-240V ~50/60Hz sec. 700mA  
Total consumption: 22W  
Material: Steel/plastic



Line drawing



## TRUKKO 60/90

A - A++




- Elegant strip light
- Noble plastic/zinc combination
- Professional lamp with premium LED

Products available in these colours and variants




## Product details

100-240V ~50/60Hz sec. 500mA  
Material: Steel/plastic



15000

Line drawing



| Variant                | Item no. |
|------------------------|----------|
| 1300lm   2700K   CRI80 |          |
| white                  | 149701   |
| 1300lm   2700K   CRI80 |          |
| chrome                 | 149702   |

| Variant                       | Item no. |
|-------------------------------|----------|
| 450lm   8.8W   3000K   CRI80  |          |
| H: 60 cm 0.75 kg              |          |
| chrome/white                  | 149762   |
| 710lm   11.4W   3000K   CRI80 |          |
| H: 90 cm 0.8 kg               |          |
| chrome/white                  | 149772   |





## Q-LINE

A - A++



NEW

LED  
INSIDE

Products available in  
these colours and variants



1007



## Product details

220-240V ~50/60Hz sec. 700mA

Total consumption: 42W

Material: Aluminium/acrylic glass

Product dimensions:

L: 142.5 cm W: 10.5 cm H: 60 cm



110°



3.3



LED



30000

| Variant                 | Item no. |
|-------------------------|----------|
| 3800lm   3000K   CRI>80 |          |
| □ white                 | 1000668  |
| 3800lm   3000K   CRI>80 |          |
| ■ black                 | 1000669  |
| 3800lm   3000K   CRI>80 |          |
| ■ silver-grey           | 1000670  |



**Q-LINE**  
T16

A - A+



- Straight, modern design
- Flexibly extendible wall light
- Glare-free high-efficiency lighting

**Products available in  
these colours and variants****Product details**

220-240V ~50/60Hz  
Total consumption: 38W  
Material: Aluminium




15



A2



3.6

**Line drawing****Recommended accessories** Item no.

|                                           |        |
|-------------------------------------------|--------|
| <input type="checkbox"/> Long connector   | 155051 |
| <input type="checkbox"/> Long connector   | 155052 |
| <input type="checkbox"/> Corner connector | 155062 |

**Lamp details**

35W

**Recommended lamp**


G5 35W  
3000K 3300lm EEL=A+  
38kWh/1000h  
Item no. 548035 |

| Variant                                                    | Item no. |
|------------------------------------------------------------|----------|
| G5   T16                                                   |          |
| <input checked="" type="checkbox"/> white/chrome           | 155001   |
| G5   T16                                                   |          |
| <input checked="" type="checkbox"/> alu natural/anthracite | 155002   |



155001

272



155001

272



146804 273

## GLENOS

### Mirror light

A - A++

LED  
INSIDE

- Elegant narrow mirror luminaire
- Pleasant, glare-free light
- Can be flexibly integrated

Product available in these colours




#### Product details

100-240V ~50/60Hz sec. 24V/DC  
Total consumption: 17W  
Material: Aluminium/acrylic glass



#### Line drawing



| Variant                 | Item no. |
|-------------------------|----------|
| 1000lm   3000K   CRI>80 |          |
| ■ black                 | 146800   |
| 1000lm   3000K   CRI>80 |          |
| □ white                 | 146801   |
| 1000lm   3000K   CRI>80 |          |
| ■ silver                | 146804   |





## L-LINE 60

A - A++




- Elegant basic lighting
- Efficient LED lighting solution
- Suitable for different furnishing styles

Product available in these colours




### Product details

220-240V ~50/60Hz sec. 350mA  
Total consumption: 15W  
Material: Aluminium/plastic PC



### Line drawing



## L-LINE 120

A - A++




- Elegant basic lighting – wide version
- Efficient LED lighting solution
- Suitable for different furnishing styles

Product available in these colours




### Product details

120-240V~50-60Hz sec. 600mA  
Total consumption: 24W  
Material: Aluminium/plastic PC



### Line drawing



| Variant                               | Item no. |
|---------------------------------------|----------|
| 700lm   3000K   CRI>80<br>white       | 157431   |
| 700lm   3000K   CRI>80<br>silver-grey | 157434   |
| 700lm   3000K   CRI>80<br>grey        | 157435   |

| Variant                                | Item no. |
|----------------------------------------|----------|
| 1200lm   3000K   CRI>80<br>white       | 157441   |
| 1200lm   3000K   CRI>80<br>silver-grey | 157444   |
| 1200lm   3000K   CRI>80<br>grey        | 157445   |





155216

275

## ARLINA 67 T16

A



- Sophisticated accent lighting made from aluminium
- White light thanks to frosted glass
- High output lamp

Product available in this colour




### Product details

220-240V ~50/60Hz  
Total consumption: 27W  
Material: Aluminium/glass



2.2

Line drawing



## ARLINA 128 T16

A



- Sophisticated accent lighting made from aluminium
- White light thanks to frosted glass
- High output lamp

Product available in this colour




### Product details

220-240V ~50/60Hz  
Total consumption: 31.5W  
Material: Aluminium/glass



2.2

Line drawing



### Lamp details

24W

### Recommended lamp

G5 24W  
3000K 1750lm EEL=A  
26kWh/1000h  
Item no. 548024 |



| Variant             | Item no. |
|---------------------|----------|
| ■ Brushed aluminium | 155206   |

### Lamp details

28W

### Recommended lamp

G5 28W  
3000K 2900lm EEL=A+  
44kWh/1000h  
Item no. 548028 |



| Variant             | Item no. |
|---------------------|----------|
| ■ Brushed aluminium | 155216   |



SEDO 14  
T16

A - A+



- Straight-lined design
- Easy care aluminium
- With high-efficiency lamp

## Product available in these colours




## Product details

230V ~50Hz  
Total consumption: 18W  
Material: Aluminium/glass



## Line drawing



## Lamp details

14W

## Recommended lamp

G5 14W  
3000K 1200lm EEL=A+  
6kWh/1000h  
Item no. 548014 |



| Variant             | Item no. |
|---------------------|----------|
| G5   T16            |          |
| □ white             | 151761   |
| G5   T16            |          |
| ■ Brushed aluminium | 151762   |

SEDO 21  
T16

A - A+



- Straight design – wide version
- Easy care aluminium
- With high-efficiency lamp

## Product available in these colours




## Product details

230V ~50Hz  
Total consumption: 22W  
Material: Aluminium/glass



## Line drawing



## Lamp details

21W

## Recommended lamp

G5 21W  
3000K 1900lm EEL=A+  
23kWh/1000h  
Item no. 548021 |



| Variant             | Item no. |
|---------------------|----------|
| G5   T16            |          |
| □ white             | 151771   |
| G5   T16            |          |
| ■ Brushed aluminium | 151772   |

151781

277





## SEDO 14

A - A++




- Straight-lined design
- Easy care aluminium
- For energy-efficient LED

Product available in these colours



## Product details

220-240V ~50/60Hz sec. 350mA  
Total consumption: 19W  
Material: Aluminium/glass




1.35



30000

## Line drawing



## SEDO 21

A - A++




- Straight design – wide version
- Easy care aluminium
- For energy-efficient LED

Product available in these colours



## Product details

100-277V ~50/60Hz sec. 48V/DC  
Total consumption: 33W  
Material: Aluminium/glass




2.06



30000

## Line drawing



| Variant                | Item no. |
|------------------------|----------|
| 1200lm   3000K   CRI80 |          |
| □ white                | 151781   |
| 1200lm   3000K   CRI80 |          |
| ■ Brushed aluminium    | 151786   |

| Variant                | Item no. |
|------------------------|----------|
| 2100lm   3000K   CRI80 |          |
| □ white                | 151791   |
| 2100lm   3000K   CRI80 |          |
| ■ Brushed aluminium    | 151796   |





## CAMARA E14

E - A++



- Elegant aluminium and glass combination
- Frosted glass for glare-free light
- Aluminium topic on the ends of the cylinder

Product available in this colour



### Product details


230V ~50Hz

Material: Aluminium/frosted glass



IP 44

### Line drawing



### Lamp details

2x 60W max.

L: 11.8 cm max.

optional: LED TC(...)SE QC35

### Recommended LED lamp

LED E14 4W

2700K 250lm EEL=A+

3kWh/1000h

Item no. 560222 |



| Variant                  | Item no. |
|--------------------------|----------|
| Size 1 E14   C35 0.58 kg |          |
| chrome/white             | 147532   |
| Size 2 E14   C35 0.9 kg  |          |
| chrome/white             | 147542   |





151553 279



151552 279

## DEVIN

A - A++




- Elegant aluminium and glass combination
- Frosted glass for glare-free light
- Integrated power LED

Product available in this colour




## Product details

220-240V ~50/60Hz  
Total consumption: 16W  
Material: Steel/glass  
Dimmable: Triac C, Triac L



## Line drawing

DEVIN  
E14

E - A++



- Elegant aluminium and glass combination
- Frosted glass for glare-free light

Product available in this colour




## Product details

230V ~50Hz  
Material: Steel/glass



## Line drawing



## Lamp details

2x 12W max.  
optional: LED

## Recommended LED lamp

LED E14 4W  
2700K 250lm EEL=A+  
3kWh/1000h  
Item no. 560222 |



| Variant                              | Item no. |
|--------------------------------------|----------|
| Size 1 430lm   3000K   CRI80 0.66 kg |          |
| chrome/white                         | 151543   |
| Size 2 890lm   3000K   CRI80 1.02 kg |          |
| chrome/white                         | 151553   |

| Variant                  | Item no. |
|--------------------------|----------|
| Size 1 E14   C35 0.65 kg |          |
| chrome/white             | 151542   |
| Size 2 E14   C35 1.23 kg |          |
| chrome/white             | 151552   |





WL 106  
Double E14

E - A++



- Luminaire with elegant double glass cylinder
- Combination of transparent & frosted glass
- Suitable for wet rooms

Product available in this colour




Product details

230V ~50Hz

Material: Aluminium/steel/glass



Line drawing



Lamp details

2x 40W max.

Ø: 3.6 cm max. L: 11 cm max.

optional: LED TC(...)SE QC35

Recommended LED lamp

LED E14 4W

2700K 250lm EEL=A+

3kWh/1000h

Item no. 560222 |




| Variant                  | Item no. |
|--------------------------|----------|
| Size 1 E14   C35 0.59 kg |          |
| ■ chrome                 | 149482   |
| Size 2 E14   C35 1.04 kg |          |
| ■ chrome                 | 149492   |





146390

281



151282

281

## MIBO STRAIGHT QT14

D - A+



- Elegant vanity light
- Partially frosted glass for glare-free light
- Ideal for simple mounting on the mirror

Product available in this colour



### Product details

230V ~50Hz


Material: Brass / Glass



IP 21

0.35

### Line drawing



### Note

Material thickness, mounting surface: 3-6.5 mm

### Lamp details

2x 25W max.  
optional: LED

### Recommended LED lamp

LED G9 2.5W  
2700K 180lm EEL=A+  
3kWh/1000h  
Item no. 560302 |

| Variant   | Item no. |
|-----------|----------|
| G9   QT14 |          |
| ■ chrome  | 146390   |

## MIBO UP-DOWN QT14

D - A+



- Elegant aluminium and glass combination
- Partially frosted glass for glare-free light
- Wide range of applications

Product available in this colour



### Product details

230V ~50Hz


Material: Aluminium/glass



IP 21

0.4

### Line drawing



### Lamp details

2x 25W max.  
optional: LED

### Recommended LED lamp

LED G9 2.5W  
2700K 180lm EEL=A+  
3kWh/1000h  
Item no. 560302 |

| Variant   | Item no. |
|-----------|----------|
| G9   QT14 |          |
| ■ chrome  | 151282   |