



ARN
by Nordlux

No. 45471001 White

No. 45471003 Black

Master Box qty 3, Material: Alu, polycarbonate
IP44, Class 1, H: 22,5 cm, W: 11 cm, P: 10,5 cm

Wall base: Ø12x9 cm

GU10, Max. 2x28W, Excl. light source

Energy class A++ - D

Parallel connection possible



NEW

ARN
by Nordlux

No. 45471001 White

No. 45471003 Black

Master Box qty 3, Material: Alu, polycarbonate
IP44, Class 1, H: 17,5 cm, W: 11 cm, D: 10,5 cm

Wall base: Ø12x9 cm

GU10, Max. 28W, Excl. light source

Energy class A++ - D

Parallel connection possible



NEW







BIRK
by Nordlux

No. 45501001 White

No. 45501003 Black

Master Box qty 3, Material: Alu, polycarbonate
IP44, Class 2, H: 23,5 cm, D: 15,5 cm, W: 11 cm

Wall base: Ø11 cm

GU10, Max. 2x28W, Excl. light source

Energy class A++ - D

Parallel connection possible

NEW



BIRK
by Nordlux

No. 45521001 White

No. 45521003 Black

Master Box qty 3, Material: Alu, polycarbonate
IP44, Class 1, D: 15,5 cm, W: 11 cm

Wall base: Ø11 cm

GU10, Max. 28W, Excl. light source

Energy class A++ - D

Parallel connection possible

NEW



BIRK
by Nordlux

No. 45518001 White

No. 45518003 Black

Master Box qty 3, Material: Alu, polycarbonate
IP44, Class 2, H: 80 cm, W: 13 cm

E27, Max. 40W, Excl. light source

Energy class A++ - D

Parallel connection possible

NEW

KINVER

by Nordlux

No. 84181001 White

No. 84181003 Black

Master Box qty 3, Material: Metal, glass

IP54, Class 1, H: 9 cm, W: 17,5 cm, D: 3 cm

Wall base: 14,5x5,5 cm

Fixed LED, Incl. 6W LED

Light source: Lumen 570, Kelvin 3000

Life hours 25.000, RA 80, Not dimmable

5 year LED guarantee, Energy class A++ - A

Parallel connection not possible



AVON WALL

by Nordlux

No. 84111003 Black

Master Box qty 3, Material: Metal, plastic

IP44, Class 1, H: 4 cm, D: 15 cm

Wall base: 3,7x14,7 cm

Fixed LED, Incl. 3W LED

Light source: Lumen 80, Kelvin 3000

Life hours 25.000, RA 80

Beam angle 250°, Not dimmable

5 year LED guarantee, Energy class A++ - A

Parallel connection possible



AVON

by Nordlux

No. 84128003 Black

Master Box qty 3, Material: Metal, plastic

IP44, Class 1, H: 45 cm, W: 4 cm, L: 15 cm

Fixed LED, Incl. 3W LED

Light source: Lumen 80, Kelvin 3000

Life hours 25.000, RA 80

Beam angle 250°, Not dimmable

5 year LED guarantee, Energy class A++ - A

Parallel connection possible





MONO
by Nordlux

No. 83681003 Black
Master Box qty 3, Material: Metal
IP44, Class 1, W: 7 cm, Ø: 28,7 cm
Wall base: 9,7 cm
GU10, Max. 35W, Excl. light source
Energy class A++ - D
Parallel connection not possible



MONO
by Nordlux

No. 83698003 Black
Master Box qty 3, Material: Metal
IP44, Class 1, H: 57,7 cm, Ø: 7 cm
GU10, Max. 35W, Excl. light source
Energy class A++ - D
Replaceable cable 190 cm, Schuko plug
Parallel connection not possible



RING
by Nordlux

No. 83651003 Black
Master Box qty 3, Material: Aluminium
IP44, Class 1, H: 7,5 cm, D: 14 cm, Ø : 21 cm
Wall base: 7,5x8,5 cm
Fixed LED, Incl. 4W LED
Light source: Lumen 190, Kelvin 3000
Life hours 40.000, RA 82
Beam angle 210°, Not dimmable
5 year LED guarantee, Energy class A++ - A
Parallel connection possible





MINO
by Nordlux

No. 879623 Black
Master Box qty 2, Material: Metal, alu
IP54, Class 1, D: 16 cm, Ø: 9 cm
Wall base: Ø 8 cm
Fixed LED, Incl. 7W
Energy class A++ - A
Light source: Lumen 650, Kelvin 3000
Candela 326, Life hours 30.000, RA 80
Parallel connection possible



MINO
by Nordlux

No. 879723 Black
Master Box qty 2, Material: Metal, glass
IP54, Class 1, D: 45 cm, Ø: 9 cm
Fixed LED, Incl. 7W
Energy class A++ - A
Light source: Lumen 650, Kelvin 3000
Candela 326, Life hours 30.000, RA 80
Parallel connection possible



MINO
by Nordlux

No. 879823 Black
Master Box qty 2, Material: Metal, glass
IP54, Class 1, D: 70 cm, Ø: 9 cm
Fixed LED, Incl. 7W
Energy class A++ - A
Light source: Lumen 650, Kelvin 3000
Candela 326, Life hours 30.000, RA 80
Parallel connection possible

KENTON

by Nordlux

No. 871723 Black

No. 871763 Antracit

Master Box qty 3, Material: Metal, plastic

IP54, Class 1, H: 22 cm, W: 13,5 cm, D: 8,5 cm

Wall base: 11,8 cmX 20,2 cm

E27, Max. 10W, Excl. light source

Energy class A++ - A

Parallel connection possible



TAMAR CLIPS

by Nordlux

No. 872223 Black

No. 872263 Antracit

Master Box qty 3, Material: Metal, plastic

IP44, Class 1, H: 23 cm, W: 21 cm, D: 5,2 cm

Fixed LED, Incl. 12W LED

Energy class A++ - A

Light source: Lumen 500, Kelvin 3000

Life hours 25.000, RA 80, 320°

Parallel connection possible



TAMAR PANEL

by Nordlux

No. 872323 Black

No. 71971029 Aluminium

Master Box qty 3, Material: Metal, plastic

IP54, Class 1, H: 22 cm, W: 22 cm, D: 4,7 cm

Fixed LED, Incl. 4x3W LED

Energy class A++ - A

Light source: Lumen 828, Kelvin 3000

Life hours 25.000, RA 80, 320°


Parallel connection possible





DARWIN by Nordlux


No. 71971003 Black
No. 71971029 Aluminium
Master Box qty 3, Material: Metal, plastic
IP44, Class 1, H: 24 cm, D: 15 cm, Ø: 9 cm
Wall base Ø: 11 cm
E27, Max. 18W, Excl. light source
Energy class A++ - B
for no. 71971031
Parallel connection possible



DARWIN SENSOR by Nordlux

No. 71972003 Black
Master Box qty 3, Material: Metal, plastic
IP44, Class 1, H: 24 cm, D: 16,5 cm, Ø: 9 cm
Wall base: 11 cm
E27, Max. 18W, Excl. light source
Energy class A++ - B
Sensor: Adjustable sensor
Time 10 sec. - 4 min. Angle 90
Lights 1 min.
Manual override mode min. 3 hours
Parallel connection possible

SUITABLE FOR BASE
NO. 22039931



DARWIN by Nordlux

No. 71988003 Black
No. 71988029 Aluminium
No. 71988031 Galvanized steel
Master Box qty 3, Material: Metal, plastic
IP44, Class 2, H: 80 cm, W: 13 cm Ø: 9 cm
Ground base: Ø13 cm
E27, Max. 18W, Excl. light source
Energy class A++ - B
15 year anti corrosion guarantee
for no. 71988031
Parallel connection possible

PHOENIX

by Nordlux

No. 24381030 Copper

No. 24381031 Galvanized steel

Master Box qty 2, Material: Metal, plastic

IP54, Class 2, H: 22 cm, D: 42,5 cm

Wall base: Ø11,7 cm

E27, Max. 16W, Incl. 14W

Light source: Lumen 799, Kelvin 2700


Life hours 10.000, RA 80

Beam angle 270°, Not dimmable

Energy class A

15 year anti corrosion guarantee

Parallel connection possible



PHOENIX MINI

by Nordlux

No. 24421030 Copper

No. 24421031 Galvanized steel

Master Box qty 3, Material: Metal, plastic

IP54, Class 2, H: 24 cm, D: 34,5 cm

Wall base: Ø11,5 cm

E27, Max. 16W, Incl. 14W

Light source: Lumen 799, Kelvin 2700


Life hours 10.000, RA 80

Beam angle 270°, Not dimmable

Energy class A++ - D

15 year anti corrosion guarantee

Parallel connection possible



PHOENIX MINI

by Nordlux

No. 24448030 Copper

No. 24448031 Galvanized steel

Master Box qty 3, Material: Metal, plastic

IP54, Class 2, H: 113 cm, Ø: 30,5 cm

Ground base: Ø14,5 cm

E27, Max. 16W, Incl. 14W

Light source: Lumen 799, Kelvin 2700

Life hours 10.000, RA 80

Beam angle 270°, Not dimmable

Energy class A++ - D

15 year anti corrosion guarantee

Parallel connection possible


Suitable for Base no. 22039931





AGGER by Nordlux

No. 74481031 Galvanized steel
Master Box qty 3, Material: Metal, glass
IP54, Class 2, H: 20 cm, D: 29,5 cm
Shade Ø: 25,5 cm, Wall base: Ø11 cm
E27, Max. 60W, Excl. light source
Energy class A++ - D
15 year anti corrosion guarantee
Parallel connection possible



AGGER SENSOR by Nordlux

No. 74501031 Galvanized steel
Master Box qty 3, Material: Metal, glass
IP54, Class 2, H: 20 cm, D: 29,5 cm
Shade Ø: 25,5 cm, Wall base: Ø11 cm
E27, Max. 60W, Excl. light source
Energy class A++ - D
Sensor: Pre-defined sensor mode
100-110°, Lights for 1 minute
Manual override mode: 5 hours
15 year anti corrosion guarantee
Parallel connection possible



AGGER by Nordlux

No. 74528031 Galvanized steel
Master Box qty 3, Material: Metal, glass
IP54, Class 2, H: 83 cm, Ø: 26 cm
Ground base: Ø15 cm
E27, Max. 60W, Excl. light source
Energy class A++ - D
15 year anti corrosion guarantee
Parallel connection possible
Suitable for Base no. 22039931

LØNSTRUP 22

by Nordlux

No. 71431003 Black

No. 71431031 Galvanized steel

Master Box qty 3, Material: Metal, glass

IP44, Class 1, H: 26,5 cm, D: 26,5 cm

Wall base: Ø9,4 cm, Shade Ø: 22 cm

E27, Max. 60W, Excl. light source

Energy class A++ - D

15 year anti corrosion guarantee

for no. 71431031

Parallel connection possible



LØNSTRUP 22 SENSOR

by Nordlux

No. 71432031 Galvanized steel

Master Box qty 3, Material: Metal, glass

IP44, Class 1, H: 26,5 cm, D: 26,5 cm

Wall base: Ø9,4 cm, Shade Ø: 22 cm

E27, Max. 60W, Excl. light source

Energy class A++ - D


Sensor: Pre-defined sensor mode

100-110°, Lights for 1 minute

Manual override mode: 5 hours

15 year anti corrosion guarantee

Parallel connection possible



LØNSTRUP 32

by Nordlux

No. 71411001 White

No. 71411003 Black

No. 71411031 Galvanized steel

Master Box qty 3, Material: Metal, glass

IP44, Class 2, H: 28,5 cm, D: 36 cm

Wall base: Ø10,8 cm, Shade Ø: 32 cm

E27, Max. 60W, Excl. light source

Energy class A++ - D



15 year anti corrosion guarantee

for no. 71411031

Parallel connection possible



LØNSTRUP 32 SENSOR by Nordlux



No. 71412031 Galvanized steel
Master Box qty 3, Material: Metal, glass
IP44, Class 2, H: 28,5 cm, D: 36 cm
Shade Ø: 32 cm, Wall base: Ø10,8 cm
E27, Max. 60W, Excl. light source
Energy class A++ - D
Sensor: Pre-defined sensor mode
100-110°, Lights for 1 minute
Manual override mode: 5 hours
15 year anti corrosion guarantee
Parallel connection possible



LØNSTRUP 32 by Nordlux

No. 71428001 White
No. 71428003 Black
No. 71428031 Galvanized steel
Master Box qty 3, Material: Metal, glass
IP44, Class 2, H: 116 cm, Ø: 32 cm
Ground base: Ø15 cm
E27, Max. 60W, Excl. light source
Energy class A++ - D
15 year anti corrosion guarantee
for no. 71428031
Parallel connection possible
Suitable for Base no. 22039931

VEJERS

by Nordlux

No. 25091001 White

No. 25091003 Black

No. 25091031 Galvanized steel

No. 25091034 Stainless steel

Master Box qty 3, Material: Metal, glass

IP54, Class 1, H: 23 cm, D: 26 cm

Wall base: Ø9,5 cm, Shade Ø: 22 cm

E27, Max. 60W, Excl. light source

Energy class A++ - D

15 year anti corrosion guarantee

for no. 25091031

Parallel connection possible



VEJERS SENSOR

by Nordlux

No. 25101003 Black

No. 25101031 Galvanized steel

Master Box qty 3, Material: Metal, glass

IP54, Class 1, H: 23 cm, D: 26 cm

Wall base: Ø9,5 cm, Shade Ø: 26 cm

E27, Max. 60W, Excl. light source

Energy class A++ - D

15 year anti corrosion guarantee


for no. 25101031

Sensor: Pre-defined sensor mode

100-110°, Lights for 1 minute

Manual override mode: 5 hours

Parallel connection possible



VEJERS DOWN

by Nordlux

No. 74471003 Black

No. 74461031 Galvanized steel

Master Box qty 3, Material: Metal, glass

IP54, Class 1, H: 23 cm, D: 26 cm

Wall base: Ø9,5 cm, Shade Ø 22 cm

E27, Max. 60W, Excl. light source

Energy class A++ - D

15 year anti corrosion guarantee

for no. 74461031

Parallel connection possible





VEJERS by Nordlux

No. 25118003 Black
 No. 25118031 Galvanized steel
 No. 25118034 Stainless steel
 Master Box qty 3, Material: Metal, glass
 IP54, Class 2, H: 92/100 cm, Ø: 22 cm
 Ground base: Ø15 cm
 E27, Max. 60W, Excl. light source
 Energy class A++ - D
 15 year anti corrosion guarantee
 for no. 25118031
 Parallel connection possible
 Suitable for Base no. 22039931



VEJERS 2M by Nordlux

No. 25168031 Galvanized steel
 Master Box qty 2, Material: Metal, glass
 IP54, Class 2, H: 125-215 cm, Ø: 39 cm
 Ground base: Ø15 cm
 E27, Max. 60W, Excl. light source
 Energy class A++ - D
 15 year anti corrosion guarantee
 Parallel connection possible
 Suitable for Base no. 22039931

BLOKHUS SENSOR

by Nordlux

No. 25031003 Black

No. 25031030 Copper

No. 25031031 Galvanized steel

No. 25031034 Stainless steel

Master Box qty 3, Material: Metal, glass

IP54, Class 1, H: 23 cm, D: 25 cm

Wall base: Ø9,7 cm, Shade Ø: 22 cm

E27, Max. 60W, Excl. light source

Energy class A++ - D

Sensor: Pre-defined sensor mode



100-110°, Lights for 1 minute

Manual override mode: 5 hours

15 year anti corrosion guarantee

for no. 25031030 and 25031031

Parallel connection possible



BLOKHUS

by Nordlux

No. 25011003 Black

No. 25011030 Copper

No. 25011031 Galvanized steel

No. 25011034 Stainless steel

Master Box qty 3, Material: Metal, glass

IP54, Class 1, H: 23 cm, D: 25 cm

Wall base: Ø9,7 cm, Shade Ø: 22 cm


E27, Max. 60W, Excl. light source

Energy class A++ - D

15 year anti corrosion guarantee

for no. 25011030 and 25011031

Parallel connection possible



BLOKHUS DOWN

by Nordlux

No. 25051031 Galvanized steel

Master Box qty 3, Material: Metal, glass

IP54, Class 1, H: 23 cm, D: 25 cm

Wall base: Ø9,7 cm, Shade Ø: 22 cm

E27, Max. 60W, Excl. light source

Energy class A++ - D

15 year anti corrosion guarantee

Parallel connection possible





BLOKHUS by Nordlux

No. 25078030 Copper
 No. 25078031 Galvanized steel
 No. 25078034 Stainless steel
 Master Box qty 3, Material: Metal, glass
 IP54, Class 2, H: 92 cm, Ø: 22 cm
 Ground base: Ø15 cm
 E27, Max. 60W, Excl. light source
 Energy class A++ - D
 15 year anti corrosion guarantee
 for no. 25078030 and 25078031
 Parallel connection possible
 Suitable for Base no. 22039931



AALBORG 2002 by Nordlux

No. 24621031 Galvanized steel
 Master Box qty 3, Material: Metal, glass
 IP54, Class 2, H: 24 cm, D: 31 cm
 Shade Ø: 28 cm, Wall base: Ø11 cm
 E27, Max. 60W, Excl. light source
 Energy class A++ - D
 15 year anti corrosion guarantee
 Parallel connection possible



AALBORG 2002 by Nordlux

No. 24728031 Galvanized steel
 Master Box qty 3, Material: Metal, glass
 IP54, Class 2, H: 118 cm, Ø: 27 cm
 Ground base: Ø15 cm
 E27, Max. 60W, Excl. light source
 Energy class A++ - D
 15 year anti corrosion guarantee
 Parallel connection possible
 Suitable for Base no. 22039931

SCORPIUS

by Nordlux

No. 21651001 White

No. 21651003 Black

No. 21651030 Copper

No. 21651031 Galvanized steel

Master Box qty 6

Material: Metal, polycarbonate

IP23, Class 1, H: 10 cm, W: 20 cm, D: 10 cm

E14, Max. 40W, Excl. light source

Energy class A++ - D

15 year anti corrosion guarantee

for no. 21651030 and 21651031

Parallel connection possible



SCORPIUS MAXI

by Nordlux

No. 21751001 White

No. 21751003 Black

No. 21751030 Copper

No. 21751031 Galvanized steel

Master Box qty 3

Material: Metal, polycarbonate

IP23, Class 1, H: 14 cm, W: 27 cm, D: 14,5 cm

E27, Max. 60W, Excl. light source

Energy class A++ - D

15 year anti corrosion guarantee

for no. 21751030 and 21751031

Parallel connection possible



SCORPIUS MAXI STAND

by Nordlux

No. 21769931 Galvanized steel

Master Box qty 3, Material: Metal


H: 100 cm, W: 26 cm

15 year anti corrosion guarantee

Parallel connection possible

Only compatible with Scorpius Maxi

Lighting fixture not included





CARDIFF
by Nordlux

No. 74371003 Black
Master Box qty 3, Material: Metal, glass
IP44, Class 1, H: 40 cm, W: 22,5 cm, D: 27 cm
Wall base: 12,5x20 cm
E27, Max. 60W, Excl. light source
Energy class A++ - D
Parallel connection not possible



CARDIFF
by Nordlux

No. 74381003 Black
Master Box qty 3, Material: Metal, glass
IP44, Class 1, H: 40 cm, W: 22 cm, D: 27 cm
Wall base: 12,5x20 cm
E27, Max. 60W, Excl. light source
Energy class A++ - D
Parallel connection not possible



CARDIFF
by Nordlux

No. 74398003 Black
Master Box qty 3, Material: Metal, glass
IP44, Class 1, H: 100 cm, Ø: 21 cm
Ground base 15 cm
E27, Max. 60W, Excl. light source
Energy class A++ - D
Parallel connection possible

FOCUS

by Nordlux

No. 874123 Black

No. 874131 White

No. 874163 Anthracite

No. 874193 Aluminium

Master Box qty 3, Material: Metal, plastic

IP44 Class 1, H: 15 cm, W: 11 cm

Wall base: 15X11 cm

GU10, Max. 35W, Excl. light source

Energy class A++ - D

Parallel connection possible

*Only for Scandinavia



FOCUS

by Nordlux

No. 874023 Black

No. 874031 White

No. 874063 Anthracite

No. 874093 Aluminium

Master Box qty 3, Material: Metal, plastic

IP44 Class 1, H: 23,5 cm, W: 11 cm, D: 11 cm

Wall base: 15X11 cm

GU10, Max. 2x35W, Excl. light source

Energy class A++ - D

Parallel connection possible

*Only for Scandinavia



FOCUS

by Nordlux

No. 874223 Black

No. 874231 White

No. 874263 Anthracite

No. 874293 Aluminium

Master Box qty 3, Material: Metal, plastic

IP44 Class 1, H: 10 cm, W: 10 cm, D: 10,2 cm

GU10, Max. 35W, Excl. light source

Energy class A++ - D

*Only for Scandinavia





FOCUS
by Nordlux

No. 874523 Black

No. 874563 Anthracite

Master Box qty 2, Material: Metal, plastic

IP44 Class 1, H: 37 cm, Ø: 10 cm

Ground base: 13 cm

E27, Max. 60W, Excl. light source

Energy class A++ - D

Parallel connection not possible

*Only for Scandinavia



FOCUS
by Nordlux

No. 874823 Black

No. 874863 Anthracite

Master Box qty 2, Material: Metal, plastic

IP44 Class 1, H: 65 cm, W: 10 cm

Ground base: 16 cm

E27, Max. 60W, Excl. light source

Energy class A++ - D

Parallel connection not possible

*Only for Scandinavia

TIN
by Nordlux

No. 21269903 Black
No. 21269930 Copper
Master Box qty 3, Material: Metal, glass
IP54, Class 1, H: 12 cm, D: 11,5 cm
Wall base: 3,1X9,3 cm, Shade Ø: 6 cm
GU10, Max. 35W, Excl. light source
Energy class A++ - D
15 year anti corrosion guarantee
for no. 21269930
Parallel connection not possible




TIN
by Nordlux

No. 21279903 Black
No. 21279930 Copper
No. 21279134 Stainless steel
Master Box qty 3, Material: Metal, glass
IP54, Class 1, H: 17 cm, D: 11 cm
Wall base: 3,6X9,8 cm
GU10, Max. 2x35W, Excl. light source
Energy class A++ - D
15 year anti corrosion guarantee
for no. 21279930
Parallel connection not possible





TIN SENSOR by Nordlux




No. 21279934 Stainless steel
Master Box qty 3, Material: Metal, glass
IP54, Class 1, H: 22 cm, D: 10,5 cm
Wall base: 5,9X15,2 cm
GU10, Max. 2x35W, Excl. light source
Energy class A++ - D
Sensor: Adjustable sensor
Time: 10 sec. - 5 min.
Lux: 10-2000 and sensitivity, 110°
Parallel connection not possible

TIN MAXI SENSOR by Nordlux



No. 21509103 Black
No. 21509129 Aluminium
Master Box qty 3, Material: Metal, glass
IP54, Class 1, H: 16 cm, D: 12 cm
Shade, 7,5 cm, Wall base: 6,6X16 cm
GU10, Max. 35W, Excl. light source
Energy class A++ - D
Sensor: Adjustable sensor
Time: 10 sec. - 5 min.
Lux: 10-2000 and sensitivity, 110°
Parallel connection possible

TIN MAXI SENSOR by Nordlux



No. 21519103 Black
No. 21519129 Aluminium
Master Box qty 3, Material: Metal, glass
IP54, Class 1, H: 22 cm, D: 12,5 cm
Shade Ø: 7,3 cm, Wall base: 7,3X16 cm
GU10, Max. 2x35W, Excl. light source
Energy class A++ - D
Sensor: Adjustable sensor
Time: 10 sec. - 5 min.
Lux: 10-2000 and sensitivity, 110°
Parallel connection possible

TIN MAXI

by Nordlux

No. 21509901 White

No. 21509903 Black

No. 21509929 Aluminium

No. 21509934 Stainless steel

Master Box qty 3, Material: Metal, glass


IP54, Class 1, H: 10,5 cm, D: 12,5 cm

Wall base: 4,3X7,4 cm, Shade Ø: 7,6 cm

GU10, Max. 35W, Excl. light source

Energy class A++ - D

Parallel connection not possible



TIN MAXI

by Nordlux

No. 21519901 White

No. 21519903 Black

No. 21519929 Aluminium

No. 21519934 Stainless steel

Master Box qty 3, Material: Metal, glass

IP54, Class 1, H: 19 cm, D: 12,5 cm

Wall base: 4X7 cm, Shade Ø: 7,6 cm

GU10, Max. 2x35W, Excl. light source

Energy class A++ - D

Parallel connection not possible



TIN SPEAR

by Nordlux

No. 28469934 Stainless steel

Master Box qty 3, Material: Metal, glass

IP54, Class 1, H: 36 cm, Ø: 6 cm

GU10, Max. 35W, Excl. light source

Energy class A++ - D, Schuko plug, Cable 190 cm

Parallel connection not possible





CAN
by Nordlux

No. 28769934 Stainless steel
Master Box qty 3, Material: Metal, glass
IP54, Class 1, H: 18 cm, D: 11 cm, Ø: 6 cm
Wall base: 4x10 cm
GU10, Max. 2x35W, Excl. light source
Energy class A++ - D
Parallel connection not possible



CAN MAXI
by Nordlux

No. 28819929 Aluminium
Master Box qty 3, Material: Metal, glass
IP54, Class 1, H: 23 cm, D: 12,5 cm, Ø: 7,5 cm
Wall base: 4,5x7,5 cm
GU10, Max. 2x35W, Excl. light source
Energy class A++ - D
Parallel connection not possible



CASTOR MAXI
by Nordlux

No. 71371131 Galvanized steel
Master Box qty 3, Material: Metal, glass
IP54, Class 1, H: 12,5 cm, D: 12,5 cm, Ø: 7,5 cm
Wall base: 4x8 cm
GU10, Max. 28W, Incl. 3W LED
Light source: Lumen 200, Kelvin 2700
Candela 90, Life hours 25.000, RA 80
Beam angle 110°, Not dimmable
Energy class A+, 15 year anti corrosion guarantee
Parallel connection possible



CASTOR MAXI
by Nordlux

No. 71381131 Galvanized steel
Master Box qty 3, Material: Metal, glass
IP54, Class 1, H: 20,5 cm, D: 12,5 cm, Ø: 7,5 cm
Wall base: 4x8 cm
GU10, Max. 2x28W, Incl. 2x3W LED
Light source: Lumen 2x200, Kelvin 2700
Candela 90, Life hours 25.000, RA 80
Beam angle 110°, Not dimmable
Energy class A+, 15 year anti corrosion guarantee
Parallel connection possible

ROLD

by Nordlux

No. 84141003 Black

Master Box qty 3, Material: Metal, glass

IP44, Class 1, H: 16 cm, W: 9 cm, D: 5,5 cm

Wall base: 8x14,3 cm

Fixed LED, Incl. 2x5W COB LED

Light source: Lumen 2x375, Kelvin 3000

Life hours 25.000, RA 80

Beam angle 125°, Not dimmable

5 year LED guarantee, Energy class A+

Parallel connection possible



ROLD

by Nordlux

No. 84151003 Black

Master Box qty 3, Material: Metal, glass

IP44, Class 1, H: 16 cm, W: 9 cm, D: 5,5 cm

Wall base: 8x14,3 cm

Fixed LED, Incl. 2x5W COB LED


Light source: Lumen 2x375, Kelvin 3000

Life hours 25.000, RA 80

Beam angle 125°, Not dimmable

5 year LED guarantee, Energy class A+

Parallel connection possible



NORMA

by Nordlux

No. 77611010 Dark grey

Master Box qty 3, Material: Metal, glass

IP54, Class 1, H: 17,2 cm, W: 7,9 cm, D: 10,8 cm

Wall base: 16x6,5 cm


Fixed LED, Incl. 2x3W LED


Light source: Lumen 2x166, Kelvin 3000

Life hours 20.000, RA 82,30, Not dimmable

Energy class A++ - A, 5 year LED guarantee

Parallel connection not possible





BOWLER by Nordlux

No. 28601131 Galvanized steel
Master Box qty 3, Material: Metal, polycarbonate
IP44, Class 1
H: 13 cm, W: 26 cm, D: 14,5 cm
E27, Max. 60W, Incl. 14W
Light source: Lumen 799, Kelvin 2700
Life hours 10.000, RA 80
Beam angle 270°, Not dimmable
Energy class A++ - B
15 year anti corrosion guarantee
Parallel connection possible



SQUARE MAXI by Nordlux

No. 22911031 Galvanized steel
Master Box qty 3, Material: Metal, plastic
IP44, Class 1
H: 8 cm, W: 32 cm, D: 12 cm
E27, Max. 16W, Incl. 14W
Light source: Lumen 900, Kelvin 2700
Life hours 10.000, RA 80
Beam angle 180°, Not dimmable
Energy class A++ - B
15 year anti corrosion guarantee
Parallel connection possible



SAIL by Nordlux

No. 78461003 Black
Master Box qty 3, Material: Metal, acrylic
IP44, Class 1
H: 17,8 cm, W: 12,5 cm, D: 13,1 cm
Wall base: 9,7x4,7 cm
E27, Max. 18W, Excl. light source
Energy class A++ - E
Parallel connection possible

MOMENTO

by Nordlux

No. 871063 Anthracite

No. 871023 Black

Master Box qty 3, Material: Alu, plastic

IP44, Class 1, H: 21,5 cm, W: 15 cm, D: 8,2 cm

GU10, Max. 6W SMD LED, Excl. light source

Energy class A++ - A

Parallel connection possible



MOMENTO

by Nordlux

No. 871163 Anthracite

No. 871123 Black

Master Box qty 3, Material: Alu, plastic

IP44, Class 1, H: 15,5 cm, W: 29,5 cm, D: 9,5 cm

GU10, Max. 6W SMD LED, Excl. light source

Energy class A++ - A

Parallel connection possible



LIFT

by Nordlux

No. 871663 Anthracite

No. 871623 Black

Master Box qty 3, Material: Alu, plastic

IP44, Class 1, H: 5 cm, W: 13 cm, D: 11,5 cm

Fixed LED, Incl. 4W LED

Light source: Lumen 190, Kelvin 3000

Life hours 40.000, RA 82

Energy class A++ - A





NENE by Nordlux

No. 872723 Black
Master Box qty 3, Material: Metal, glass
IP54, Class 1
H: 6,4 cm, W: 14 cm, D: 8,8 cm
Wall base: 5,5X13 cm
Fixed LED, Incl. 6W LED
Energy class A++ - A
Light source: Lumen 480, Kelvin 3000
Candela, 306, Life hours 25.000, RA 80
Parallel connection possible



PIUTE by Nordlux

No. 872923 Black
Master Box qty 3, Material: Metal, glass
IP54, Class 1
H: 23,5 cm, W: 11 cm, D: 11 cm
Wall base: 9,7X13,2 cm
Fixed LED, Incl. 2x3W LED
Energy class A++ - A
Light source: Lumen 2X150, Kelvin 3000
Candela, 224, Life hours 25.000, RA 80
Parallel connection possible



CITY by Nordlux

No. 881123 Black
No. 881163 Anthracite
Master Box qty 3, Material: Metal, acrylic
IP44, Class 2
H: 35 cm, W: 12 cm, D: 11 cm
Wall base: 10,5x31 cm
E27, Max. 60W, Excl. light source
Energy class A++ - D
Parallel connection not possible

DELTA MINI

by Nordlux

No. 873923 Black

No. 873931 White

No. 873963 Anthracite

No. 873993 Aluminium

Master Box qty 3, Material: Metal, plastic


IP44, Class 1, H: 16 cm, W: 16 cm

E27, Max. 60W, Excl. light source

Energy class A++ - D

Parallel connection possible

*Only for Scandinavia



DELTA

by Nordlux

No. 873023 Black

No. 87303 White

No. 873063 Anthracite

No. 873093 Aluminium

Master Box qty 3, Material: Metal, plastic

IP54, Class 1, H: 16 cm, W: 16 cm

E27, Max. 60W, Excl. light source

Energy class A++ - D

Parallel connection possible

*Only for Scandinavia





LUXEMBOURG by Nordlux

No. 22671003 Black

No. 22671009 Rust color

No. 22671030 Copper

No. 22671031 Galvanized steel

No. 22671034 Stainless steel

Master Box qty 3, Material: Metal, glass
IP54, Class 2, H: 27 cm, W: 26 cm, D: 39 cm


Wall base: Ø11,5 cm

E27, Max. 60W, Excl. light source

Energy class A++ - D

15 year anti corrosion guarantee
of no. 22671030 and 22671031

Parallel connection possible



LUXEMBOURG SENSOR by Nordlux

No. 22661031 Galvanized steel

Master Box qty 3, Material: Metal, glass
IP54, Class 1, H: 27 cm, W: 26 cm, D: 47 cm

Wall base: Ø11,5 cm

E27, Max. 60W, Excl. light source

Energy class A++ - D

Sensor: Pre-defined sensor mode

100-110°, Lights for 1 minute

Manual override mode: 5 hours

15 year anti corrosion guarantee

Parallel connection possible



LUXEMBOURG by Nordlux

No. 72805009 Rust color

Master Box qty 3, Material: Metal, glass
IP23, Class 2, H: 134 cm, Ø: 27,5 cm

Ceiling base: Ø11 cm

E27, Max. 60W, Excl. light source

Energy class A++ - D

Parallel connection not possible

DISCOS OUTDOOR 30

by Nordlux

No. 74621031 Galvanized steel

Master Box qty 3, Material: Metal, plastic

IP54, Class 2, H: 19,5 cm, W: 30 cm, D: 37 cm

Wall base: Ø10,5 cm, Shade Ø: 30 cm

E27, Max. 20W, Incl. 14W

Light source: Lumen 750, Kelvin 2700

Life hours 6.000, RA 80

Beam angle 270°, Not dimmable

Energy class B

15 year anti corrosion guarantee

Parallel connection possible



NIBE

by Nordlux

No. 24981030 Copper

No. 24981031 Galvanized steel

Master Box qty 6, Material: Metal, glass

IP54, Class 1, H: 24 cm, D: 34 cm

Wall base: Ø10,8 cm, Shade Ø: 27,5 cm

E27, Max. 60W, Excl. light source

Energy class A++ - D

15 year anti corrosion guarantee

Parallel connection possible



VIRUM

by Nordlux

No. 24111031 Galvanized steel

Master Box qty 3, Material: Metal, glass

IP44, Class 2, H: 22 cm, D: 38 cm

Wall base: Ø10,5 cm, Shade Ø: 32 cm


E27, Max. 60W, Excl. light source

Energy class A++ - D

15 year anti corrosion guarantee

Parallel connection possible





PISA
by Nordlux

No. 872623 Black
No. 872663 Anthracite
No. 872693 Aluminium
Master Box qty 2, Material: Metal, Alu
IP44, Class 1, H: 13 cm, D: 14 cm
E27, Max. 23W, Excl. light source
Energy class A++ - B
Parallel connection possible



JERSEY
by Nordlux

No. 71941003 Black
Master Box qty 3, Material: Metal, plastic
IP44, Class 1, H: 46 cm, D: 36 cm
Shade Ø: 26 cm, Wall base 11 cm
E27, Max. 60W, Excl. light source
Energy class A++ - D
Parallel connection possible



SKOT
by Nordlux

No. 17051001 White
No. 17051003 Black
Master Box qty 4, Material: Plastic, glass
IP44, Class 2, H: 11 cm, L: 18 cm, W: 10 cm, D: 11 cm
E27, Max. 60W, Excl. light source
Energy class A++ - D
Parallel connection possible

ORIGO CIRCULAR

by Nordlux

No. 875623 Black

Master Box qty 3, Material: Plastic

IP54, Class 1, D: 9 cm, Ø: 30 cm

E27, Max. 60W, Excl. light source

Energy class A++ - D

*Only for Scandinavia



ORIGO

by Nordlux

No. 875223 Black

Master Box qty 3, Material: Plastic

IP54, Class 1, D: 11 cm, Ø: 23 cm,

E27, Max. 60W, Excl. light source

Energy class A++ - D

*Only for Scandinavia





TETON
by Nordlux

No. 84136003 Black
Master Box qty 3, Material: Metal, plastic
IP54, Class 1, Ø: 20,2 cm, D: 4,5 cm
Fixed LED, Incl. 12W
Light source: Lumen 440, Kelvin 3000
Life hours 25.000, RA 80
Beam angle 160°, Not dimmable
5 year LED guarantee, Energy class A++ -A
Parallel connection possible



DESI 22
by Nordlux

No. 77636003 Black
Master Box qty 3
Material: Metal, polycarbonate
IP44, Class 1, D: 7 cm, Ø: 22 cm
Excl. cable
E27, Max. 12W, Excl. light source
Energy class A++ - B
Parallel connection possible



DESI 28
by Nordlux

No. 77646003 Black
No. 77646010 Grey
Master Box qty 3
Material: Metal, polycarbonate
IP44, Class 1, D: 7,5 cm, Ø: 27,5 cm
Excl. cable
E27, Max. 2x12W, Excl. light source
Energy class A++ - B
Parallel connection possible

MOON ROUND

by Nordlux

No. 83571001 White

Master Box qty 3, Material: Plastic

IP65, Class 2, D: 8 cm, Ø: 22 cm

Fixed LED, Incl. 20W LED

Light source: Lumen 1600, Kelvin 2700

Life hours 25.000, RA 80,

Candela 500, Beam angle 100°, Not dimmable

Energy class A, 5 year LED guarantee

Parallel connection possible



MOON OVAL

by Nordlux

No. 83581001 White

Master Box qty 3, Material: Plastic

IP65, Class 2, H: 17,6 cm, D: 8 cm, W: 27 cm

Fixed LED, Incl. 20W LED

Light source: Lumen 1600, Kelvin 2700

Life hours 25.000, RA 80, Candela 500

Beam angle 100°, Not dimmable

Energy class A, 5 year LED guarantee

Parallel connection possible



MOSS MAXI

by Nordlux

No. 28309931 Galvanized steel

Master Box qty 3, Material: Metal, glass

IP54, Class 1, D: 7 cm, Ø: 20 cm

G9, Max. 2x25W, Excl. light source

Energy class A++ - D

15 year anti corrosion guarantee

Parallel connection not possible





MALTE
by Nordlux

No. 21841031 Galvanized steel
Master Box qty 3, Material: Metal, plastic
IP54, Class 1, D: 9,5 cm, Ø: 24 cm
E27, Max. 60W, Excl. light source
Energy class A++ - D
15 year anti corrosion guarantee
Parallel connection possible



MALTE
by Nordlux

No. 21851031 Galvanized steel
Master Box qty 3, Material: Metal, plastic
IP54, Class 1, D: 9,5 cm, Ø: 24 cm
E27, Max. 60W, Excl. light source
Energy class A++ - D
15 year anti corrosion guarantee
Parallel connection possible



MALTE
by Nordlux

No. 21861031 Galvanized steel
Master Box qty 3, Material: Metal, plastic
IP54, Class 1, D: 9 cm, Ø: 24 cm
E27, Max. 60W, Excl. light source
Energy class A++ - D
15 year anti corrosion guarantee
Parallel connection possible

SPOTLIGHT LED

by Nordlux

No. 20788303 Black

Master Box qty 3, Material: Metal, glass

IP54, Class 1, H: 40 cm, Ø: 10 cm

GU10, Max. 35W, Incl. 3W LED, SMD

Light source: Lumen 200, Kelvin 2700

Candela 100, Life hours 25.000, RA 80

Beam angle 90°, Not dimmable

Energy class A+, Schuko plug, Cable 200 cm

Parallel connection not possible



SPOTLIGHT

by Nordlux

No. 20789903 Black

No. 20789929 Grey

Master Box qty 3, Material: Metal, glass

IP54, Class 1, H: 38 cm, Ø: 10 cm

GU10, Max. 35W, Excl. light source

Energy class A++ - D, Schuko plug, Cable 200 cm

Parallel connection not possible



TIN SPEAR

by Nordlux

No. 28469934 Stainless steel

Master Box qty 3, Material: Metal, glass

IP54, Class 1, H: 36 cm, Ø: 6 cm

GU10, Max. 35W, Excl. light source

Energy class A++ - D, Schuko plug, Cable 190 cm

Parallel connection not possible





TAURUS by Nordlux

No. 77029934 Stainless steel
Master Box qty 3, Material: Metal, glass
IP54, Class 1, H: 31 cm, Ø: 10 cm
GU10, Max. 28W, Excl. light source
Energy class A++ - D, Schuko plug, Cable 150 cm
Parallel connection not possible



MONO by Nordlux

No. 83698003 Black
Master Box qty 3, Material: Metal
IP44, Class 1, H: 57,7 cm, Ø: 7 cm
GU10, Max. 35W, Excl. light source
Energy class A++ - D
Replaceable cable 190 cm, Schuko plug
Parallel connection not possible



MAGIC SOLAR by Nordlux

No. 84190001
Master Box qty 3, Material: Silicone, plastic
IP67, Class 3, H: 17,2 cm, Ø: 8 cm
Fixed LED, Incl. 3x0,5W LED
Energy class A+
Lighting modes: Low, High, Flashing, Off
Charged by high efficiency
solar panel or external power
Waterproof, foldable, portable,
use it as a storage bottle



FOCUS

by Nordlux

No. 874317

Master Box qty 3, Material: Metal, glass

IP67, Class 1, H: 14,5 cm, Ø: 11 cm

GU10, Max. 7W, Excl. light source

Energy class A++ - D, Parallel connection possible

*Only for Scandinavia



TILOS EFFECT LED

by Nordlux

No. 96400034 Stainless steel

Master Box qty 3, Material: Metal, glass

IP67, Class 2, H: 14,5 cm, Ø: 9,5 cm

Hole diameter: 9,5 cm, Excl. cable

Adjustable beam light


GU10, Max. 5W, Incl. 1,1W LED

Light source: Lumen 90, Kelvin 3200

Candela 25, Life hours 25.000, RA 80

Beam angle 120°, Not dimmable

Energy class A++ - A, Parallel connection possible



PATO

by Nordlux

No. 83830034 ROUND Stainless steel

No. 83840034 SQUARE Stainless steel

Master Box qty 3, Material: Metal, glass

IP67, Class 1, H: 12 cm, W: 11 cm

Hole diameter: 10 cm, Cable 95 cm

GU10, Max. 35W, Excl. light source

Energy class A++ - D

Parallel connection not possible



TILOS 3-KIT LED

by Nordlux

No. 96430034 Stainless steel

Master Box qty 3, Material: Metal, glass

IP67, Class 2, H: 13,6 cm, Ø: 9,5 cm

Excl. cable

GU10, Max. 3x5W, Incl. 3x1,1W LED

Light source: Lumen 3x90, Kelvin 3200

Candela 25, Life hours 25.000, RA 80

Beam angle 120°, Not dimmable

Energy class A+, Parallel connection possible



